BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND
KEYWORD INDEXES
for volumes
377–384 (2004)

The Biochemical Society, London © 2005

See your next paper published with EESI-View*

EESI•View

– a new and innovative way of viewing the *Biochemical Journal* online

Take a fresh look at the BJ with EESI-View

- **3 in 1** – *text, figures and tables*, and *author information* in view at one time
- **Flexible viewing** – simply resize the frames to suit you!
- **Simple navigation** – go straight to the section that interests you, with the help of easy to use drop-down menus and navigation buttons
- **Revealing roll-overs** – author affiliations and references appear as you roll over the links
- **User-friendly figures and tables** – automatically load in a size and resolution to suit the frame

Things are really looking up! Look up the BJ at www.BiochemJ.org and see for yourself.

It really is that EESI!



BJ www.BiochemJ.org

*Enhanced Electronic Serials Interface – developed by Portland Press UK Patent Application No. 0416038.8.

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

377–384 (2004)

The Biochemical Society, London © 2005

Available from

Portland Customer Services, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331
e-mail sales@portland-services.com

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Compiled and composed by TechBooks, Delhi

Printed in Great Britain by The Charlesworth Group, Wakefield

Author Index

VOLUMES 377–384 (2004)

Aandahl, E. M. *See* Rahmouni, S.
Aapola, U.
——; Mäenpää, K.; Kaipia, A.; Peterson, P.
Epigenetic modifications affect *Dnmt3L* expression, 380:705
Aasheim, H.-C. *See* Finne, E. F.
Abboud, H. E. *See* Gorin, Y.
Abdollahi, M. *See* Bardwell, A. J.
Abelian, A.
——; Walsh, A. P.; Lentzen, G.; Aboul-Ela, F.; Gait, M. J.
Targeting the A site RNA of the *Escherichia coli* ribosomal 30 S subunit by 2′-O-methyl oligoribonucleotides: a quantitative equilibrium dialysis binding assay and differential effects of aminoglycoside antibiotics, 383:201
Abeling, N. G. G. M. *See* van Kuilenburg, A. B. P.
Abo-Dalo, B.
——; Ndjonka, D.; Pinnen, F.; Liebau, E.; Lüersen, K.
A novel member of the GCN5-related *N*-acetyltransferase superfamily from *Caenorhabditis elegans* preferentially catalyses the *N*-acetylation of thialysine [*S*-(2-aminoethyl)-L-cysteine], 384:129
Aboulaich, N.
——; Vainonen, J. P.; Strålfors, P.; Vener, A. V.
Vectorial proteomics reveal targeting, phosphorylation and specific fragmentation of polymerase I and transcript release factor (PTRF) at the surface of caveolae in human adipocytes, 383:237
Aboul-Ela, F. *See* Abelian, A.
Abouzied, M. M.
——; Baader, S. L.; Dietz, F.; Kappler, J.; Gieselmann, V.; Franken, S.
Expression patterns and different subcellular localization of the growth factors HDGF (hepatoma-derived growth factor) and HRP-3 (HDGF-related protein-3) suggest functions in addition to their mitogenic activity, 378:169
Abu-Abed, M.
——; Millet, O.; MacLennan, D. H.; Ikura, M.
Probing nucleotide-binding effects on backbone dynamics and folding of the nucleotide-binding domain of the sarcoplasmic/endoplasmic-reticulum Ca^{2+}-ATPase, 379:235
Abu-Hamad, S. *See* Azoulay-Zohar, H.
Achouri, Y.
——; Noël, G.; Vertommen, D.; Rider, M. H.; Veiga-Da-Cunha, M.; van Schaftingen, E.
Identification of a dehydrogenase acting on D-2-hydroxyglutarate, 381:35
Ackerley, C. *See* Xu, F.
Adam, S. A. *See* Zhao, X.
Adams, D. R. *See* Johnston, L. A.
Adams, J. C. *See* Prag, S.
Adams, M. W. W. *See* Verhees, C. H.
Addona, T. A. *See* Cross, M.
Ademark, P. *See* Henriksson, H.
Aerts, T. *See* Vreuls, C.
Agarwal, A. *See* Hock, T. D.
Agius, L. *See* Aiston, S.; Brocklehurst, K. J.
Agrimi, G.
——; Di Noia, M. A.; Marobbio, C. M. T.; Fiermonte, G.; Lasorsa, F. M.; Palmieri, F.
Identification of the human mitochondrial *S*-adenosylmethionine transporter: bacterial expression, reconstitution, functional characterization and tissue distribution, 379:183
Aida, K. *See* Ulvila, J.
Ailett, F. *See* Grempler, R.
Airenne, K. J. *See* Hytönen, V. P.
Airenne, T. T. *See* Hytönen, V. P.
Aiston, S.
——; Green, A.; Mukhtar, M.; Agius, L.
Glucose 6-phosphate causes translocation of phosphorylase in hepatocytes and inactivates the enzyme synergistically with glucose, 377:195
Akagawa, K. *See* Suga, K.
Akahoshi, N. *See* Ishii, I.
Akaike, A. *See* Oshita, H.
Åkerblom, B. *See* Welsh, M.
Akhouri, R. R.
——; Bhattacharyya, A.; Painaik, P.; Malhotra, P.; Sharma, A.
Structural and functional dissection of the adhesive domains of *Plasmodium falciparum* thrombospondin-related anonymous protein (TRAP), 379:815
Akinbi, H. T. *See* Markart, P.
Akita, K.
——; Toda, M.; Hosoki, Y.; Inoue, M.; Fushiki, S.; Oohira, A.; Okayama, M.; Yamashina, I.; Nakada, H.
Heparan sulphate proteoglycans interact with neurocan and promote neurite outgrowth from cerebellar granule cells, 383:129
Akiyama, H.
——; Sakai, S.; Linhardt, R. J.; Goda, Y.; Toida, T.; Maitani, T.
Chondroitin sulphate structure affects its immunological activities on murine splenocytes sensitized with ovalbumin, 382:269
Akiyama, T. *See* Opassiri, R.
Akusjärvi, G. *See* Dauksaite, V.
Alahari, S. K.
——; Nasrallah, H.
A membrane proximal region of the integrin α5 subunit is important for its interaction with nischarin, 377:449
Alayash, A. I. *See* Jia, Y.
Albig, W. *See* Koessler, H.
Albrecht, T. *See* Urich, T.
Aledo, J. C. *See* Baglietto-Vargas, D.
Alessi, D. R. *See* Vitari, A. C.
Alfonso-Jaume, M. A.
——; Mahimkar, R.; Lovett, D. H.
Co-operative interactions between NFAT (nuclear factor of activated T cells) c1 and the zinc finger transcription factors Sp1/Sp3 and Egr-1 regulate MT1-MMP (membrane type 1 matrix metalloproteinase) transcription by glomerular mesangial cells, 380:735
Alimardani, P. *See* Ferreira, T.
——; Régnacq, M.; Moreau-Vauzelle, C.; Ferreira, T.; Rossignol, T.; Blondin, B.; Bergès, T.
SUT1-promoted sterol uptake involves the ABC transporter Aus1 and the mannoprotein Dan1 whose synergistic action is sufficient for this process, 381:195
Al Johi, M. *See* Rainbow, R. D.
Allain, F. *See* Vanpouille, C.
Allali-Hassani, A.
——; Campbell, T. L.; Ho, A.; Schertzer, J. W.; Brown, E. D.
Probing the active site of YjeE: a vital *Escherichia coli* protein of unknown function, 384:577
Allegra, S.
——; Li, J. Y.; Saez, J. M.; Langlois, D.
Terminal differentiation of Sol 8 myoblasts is retarded by a transforming growth factor-β autocrine regulatory loop, 381:429
Allen, J. W. A.
——; Ginger, M. L.; Ferguson, S. J.
Maturation of the unusual single-cysteine (XXXCH) mitochondrial *c*-type cytochromes found in trypanosomatids must occur through a novel biogenesis pathway, 383:537
Almeida, A. *See* Cidad, P.
Almeida, M. R.
——; Macedo, B.; Cardoso, I.; Alves, I.; Valencia, G.; Arsequell, G.; Planas, A.; Saraiva, M. J.
Selective binding to transthyretin and tetramer stabilization in serum from patients with familial amyloidotic polyneuropathy by an iodinated diflunisal derivative, 381:351
Almeida, R. *See* Serpa, J.
Alonso, C. *See* Soto, M.
Alqawi, O.
——; Bates, S.; Georges, E.
Arginine^{482} to threonine mutation in the breast cancer resistance protein ABCG2 inhibits rhodamine 123 transport while increasing binding, 382:711
Altmann, F. *See* Lauer, I.
Alvarez, J. *See* Montero, M.
Alves, I. *See* Almeida, M. R.
Alzari, P. *See* Freire, T.
Amann, C. M. *See* Schneiter, R.
Ambo, H. *See* Kamata, T.
Amodeo, P. *See* Cappiello, M.; Scaloni, A.
Amutha, B.
——; Gordon, D. M.; Gu, Y.; Pain, D.
A novel role of Mgm1p, a dynamin-related GTPase, in ATP synthase assembly and cristae formation/maintenance, 381:19
Ananyeva, N. M. *See* Panteleev, M. A.
Anderluh, G. *See* Gutiérrez-Aguirre, I.
Andersen, H. S. *See* Pedersen, A. K.
Anderson, M. *See* Njålsson, R.
Andersson, J. *See* Haitina, T.
Andrade, A. A.
——; Silva, P. N. G.; Pereira, A. C. T. C.; de Sousa, L. P.; Ferreira, P. C. P.; Gazzinelli, R. T.; Kroon, E. G.; Ropert, C.; Bonjardim, C. A.

© 2005 Biochemical Society

The vaccinia virus-stimulated mitogen-activated protein kinase (MAPK) pathway is required for virus multiplication, 381:437
Andrade, J.
——; Pearce, S. T.; Zhao, H.; Barroso, M.
Interactions among p22, glyceraldehyde-3-phosphate dehydrogenase and microtubules, 384:327
Andreasen, P. A. *See* Gliemann, J.
Andrekopoulos, C.
——; Zhang, Hao; Joseph, J.; Kalivendi, S.; Kalyanaraman, B.
Bicarbonate enhances α-synuclein oligomerization and nitration: intermediacy of carbonate radical anion and nitrogen dioxide radical, 378:435
Andreo, C. S. *See* Detarsio, E.
Andrés, I. *See* Llorian, M.
Andreu, E. *See* Sanz, C.
Andrews, G. K. *See* Jiang, H.
Andrews, R. K. *See* Suzuki-Inoue, K.
Annerén, C. *See* Welsh, M.
Anselmo, A. N.
——; Cobb, M. H.
Protein kinase function and glutathionylation (online-only commentary on Cross, J. V.), 381:e1
Antony, A. C. *See* Yalowitz, J. A.
Aoki, K.
——; Uchiyama, R.; Itonori, S.; Sugita, M.; Che, F.-S.; Isogai, A.; Hada, N.; Hada, J.; Takeda, T.; Kumagai, H.; Yamamoto, K.
Structural elucidation of novel phosphocholine-containing glycosylinositol-phosphoceramides in filamentous fungi and their induction of cell death of cultured rice cells, 378:461
Aoki, N. *See* Okumura, H.
Aouida, M.
——; Leduc, A.; Wang, H.; Ramotar, D.
Characterization of a transport and detoxification pathway for the antitumour drug bleomycin in *Saccharomyces cerevisiae*, 384:47
Aplin, R. T. *See* Lancaster, D. E.
Aragón, J. J. *See* Martínez-Costa, O. H.
Araki, T. *See* Karasawa, S.
Ardail, D. *See* Bionda, C.
Armugam, A. *See* Koh, D. C.-I.
Arnaud, M.
——; Mzali, R.; Gesbert, F.; Crouin, C.; Guenzi, C.; Vermot-Desroches, C.; Wijdenes, J.; Courtois, G.; Bernard, O.; Bertoglio, J.
Interaction of the tyrosine phosphatase SHP-2 with Gab2 regulates Rho-dependent activation of the c-*fos* serum response element by interleukin-2, 382:545
Arpiainen, S. *See* Ulvila, J.
Arrigoni, G. *See* Lopreiato, R.
Arseniev, A. S. *See* Efremov, R. G.
Arsenijevic, T.
——; Degraef, C.; Dumont, J. E.; Roger, P. P.; Pirson, I.
A novel partner for D-type cyclins: protein kinase A-anchoring protein AKAP95, 378:673
Arsequell, G. *See* Almeida, M. R.
Arthur, J. S. C. *See* McNeill, H.
Asano, H.
——; Murate, T.; Naoe, T.; Saito, H.; Stamatoyannopoulos, G.
Molecular cloning and characterization of ZFF29: a protein containing a unique Cys_2His_2 zinc-finger motif, 384:647
Ashcroft, F. J.
——; Varro, A.; Dimaline, R.; Dockray, G. J.
Control of expression of the lectin-like protein Reg-1 by gastrin: role of the Rho family GTPase RhoA and a C-rich promoter element, 381:397
Ashley, R. H. *See* Siritapetawee, J.
Ashman, K. *See* Cross, M.
Ashmole, I. *See* Rainbow, R. D.
Asins, G. *See* Morillas, M.
Askari, J. A. *See* Barton, S. J.
Aspenström, P.
——; Fransson, Å.; Saras, J.
Rho GTPases have diverse effects on the organization of the actin filament system, 377:327
Assefa, Z. *See* Bultynck, G.
Assfalg-Machleidt, I. *See* Fernández-Montalván, A.
Assmann, B. *See* Mund, C.
Astancolle, S. *See* Caccamo, A. E.
Ataullakhanov, F. I. *See* Panteleev, M. A.
Athauda, S. B. P.
——; Matsumoto, K.; Rajapakshe, S.; Kuribayashi, M.; Kojima, M.; Kubomura-Yoshida, N.; Iwamatsu, A.; Shibata, C.; Inoue, H.; Takahashi, K.
Enzymic and structural characterization of nepenthesin, a unique member of a novel subfamily of aspartic proteinases, 381:295; 382:1039 (Correction)
Atlante, A. *See* de Bari, L.
Atshaves, B. P. *See* Gallegos, A. M.
Attaix, D. *See* Combaret, L.
Attersand, A. *See* Forsgren, M.
Atzenhofer, W. *See* Halden, Y.
Aubert, J.-P. *See* Jonckheere, N.; Mariette, C.
Audubert, F. *See* Bailleux, A.
Auger, J. M. *See* Suzuki-Inoue, K.
Auld, G. C. *See* Murray, J. T.
Ausili, A.
——; Di Lauro, B.; Cobucci-Ponzano, B.; Bertoli, E.; Scirè, A.; Rossi, M.; Tanfani, F.; Moracci, M.
Two-dimensional IR correlation spectroscopy of mutants of the β-glycosidase from the hyperthermophilic archaeon *Sulfolobus solfataricus* identifies the mechanism of quaternary structure stabilization and unravels the sequence of thermal unfolding events, 384:69
Avruch, J. *See* Praskova, M.
Axarli, I. A.
——; Rigden, D. J.; Labrou, N. E.
Characterization of the ligandin site of maize glutathione S-transferase I, 382:885
Azam, T. *See* Bufler, P.
Azevedo, D. *See* Nevitt, T.
Azoulay-Zohar, H.
——; Israelson, A.; Abu-Hamad, S.; Shoshan-Barmatz, V.
In self-defence: hexokinase promotes voltage-dependent anion channel closure and prevents mitochondria-mediated apoptotic cell death, 377:347
Azuma, J. *See* Ito, T.

Baader, S. L. *See* Abouzied, M. M.
Bach, T. J. *See* Nagegowda, D. A.
Bacher, A. *See* Bonin, I.
Bacher, I.
——; Zidar, A.; Kratzel, M.; Hohenegger, M.
Channelling of substrate promiscuity of the skeletal-muscle ADP-ribosyl cyclase isoform, 381:147
Bachère, E. *See* Cuthbertson, B. J.
Bachhawat-Sikder, K. *See* Bajaj, K.
Baek, H. Y.
——; Lim, J. W.; Kim, H.; Kim, J. M.; Kim, J. S.; Jung, H. C.; Kim, K. H.
Oxidative-stress-related proteome changes in *Helicobacter pylori*-infected human gastric mucosa, 379:291
Bagi, G. *See* Sivanandam, A. S.
Baglietto-Vargas, D.
——; López-Téllez, J. F.; Moreno-González, I.; Gutiérrez, A.; Aledo, J. C.
Segregation of two glutaminase isoforms in islets of Langerhans, 381:483
Bagoly, Z. *See* Piccardoni, P.
Bai, Y. *See* Oshita, H.
Bailey, T. S. F. *See* Reid, J. D.
Bailleux, A.
——; Wendum, D.; Audubert, F.; Jouniaux, A.-M.; Koumanov, K.; Trugnan, G.; Masliah, J.
Cytosolic phospholipase A_2–p11 interaction controls arachidonic acid release as a function of epithelial cell confluence, 378:307
Baillie, G. S. *See* Johnston, L. A.
Bain, J. *See* Murray, J. T.
Bajaj, K.
——; Chakshusmathi, G.; Bachhawat-Sikder, K.; Surolia, A.; Varadarajan, R.
Thermodynamic characterization of monomeric and dimeric forms of CcdB (controller of cell division or death B protein), 380:409
Bajaj, R. *See* Walia, B.
Bak, H. *See* Persson, E.
Bakker, P. L. *See* Herrero, S.
Bakos, É. *See* Kern, A.
Balduini, C. *See* Minetti, G.
Baldwin, J. E. *See* Grummitt, A. R.
Baldwin, S. A. *See* Barnes, K.
Ball, J. M. *See* Huang, H.
Ballmer-Weber, B. K. *See* Lauer, I.
Balog, C. I. A. *See* Wuhrer, M.
Bandeiras, T. M. *See* Urich, T.
Bang, Y.-J. *See* Kim, H.-P.
Banki, K. *See* Grossman, C. E.
Bannai, H. *See* Nakayama, T.
Banno, Y. *See* Yamada, M.
Baracca, A. *See* Pallotti, F.
Barbeau, K. *See* Rollet-Labelle, E.
Barber, R. *See* Johnston, L. A.
Bardwell, A. J.
——; Abdollahi, M.; Bardwell, L.
Anthrax lethal factor-cleavage products of MAPK (mitogen-activated protein kinase) kinases exhibit reduced binding to their cognate MAPKs, 378:569
Bardwell, L. *See* Bardwell, A. J.
Barford, D. *See* Passmore, L. A.
Barker, C. J.
——; Wright, J.; Hughes, P. J.; Kirk, C. J.; Michell, R. H.
Complex changes in cellular inositol phosphate complement accompany transit through the cell cycle, 380:465
Barlič, A. *See* Gutiérrez-Aguirre, I.
Barnes, K.
——; Ingram, J. C.; Bennett, M. D. M.; Stewart, G. W.; Baldwin, S. A.
Methyl-β-cyclodextrin stimulates glucose uptake in Clone 9 cells: a possible role for lipid rafts, 378:343
Barone, R. *See* Esposito, G.

© 2005 Biochemical Society

Bar-Peled, M.
——; Griffith, C. L.; Ory, J. J.; Doering, T. L.
Biosynthesis of UDP-GlcA, a key metabolite for capsular polysaccharide synthesis in the pathogenic fungus *Cryptococcus neoformans*, 381:131
Barra, D. *See* Mangoni, M. L.
Barraclough, R. *See* Wang, Guozheng
Barratt, C. L. R. *See* Kirkman-Brown, J. C.
Barrett, A. J. *See* Rawlings, N. D.
Barrett, M. P. *See* Veitch, N. J.
Barritt, G. J. *See* Gregory, R. B.
Barroso, M. *See* Andrade, J.
Barsukov, I. *See* Day, C. L.
Barsyte-Lovejoy, D.
——; Galanis, A.; Clancy, A.; Sharrocks, A. D.
ERK5 is targeted to myocyte enhancer factor 2A (MEF2A) through a MAPK docking motif, 381:693
Bar-Tana, J. *See* Bronner, M.
Barthel, A. *See* Grempler, R.
Barton, S. J.
——; Travis, M. A.; Askari, J. A.; Buckley, P. A.; Craig, S. E.; Humphries, M. J.; Mould, A. P.
Novel activating and inactivating mutations in the integrin β1 subunit A domain, 380:401
Bar-Zvi, D. *See* Kalifa, Y.
Basak, A. *See* Basak, S.
Basak, S.
——; Chrétien, M.; Mbikay, M.; Basak, A.
In vitro elucidation of substrate specificity and bioassay of proprotein convertase 4 using intramolecularly quenched fluorogenic peptides, 380:505
Bassilian, S. *See* Marin, S.
Batandier, C. *See* Guigas, B.
Batel, R. *See* Schröder, H.-C.
Bates, S. *See* Alqawi, O.
Batra, S. *See* Mariette, C.
Battaini, G. *See* Roncone, R.
Batterham, P. *See* Southon, A.
Battistini, A. *See* Stellacci, E.
Batty, I. H. *See* Fleming, I. N.; Walker, S. M.
——; Fleming, I. N.; Downes, C. P.
Muscarinic-receptor-mediated inhibition of insulin-like growth factor-1 receptor-stimulated phosphoinositide 3-kinase signalling in 1321N1 astrocytoma cells, 379:641
Bauer, S. *See* Evans, P. C.
Baum, S.
——; Bittins, M.; Frey, S.; Seedorf, M.
Asc1p, a WD40-domain containing adaptor protein, is required for the interaction of the RNA-binding protein Scp160p with polysomes, 380:823
Baunsgaard, L. *See* Mikkelsen, R.
Baverel, G. *See* Vercoutère, B.
Bayan, N. *See* Liang, Z.
Baylink, D. J. *See* Sivanandam, A. S.
Bayne, A.-C. V. *See* Rebrin, I.
Bazuine, M. *See* Bosch, R. R.
Beak, D.-G. *See* Kim, J.
Becciolini, L. *See* Meacci, E.
Béchet, D. *See* Combaret, L.
Becker, C. *See* Kruse, M.-N.
Beck-Sickinger, A. G. *See* Tréhin, R.
Bedecs, K. *See* Nielsen, D.
Behrmann, I. *See* Fischer, P.
Beicht, P. *See* Neumann-Giesen, C.
Beier, F. *See* Stanton, L.-A.
Beinke, S.
——; Ley, S. C.
Functions of NF-κB1 and NF-κB2 in immune cell biology, 382:393
Belenky, P. *See* McLean, J. E.
Bell, D. R. *See* Mee, C. J.
Bellahcène, A. *See* Chaplet, M.
Bellelli, A. *See* Vandegriff, K. D.
Benecke, H. *See* Bonin, I.
Benedetti, E. *See* Stellacci, E.
Bennett, M. D. M. *See* Barnes, K.
Benoit, A.
——; Vargas, M. A.; DesGroseillers, L.; Boileau, G.
Endothelin-converting enzyme-like 1 (ECEL1) is present both in the plasma membrane and in the endoplasmic reticulum, 380:881
Benz, R. *See* Mampel, J.
Berg, T. *See* Hansen, G.; Mousavi, S. A.
Bergans, N. *See* Collard, F.
Berger, J. *See* Fraisl, P.
Berger, N. A. *See* Li, M.
Bergès, T. *See* Alimardani, P.; Ferreira, T.
Bergman, C. A. *See* Mason, R. W.
Bergman, T. *See* Nielsen, D.
——; Henrich, V. C.; Schlattner, U.; Lezzi, M.
Ligand control of interaction *in vivo* between ecdysteroid receptor and ultraspiracle ligand-binding domain, 378:779
Bermingham, A. *See* Garçon, A.
Bernard, O. *See* Arnaud, M.
Bernardo, K. *See* Heimlich, G.
Berra, E. *See* Chauvet, C.
Berrevoets, C. A.
——; Umar, A.; Trapman, J.; Brinkmann, A. O.
Differential modulation of androgen receptor transcriptional activity by the nuclear receptor co-repressor (N-CoR), 379:731
Berry, C. *See* Gul, S.
Berthiaume, L. G. *See* Vilas, G. L.
Bertin, B.
——; Sasorith, S.; Caby, S.; Oger, F.; Cornette, J.; Wurtz, J.-M.; Pierce, R. J.
Unique functional properties of a member of the Fushi Tarazu-Factor 1 family from *Schistosoma mansoni*, 382:337
Bertoglio, J. *See* Arnaud, M.
Bertoli, E. *See* Ausili, A.
Bertonati, C. *See* De Rosa, M. C.
Bertrand, L. *See* Rider, M. H.
Bertsch, U. *See* Brehm, M. A.
Besra, G. S. *See* Guy, M. R.
Best, D. *See* Jarvis, G. E.
Betenbaugh, M. *See* Sundaram, A. K.
Betto, R. *See* Sandonà, D.
Bettuzzi, S. *See* Caccamo, A. E.
Beugnot, R. *See* Bourges, I.
Beullens, M. *See* Llorian, M.
Bhagavan, N. V. *See* Liu, R.
Bhandari, B. *See* Gorin, Y.
Bhansali, V. *See* Njålsson, R.
Bhatia, V. *See* Garg, N.
Bhattacharyya, A. *See* Akhouri, R. R.
Bhatti, M. M. *See* Sullivan, Jr, W. J.
Bi, Y. *See* Ma, Q.
——; Palmiter, R. D.; Wood, K. M.; Ma, Q.
Induction of metallothionein I by phenolic antioxidants requires metal-activated transcription factor 1 (MTF-1) and zinc, 380:695
Bian, H. *See* Wang, P.
Bianchi, L. *See* Poliseno, L.
Bianconi, M. L. *See* Celej, M. S.
Bicknell, K. A.
——; Coxon, C. H.; Brooks, G.
Forced expression of the cyclin B1–CDC2 complex induces proliferation in adult rat cardiomyocytes, 382:411
Bien-Ly, N. *See* Kuhn, M.
Biju, M. P. *See* Yalowitz, J. A.
Bikker, F. J. *See* Ligtenberg, A. J. M.
Billah, M. M. *See* Wang, P.
Billington, R. A.
——; Thuring, J. W.; Conway, S. J.; Packman, L.; Holmes, A. B.; Genazzani, A. A.
Production and characterization of reduced NAADP (nicotinic acid–adenine dinucleotide phosphate), 378:275
Billman-Jacobe, H. *See* Morita, Y. S.
Bilyeu, K. D. *See* Frébortová, J.
Bini, L. *See* Poliseno, L.
Bionda, C.
——; Portoukalian, J.; Schmitt, D.; Rodriguez-Lafrasse, C.; Ardail, D.
Subcellular compartmentalization of ceramide metabolism: MAM (mitochondria-associated membrane) and/or mitochondria?, 382:527
Birkholtz, L.-M.
——; Wrenger, C.; Joubert, F.; Wells, G. A.; Walter, R. D.; Louw, A. I.
Parasite-specific inserts in the bifunctional S-adenosylmethionine decarboxylase/ornithine decarboxylase of *Plasmodium falciparum* modulate catalytic activities and domain interactions, 377:439
Birnbaumer, L. *See* D'Angelo, M. A.
Birss, A. J. *See* Smalley, J. W.
Bisaillon, M. *See* Bougie, I.
Bissonnette, L.
——; Charest, G.; Longpré, J.-M.; Lavigne, P.; Leduc, R.
Identification of furin pro-region determinants involved in folding and activation, 379:757
Biswas, S. *See* Jiang, G.
Biswas, S. B.
——; Flowers, S.; Biswas-Fiss, E. E.
Quantitative analysis of nucleotide modulation of DNA binding by DnaC protein of *Escherichia coli*, 379:553
Biswas, T. K.
——; Getz, G. S.
Requirement of different mitochondrial targeting sequences of the yeast mitochondrial transcription factor Mtf1p when synthesized in alternative translation systems, 383:383
Biswas-Fiss, E. E. *See* Biswas, S. B.
Bittins, M. *See* Baum, S.
Bjerkan, T. M. *See* Campa, C.
——; Lillehov, B. E.; Strand, W. I.; Skjåk-Bræk, G.; Valla, S.; Ertesvåg, H.
Construction and analyses of hybrid *Azotobacter vinelandii* mannuronan C-5 epimerases with new epimerization pattern characteristics, 381:813
Blackburn, P. E.
——; Simpson, C. V.; Nibbs, R. J. B.; O'Hara, M.; Booth, R.; Poulos, J.; Isaacs, N. W.; Graham, G. J.
Purification and biochemical characterization of the D6 chemokine receptor, 379:263
Blackwell, J. M. *See* White, J. K.
Blanchet-Tournier, M.-F. *See* Paces-Fessy, M.
Blazquez, S. *See* Coquil, J.-F.
Bleck, B. *See* Schachtrup, C.
Bleijerveld, O. B.
——; Klein, W.; Vaandrager, A. B.; Helms, J. B.; Houweling, M.
Control of the CDPethanolamine pathway in mammalian cells: effect of CTP:phosphoethanolamine cytidylyltransferase overexpression and the amount of

© 2005 Biochemical Society

intracellular diacylglycerol, 379:711
Blennow, A. *See* Mikkelsen, R.
Bligny, R. *See* van der Rest, B.
Blindauer, C. A. *See* Borrelly, G. P. M.
Blok, L. J. *See* Wong, H. Y.
Blom, T. *See* Törnquist, K.
Blondin, B. *See* Alimardani, P.
Bloomberg, G. B. *See* Murray, J. T.
Blume, A.
——; Weidemann, W.; Stelzl, U.; Wanker, E. E.; Lucka, L.; Donner, P.; Reutter, W.; Horstkorte, R.; Hinderlich, S.
Domain-specific characteristics of the bifunctional key enzyme of sialic acid biosynthesis, UDP-*N*-acetylglucosamine 2-epimerase/*N*-acetylmannosamine kinase, 384:599
Board, P. G. *See* Robinson, A.
Boatright, K. M.
——; Deis, C.; Denault, J.-B.; Sutherlin, D. P.; Salvesen, G. S.
Activation of caspases-8 and -10 by $FLIP_L$, 382:651 (*See* Peter, M. E. for online-only commentary)
Bobik, E. G. *See* Pereira, S. L.
Bode, C. *See* Koessler, H.
Bogoyevitch, M. A. *See* Udomsinprasert, R.
Boileau, G. *See* Benoit, A.; Maréchal, A.
Bois-Joyeux, B. *See* Chauvet, C.
Boisson, A.-M. *See* van der Rest, B.
Boitani, C. *See* Tramer, F.
Bok, E. *See* Hryniewicz-Jankowska, A.
Bolam, D. N. *See* Boraston, A. B.
Bolaños, J. P. *See* Cidad, P.
Bolla, J.-M. *See* Goulhen, F.
Bollen, M. *See* Cimpean, A.; Llorian, M.
Bolognesi, M. *See* Roncone, R.
Bolscher, J. G. M. *See* den Hertog, A. L.; Veerman, E. C. I.
Bonar, M. M. *See* Mitchell, J. L. A.
Bong, Y.-S.
——; Park, Y.-H.; Lee, H.-S.; Mood, K.; Ishimura, A.; Daar, I. O.
Tyr-298 in ephrinB1 is critical for an interaction with the Grb4 adaptor protein, 377:499
Bonin, I.
——; Robelek, R.; Benecke, H.; Urlaub, H.; Bacher, A.; Richter, G.; Wahl, M. C.
Crystal structures of the antitermination factor NusB from *Thermotoga maritima* and implications for RNA binding, 383:419
Boniver, J. *See* Rahmouni, S.
Bonjardim, C. A. *See* Andrade, A. A.
Bonnal, J.-L. *See* Van Coppenolle, F.
Bonner, C. A.
——; Jensen, R. A.; Gander, J. E.; Keyhani, N. O.
A core catalytic domain of the TyrA protein family: arogenate dehydrogenase from *Synechocystis*, 382:279
Bonnerot, C. *See* Laulagnier, K.
Booth, H. S. *See* Robinson, A.
Booth, R. *See* Blackburn, P. E.
Bootman, M. D. *See* Peppiatt, C. M.
Boraston, A. B.
——; Bolam, D. N.; Gilbert, H. J.; Davies, G. J.
Carbohydrate-binding modules: fine-tuning polysaccharide recognition, 382:769
Borchardt, R. *See* Howell, L. D.
Bordes, P.
——; Wigneshweraraj, S. R.; Zhang, X.; Buck, M.
σ^{54}-dependent transcription activator phage shock protein F of *Escherichia coli*: a fragmentation approach to identify sequences that contribute to self-association, 378:735
Borén, T. *See* Lindén, S.
Born, E. *See* Murthy, S.
Boros, L. G. *See* Marin, S.
Borowitz, J. L. *See* Shou, Y.
Borrelli, L. *See* Esposito, G.
Borrelly, G. P. M.
——; Blindauer, C. A.; Schmid, R.; Butler, C. S.; Cooper, C. E.; Harvey, I.; Sadler, P. J.; Robinson, N. J.
A novel copper site in a cyanobacterial metallochaperone, 378:293
Borst, D. W. *See* Li, S.
Bortoloso, E. *See* Nori, A.
Bosch, R. R.
——; Bazuine, M.; Span, P. N.; Willems, P. H. G. M.; Olthaar, A. J.; van Rennes, H.; Maassen, J. A.; Tack, C. J.; Hermus, A. R. M. M.; Sweep, C. G. J.
Regulation of GLUT1-mediated glucose uptake by PKCγ–PKCβ_{II} interactions in 3T3-L1 adipocytes, 384:349
Bose, S.
——; Stratford, F. L. L.; Broadfoot, K. I.; Mason, G. G. F.; Rivett, A. J.
Phosphorylation of 20 S proteasome alpha subunit C8 (α7) stabilizes the 26 S proteasome and plays a role in the regulation of proteasome complexes by γ-interferon, 378:177
Bostick, M. *See* Laplaza, J. M.
Böttinger, E. P. *See* Piek, E.
Bottini, N. *See* Nika, K.
Boucher, D. *See* Paces-Fessy, M.
Boucher, G. *See* Sonkaria, S.
Bougie, I.
——; Parent, A.; Bisaillon, M.
Thermodynamics of ligand binding by the yeast mRNA-capping enzyme reveals different modes of binding, 384:411
Bouillenne, F. *See* Douette, P.
Boulanger, M.-C.
——; Miranda, T. B.; Clarke, S.; di Fruscio, M.; Suter, B.; Lasko, P.; Richard, S.
Characterization of the *Drosophila* protein arginine methyltransferases DART1 and DART4, 379:283
Bouloux, P. M. G. *See* Hu, Y.
Bourges, I.
——; Ramus, C.; Mousson de Camaret, B.; Beugnot, R.; Remacle, C.; Cardol, P.; Hofhaus, G.; Issartel, J.-P.
Structural organization of mitochondrial human complex I: role of the ND4 and ND5 mitochondria-encoded subunits and interaction with prohibitin, 383:491
Bowden, E. T. *See* Peck, J. W.
Boyer, T. D. *See* Whalen, R.
Bozzi, A. *See* Mangoni, M. L.
Bozzo, G. G.
——; Raghothama, K. G.; Plaxton, W. C.
Structural and kinetic properties of a novel purple acid phosphatase from phosphate-starved tomato (*Lycopersicon esculentum*) cell cultures, 377:419
Brand, M. D. *See* Esteves, T. C.; Lambert, A. J.
Brandenburg, D. *See* Shojaee-Moradie, F.
Brandenburg, K. *See* Triantafilou, M.
Brandt, W. *See* Motshwene, P.
Branlant, C. *See* Thouvenot, B.
Brans, A. *See* Douette, P.
Brázda, V. *See* Pospíšilová, Š.
Brdiczka, D. *See* Heimlich, G.
Bregonzio, C. *See* Martínez, A.
Brehm, M. A.
——; Schreiber, I.; Bertsch, U.; Wegner, A.; Mayr, G. W.
Identification of the actin-binding domain of Ins(1,4,5)P_3 3-kinase isoform B (IP3K-B), 382:353
Brendel, C.
——; Rehbein, M.; Kreienkamp, H.-J.; Buck, F.; Richter, D.; Kindler, S.
Characterization of Staufen 1 ribonucleoprotein complexes, 384:239
Breton, C. *See* Rivière, G.
Breznan, D.
——; Veereswaran, V.; Viau, F. J.; Neville, T. A.-M.; Sparks, D. L.
The lipid composition of high-density lipoprotein affects its re-absorption in the kidney by proximal tubule epithelial cells, 379:343
Bridgewater, L. C. *See* Harris, L. R.
Brindley, D. N. *See* Le Good, J. A.
Brinkmann, A. O. *See* Berrevoets, C. A.; Wong, H. Y.
Briscoe, C. P. *See* Diraison, F.
Brito, M. *See* Rauch, M. C.
Broadfoot, K. I. *See* Bose, S.
Brocke-Heidrich, K. *See* Kretzschmar, A. K.
Brockhausen, I.
——; Intestinal candyfloss (online-only commentary on Robbe, C.), 384:e3
Brocklehurst, K. *See* Reid, J. D.; Sonkaria, S.
Brocklehurst, K. J.
——; Davies, R. A.; Agius, L.
Differences in regulatory properties between human and rat glucokinase regulatory protein, 378:693
Bröer, A. *See* Pineda, M.
Bröer, S. *See* Pineda, M.
Brömme, D. *See* Godat, E.
Brondijk, T. H. C.
——; Nilavongse, A.; Filenko, N.; Richardson, D. J.; Cole, J. A.
NapGH components of the periplasmic nitrate reductase of *Escherichia coli* K-12: location, topology and physiological roles in quinol oxidation and redox balancing, 379:47
Bronner, M.
——; Hertz, R.; Bar-Tana, J.
Kinase-independent transcriptional co-activation of peroxisome proliferator-activated receptor α by AMP-activated protein kinase, 384:295
Brookes, P. S. *See* Shiva, S.
Brooks, G. *See* Bicknell, K. A.
Brown, E. D. *See* Allali-Hassani, A.
Brown, L. M. *See* Grossman, C. E.
Brown, R. *See* Gul, S.
Bruckmann, A.
——; Steensma, H. Y.; Teixeira de Mattos, M. J.; van Heusden, G. P. H.
Regulation of transcription by *Saccharomyces cerevisiae* 14-3-3 proteins, 382:867
Brügger, B. *See* Schneiter, R.
Brumer, III, H. *See* Henriksson, H.
Brüne, B. *See* Schmid, T.
Brunet, A. *See* Millanvoye-Van Brussel, E.
Bruni, P. *See* Meacci, E.
Brunk, U. T. *See* Quinn, C. M.; Kurz, T.
Brunori, M. *See* Vandegriff, K. D.
Bruns, A.-F. *See* Claus, P.
Buck, F. *See* Brendel, C.

© 2005 Biochemical Society

Buck, M. *See* Bordes, P.
Buckley, P. A. *See* Barton, S. J.
Buczek-Thomas, J. A. *See* Chu, C. L.
Budd, D. C.
——; Spragg, E. J.; Ridd, K.; Tobin, A. B.
Signalling of the M_3-muscarinic receptor to the anti-apoptotic pathway, 381:43
Bufler, P.
——; Gamboni-Robertson, F.; Azam, T.; Kim, S.-H.; Dinarello, C. A.
Interleukin-1 homologues IL-1F7b and IL-18 contain functional mRNA instability elements within the coding region responsive to lipopolysaccharide, 381:503
Buisine, M.-P. *See* Jonckheere, N.
Bujdoso, R. *See* Thackray, A. M.; Wong, E.
Bukczynska, P.
——; Klingler-Hoffmann, M.; Mitchelhill, K. I.; Lam, M. H. C.; Ciccomancini, M.; Tonks, N. K.; Sarcevic, B.; Kemp, B. E.; Tiganis, T.
The T-cell protein tyrosine phosphatase is phosphorylated on Ser-304 by cyclin-dependent protein kinases in mitosis, 380:939
Büller, H. A. *See* Jonckheere, N.
Büllesbach, E. E. *See* Cuthbertson, B. J.
Bulone, V. *See* Faijes, M.
Bultynck, G.
——; Szlufcik, K.; Kasri, N. N.; Assefa, Z.; Callewaert, G.; Missiaen, L.; Parys, J. B.; De Smedt, H.
Thimerosal stimulates Ca^{2+} flux through inositol 1,4,5-trisphosphate receptor type 1, but not type 3, via modulation of an isoform-specific Ca^{2+}-dependent intramolecular interaction, 381:87
Bungard, C. I.
——; McGivan, J. D.
Glutamine availability up-regulates expression of the amino acid transporter protein ASCT2 in HepG2 cells and stimulates the ASCT2 promoter, 382:27
Bun-Ya, M. *See* Takeuchi, H.
Buono, F. *See* Cappiello, M.
Burbelo, P. D. *See* Peck, J. W.
Burchell, B. *See* Staines, A. G.
Burghoorn, J. A. *See* Wong, H. Y.
Burke, R. *See* Southon, A.
Butler, C. S. *See* Borrelly, G. P. M.
Butters, T. D. *See* Mellor, H. R.
Byers, D. M. *See* Yu, A.

Caby, S. *See* Bertin, B.
Caccamo, A. E.
——; Scaltriti, M.; Caporali, A.; D'Arca, D.; Scorcioni, F.; Astancolle, S.; Mangiola, M.; Bettuzzi, S.
Cell detachment and apoptosis induction of immortalized human prostate epithelial cells are associated with early accumulation of a 45 kDa nuclear isoform of clusterin, 382:157
Cadot, B. *See* Candi, E.
Calasanz, M. J. *See* Sanz, C.
Callejo, M. *See* Maréchal, A.
Callewaert, G. *See* Bultynck, G.
Callis, J. *See* Laplaza, J. M.
Calzolari, A.
——; Deaglio, S.; Sposi, N. M.; Petrucci, E.; Morsilli, O.; Gabbianelli, M.; Malavasi, F.; Peschle, C.; Testa, U.
Transferrin receptor 2 protein is not expressed in normal erythroid cells, 381:629
Camakaris, J. *See* Pase, L.; Southon, A.
Cambiazo, V. *See* Tapia, L.
Cambon-Roques, S. *See* Salhi, I.
Campa, C.
——; Holtan, S.; Nilsen, N.; Bjerkan, T. M.; Stokke, B. T.; Skjåk-Bræk, G.
Biochemical analysis of the processive mechanism for epimerization of alginate by mannuronan C-5 epimerase AlgE4, 381:155
Campana, P. T. *See* Celej, M. S.
Campbell, D. G. *See* Kuma, Y.; Murray, J. T.; Pozuelo Rubio, M.
Campbell, T. L. *See* Allali-Hassani, A.
Campion, Y. *See* Paclet, M.-H.
Campuzano, I. D. G. *See* Henriksson, H.
Cance, W. G. *See* Park, H. B.
Cancio, R.
——; Spadari, S.; Maga, G.
Vif is an auxiliary factor of the HIV-1 reverse transcriptase and facilitates abasic site bypass, 383:475
Candi, E.
——; Paradisi, A.; Terrinoni, A.; Pietroni, V.; Oddi, S.; Cadot, B.; Jogini, V.; Meiyappan, M.; Clardy, J.; Finazzi-Agro, A.; Melino, G.
Transglutaminase 5 is regulated by guanine–adenine nucleotides, 381:313
Cannon, B. *See* Lindgren, E. M.
Canova, S. *See* Yang, Wannian
Cantoni, O. *See* Guidarelli, A.
Cao, W.
——; Matherly, L. H.
Analysis of the membrane topology for transmembrane domains 7–12 of the human reduced folate carrier by scanning cysteine accessibility methods, 378:201
Cao, X. *See* Xu, D.
Capano, M. *See* Li, Y.
Capasso, J. M. *See* Qadri, I.
Capes-Davis, A. G. *See* Graham, M. E.
Capon, C. *See* Robbe, C.
Caporali, A. *See* Caccamo, A. E.
Cappiello, M.
——; Lazzarotti, A.; Buono, F.; Scaloni, A.; D'Ambrosio, C.; Amodeo, P.; Méndez, B. L.; Pelosi, P.; Del Corso, A.; Mura, U.
New role for leucyl aminopeptidase in glutathione turnover, 378:35
Cardol, P. *See* Bourges, I.
Cardoso, I. *See* Almeida, M. R.
Carignani, G. *See* Lopreiato, R.
Carlisle Michel, J. J.
——; Dodge, K. L.; Wong, W.; Mayer, N. C.; Langeberg, L. K.; Scott, J. D.
PKA-phosphorylation of PDE4D3 facilitates recruitment of the mAKAP signalling complex, 381:587
Carlsson, K. *See* Njålsson, R.
Carlstedt, I. *See* Lindén, S.
Carpentier, M. *See* Vanpouille, C.
Carracedo, A.
——; Geelen, M. J. H.; Diez, M.; Hanada, K.; Guzmán, M.; Velasco, G.
Ceramide sensitizes astrocytes to oxidative stress: protective role of cannabinoids, 380:435
Carrey, E. A. *See* Churamani, D.
Carrier, F. *See* Cha, H.
Carroll, J. *See* Hu, K.
Carson, D. D. *See* Thathiah, A.
Casano, L. M.
——; Lascano, H. R.; Martín, M.; Sabater, B.
Topology of the plastid Ndh complex and its NDH-F subunit in thylakoid membranes, 382:145
Casarotto, M. G. *See* Dulhunty, A. F.
Cascante, M. *See* Marin, S.
Casella, L. *See* Roncone, R.
Casonato, S. *See* Lopreiato, R.
Castagnola, M. *See* De Rosa, M. C.
Castaneda, F. E. *See* Walia, B.
Castanho, M. *See* Veiga, S.
Castronovo, V. *See* Chaplet, M.
Cater, M. A.
——; Forbes, J.; La Fontaine, S.; Cox, D.; Mercer, J. F. B.
Intracellular trafficking of the human Wilson protein: the role of the six N-terminal metal-binding sites, 380:805
Cazzulo, J. J. *See* Veitch, N. J.
Ceaser, E. K. *See* Levonen, A.-L.; Shiva, S.
Celej, M. S.
——; D'Andrea, M. G.; Campana, P. T.; Fidelio, G. D.; Bianconi, M. L.
Superactivity and conformational changes on α-chymotrypsin upon interfacial binding to cationic micelles, 378:1059
Cencetti, F. *See* Meacci, E.
Cengia, L. *See* Dulhunty, A. F.
Centelles, J. J. *See* Marin, S.
Centeno, F. *See* Sabio, G.
Cerione, R. A. *See* Yang, Wannian
Cerletti, C. *See* Piccardoni, P.
Cha, B. S. *See* Lee, G. Y.
Cha, H.
——; Hancock, C.; Dangi, S.; Maiguel, D.; Carrier, F.; Shapiro, P.
Phosphorylation regulates nucleophosmin targeting to the centrosome during mitosis as detected by cross-reactive phosphorylation-specific MKK1/MKK2 antibodies, 378:857
Cha, H. J. *See* Jang, D. S.
Cha, S.-S. *See* Jang, D. S.
Chakraborty, S. *See* Severance, S.
Chakshusmathi, G. *See* Bajaj, K.
Chalar, C. *See* Freire, T.
Chambon, P. *See* Molotkov, A.
Chamorro, M. *See* Isidoro, A.
Chan, J. H. P. *See* Ho, M. K. C.
Chan, J. Y. *See* Ma, Q.
Chan, L. C. *See* Cheung, N.
Chan, M. P. Y. *See* Shojaee-Moradie, F.
Chandrasekharan, S. *See* Welsh, M.
Chandrashaker, A. *See* Ghanekar, Y.
Chang, H.-T. *See* Wu, C.-M.
Chang, J.-Y. *See* Singh, R. R.
Chang, M. D.-T. *See* Wu, C.-M.
Chang, M. H. Y.
——; Hua, C. T.; Isaac, E. L.; Litjens, T.; Hodge, G.; Karageorgos, L. E.; Meikle, P. J.
Transthyretin interacts with the lysosome-associated membrane protein (LAMP-1) in circulation, 382:481
Chang, Y.-R. *See* Wu, C.-C.
Chao, Y.-C. *See* Ho, Y.
Chaplet, M.
——; Detry, C.; Deroanne, C.; Fisher, L. W.; Castronovo, V.; Bellahcène, A.
Zoledronic acid up-regulates bone sialoprotein expression in osteoblastic cells through Rho GTPase inhibition, 384:591
Charbaut, E. *See* Jourdain, I.
Charest, G. *See* Bissonnette, L.
Charpenteau, M.
——; Jaworski, K.; Ramirez, B. C.; Tretyn, A.; Ranjeva, R.; Ranty, B.
A receptor-like kinase from *Arabidopsis thaliana* is a calmodulin-binding protein, 379:841

© 2005 Biochemical Society

Charpentier, B. *See* Thouvenot, B.
Chattopadhyaya, R. *See* Ghosh, K.
Chauhan, R. *See* Negi, S.
Chauvet, C.
——: Bois-Joyeux, B.; Berra, E.; Pouyssegur, J.; Danan, J.-L.
The gene encoding human retinoic acid-receptor-related orphan receptor α is a target for hypoxia-inducible factor 1, 384:79
Chauvin, C. *See* Guigas, B.
Che, F.-S. *See* Aoki, K.
Chen, A. *See* Zheng, S.
Chen, C.
——: Ghosh, S.; Grove, A.
Substrate specificity of *Helicobacter pylori* histone-like HU protein is determined by insufficient stabilization of DNA flexure points, 383:343
Chen, F. *See* Ogawa, K.
Chen, H. *See* Leung-Pineda, V.
Chen, J.-H. *See* Takeuchi, H.
Chen, J.-Y. *See* Wu, C.-C.
Chen, K. Y. *See* Xu, A.
Chen, M.-C. *See* Wu, C.-C.
Chen, S. C. A. *See* Wright, L. C.
Chen, S.-T. *See* Sivanandam, A. S.
Chen, T.-m. *See* Tai, N.
Chen, X. *See* Li, S.
Chen, Y. *See* Ogawa, K.
Chen, Y.-H. *See* Tsai, I.-H.
——: Wang, Y.-M.; Hseu, M.-J.; Tsai, I.-H.
Molecular evolution and structure–function relationships of crotoxin-like and asparagine-6-containing phospholipases A_2 in pit viper venoms, 381:25
Chen, Z. *See* Schwahn, B. C.
——; Xu, X. S.; Harrison, J.; Wang, G.
Defining the function of xeroderma pigmentosum group F protein in psoralen interstrand cross-link-mediated DNA repair and mutagenesis, 379:71
Cheng, Y.-S. *See* Huang, S.-M.
Cheong, J.-H. *See* Choi, T.-Y.
Cheriyan, J. *See* Praseeda, M.
Cheung, J. C.
——; Reithmeier, R. A. F.
Palmitoylation is not required for trafficking of human anion exchanger 1 to the cell surface, 378:1015
Cheung, N.
——; So, C. W.; Yam, J. W. P.; So, C. K. C.; Poon, R. Y. C.; Jin, D.-Y.; Chan, L. C.
Subcellular localization of EEN/endophilin A2, a fusion partner gene in leukaemia, 383:27
Cheung, P. C. F.
——; Nebreda, A. R.; Cohen, P.
TAB3, a new binding partner of the protein kinase TAK1, 378:27
Cheung, Y. F. *See* Johnston, L. A.
Chew, C. S. *See* Ogbi, M.
Chhatwal, G. S. *See* Godehardt, A. W.
Chi, C.-W. *See* Huys, I.
Chi, K.-H. *See* Wu, W.-T.
Chi, S.-W.
——; Kim, D.-H.; Olivera, B. M.; McIntosh, J. M.; Han, K.-H.
Solution conformation of α-conotoxin GIC, a novel potent antagonist of $\alpha 3\beta 2$ nicotinic acetylcholine receptors, 380:347
Chiang, A.-N. *See* Wang, H.-H.
Chiba, K. *See* Furihata, T.
Chidgey, M. *See* Smith, C.
Chien, C.-Y. *See* Liu, W.-K.
Childress, C. *See* Yang, Wannian
Chin, E. R. *See* Hornberger, T. A.
Chioato, L. *See* Sá, J. M.
Chiou, S.-H. *See* Huang, K.-F.
Chiu, J.-F. *See* Lau, A. T. Y.
Cho, J.-Y. *See* Kim, Y.-H.
Cho, K. M. *See* Kim, Y.-H.
Choe, Y. *See* Na, B.-K.
Choi, J.-D. *See* Jung, S.-M.; Kim, J.
Choi, K. Y. *See* Jang, D. S.
Choi, T.-Y.
——; Park, S. Y.; Kang, H.-S.; Cheong, J.-H.; Kim, H.-D.; Lee, B. L.; Hirose, F.; Yamaguchi, M.; Yoo, M.-A.
Redox regulation of DNA binding activity of DREF (DNA replication-related element binding factor) in *Drosophila*, 378:833
Chong, C. R. *See* Rasoloson, D.
Chorzalska, A. *See* Hryniewicz-Jankowska, A.
Chotivanich, K. *See* Joët, T.
Chou, C.-K. *See* Liu, W.-K.
Chou, S. S.
——; Clegg, M. S.; Momma, T. Y.; Niles, B. J.; Duffy, J. Y.; Daston, G. P.; Keen, C. L.
Alterations in protein kinase C activity and processing during zinc-deficiency-induced cell death, 383:63
Choudhury, G. G. *See* Gorin, Y.
Chow, S. *See* Slepkov, E. R.
Chow, V. T. K. *See* Surjit, M.
Chowdary, T. K.
——; Raman, B.; Ramakrishna, T.; Rao, C. M.
Mammalian Hsp22 is a heat-inducible small heat-shock protein with chaperone-like activity, 381:379
Chrétien, M. *See* Basak, S.
Christiaans, J. A. M. *See* Venäläinen, J. I.
Christiansen, J. K. *See* Færgeman, N. J.
Christianson, T. M.
——; Starr, C. M.; Zankel, T. C.
Overexpression of inactive arylsulphatase mutants and *in vitro* activation by light-dependent oxidation with vanadate, 382:581
Christodoulou, D. C. *See* Leissring, M. A.
Chrzanowska-Lightowlers, Z. M. A.
——; Temperley, R. J.; Smith, P. M.; Seneca, S. H.; Lightowlers, R. N.
Functional polypeptides can be synthesized from human mitochondrial transcripts lacking termination codons, 377:725
Chu, C. L.
——; Buczek-Thomas, J. A.; Nugent, M. A.
Heparan sulphate proteoglycans modulate fibroblast growth factor-2 binding through a lipid raft-mediated mechanism, 379:331; 380:951 (Correction)
Chu, E. *See* Tai, N.
Chu, J. *See* Huang, K.-F.
Chuang, L.-T. *See* Pereira, S. L.
Chuang, L.-Y. *See* Yang, Y.-L.
Chung, L. W. K. *See* Cinar, B.
Churamani, D.
——; Carrey, E. A.; Dickinson, G. D.; Patel, S.
Determination of cellular nicotinic acid–adenine dinucleotide phosphate (NAADP) levels, 380:449
Chye, M.-L. *See* Nagegowda, D. A.
Ciana, A. *See* Minetti, G.
Cicchillitti, L.
——; Jimenez, S. A.; Sala, A.; Saitta, B.
B-Myb acts as a repressor of human COL1A1 collagen gene expression by interacting with Sp1 and CBF factors in scleroderma fibroblasts, 378:609
Ciccomancini, M. *See* Bukczynska, P.
Cidad, P.
——; Almeida, A.; Bolaños, J. P.
Inhibition of mitochondrial respiration by nitric oxide rapidly stimulates cytoprotective GLUT3-mediated glucose uptake through 5′-AMP-activated protein kinase, 384:629
Cimpean, A.
——; Stefan, C.; Gijsbers, R.; Stalmans, W.; Bollen, M.
Substrate-specifying determinants of the nucleotide pyrophosphatases/phosphodiesterases NPP1 and NPP2, 381:71
Cinar, B.
——; Yeung, F.; Konaka, H.; Mayo, M. W.; Freeman, M. R.; Zhau, H. E.; Chung, L. W. K.
Identification of a negative regulatory *cis*-element in the enhancer core region of the prostate-specific antigen promoter: implications for intersection of androgen receptor and nuclear factor-κB signalling in prostate cancer cells, 379:421
Cisternas, M. F. *See* Tapia, L.
Citti, L. *See* Poliseno, L.
Claasen, S. *See* Neumann-Giesen, C.
Clancy, A. *See* Barsyte-Lovejoy, D.
Clardy, J. *See* Candi, E.
Clark, A. *See* Jaikaran, E. T. A. S.
Clark, A. C. *See* Feeney, B.
Clark, A. R. *See* Sully, G.
Clark, D.
——; Rowlett, R. S.; Coleman, J. R.; Klessig, D. F.
Complementation of the yeast deletion mutant *ΔNCE103* by members of the β class of carbonic anhydrases is dependent on carbonic anhydrase activity rather than on antioxidant activity, 379:609
Clark, R. J. *See* Ding, H.
Clarke, C. F. *See* Esteves, T. C.
Clarke, J. W. *See* Harris, L. R.
Clarke, S. *See* Boulanger, M.-C.
Clarkson, J. *See* Shu, J.-C.
Claus, P.
——; Bruns, A.-F.; Grothe, C.
Fibroblast growth factor-2^{23} binds directly to the survival of motoneuron protein and is associated with small nuclear RNAs, 384:559
Claustre, A. *See* Combaret, L.
Clegg, M. S. *See* Chou, S. S.
Clermont, A.
——; Wedde, M.; Seitz, V.; Podsiadlowski, L.; Lenze, D.; Hummel, M.; Vilcinskas, A.
Cloning and expression of an inhibitor of microbial metalloproteinases from insects contributing to innate immunity, 382:315
Clifton, I. J. *See* Grummitt, A. R.
Climent, I. *See* Forsgren, M.
Clugston, S. L. *See* Sukdeo, N.
——; Yajima, R.; Honek, J. F.
Investigation of metal binding and activation of *Escherichia coli* glyoxalase I: kinetic, thermodynamic and mutagenesis studies, 377:309
Cobb, M. H. *See* Anselmo, A. N.
Cobucci-Ponzano, B. *See* Ausili, A.
Coccia, E. M. *See* Stellacci, E.
Cockburn, A. *See* Westling, J.
Cockcroft, S. *See* Morgan, C. P.
Cocquerelle, C. *See* Lefebvre, C.
Coddeville, B. *See* Robbe, C.
Codding, P. W. *See* Sampaleanu, L. M.

© 2005 Biochemical Society

Cohen, D. E. *See* VanPatten, S.
Cohen, J.
——; Oren-Young, L.; Klingmuller, U.; Neumann, D.
Protein tyrosine phosphatase 1B participates in the down-regulation of erythropoietin receptor signalling, 377:517
Cohen, O.
——; Kronman, C.; Velan, B.; Shafferman, A.
Amino acid domains control the circulatory residence time of primate acetylcholinesterases in rhesus macaques (*Macaca mulatta*), 378:117
Cohen, P. *See* Cheung, P. C. F.; Cole, A.; McNeill, H.; Murray, J. T.
Cohn, J. A. *See* Howell, L. D.
Colbran, R. J.
——; Targeting of calcium/calmodulin-dependent protein kinase II, 378:1
Cole, A.
——; Frame, S.; Cohen, P.
Further evidence that the tyrosine phosphorylation of glycogen synthase kinase-3 (GSK3) in mammalian cells is an autophosphorylation event, 377:249
Cole, J. A. *See* Brondijk, T. H. C.
Coleman, C. S. *See* Ikeguchi, Y.
——; Hu, G.; Pegg, A. E.
Putrescine biosynthesis in mammalian tissues, 379:849
——; Stanley, B. A.; Jones, A. D.; Pegg, A. E.
Spermidine/spermine-N^1-acetyltransferase-2 (SSAT2) acetylates thialysine and is not involved in polyamine metabolism, 384:139
Coleman, J. R. *See* Clark, D.
Coleman, T. *See* Woloszynek, J. C.
Collard, F.
——; Wiame, E.; Bergans, N.; Fortpied, J.; Vertommen, D.; Vanstapel, F.; Delpierre, G.; Van Schaftingen, E.
Fructosamine 3-kinase-related protein and deglycation in human erythrocytes, 382:137
Collard-Dutilleul, V. *See* Fassy, F.
Collett, G. D. M. *See* Prag, S.
Collins, B. J. *See* Vitari, A. C.
Collins, T. J. *See* Peppiatt, C. M.
Combaret, L.
——; Taillandier, D.; Dardevet, D.; Béchet, D.; Rallière, C.; Claustre, A.; Grizard, J.; Attaix, D.
Glucocorticoids regulate mRNA levels for subunits of the 19 S regulatory complex of the 26 S proteasome in fast-twitch skeletal muscles, 378:239
Concha, I. I. *See* Rauch, M. C.
Conley, K. E. *See* Hornberger, T. A.
Conti, A. *See* Lauer, I.
Conw[illegible], S. J. *See* Billington, R. A.
Cook, A. M. *See* Mampel, J.
Cook, H. W. *See* Yu, A.
Cook, J. P. *See* Spooner, R. A.
Cook, L. B.
——; Hinkle, P. M.
Agonist-dependent up-regulation of thyrotrophin-releasing hormone receptor protein, 380:815
Cook-Mills, J. M.
——; Johnson, J. D.; Deem, T. L.; Ochi, A.; Wang, L.; Zheng, Y.
Calcium mobilization and Rac1 activation are required for VCAM-1 (vascular cell adhesion molecule-1) stimulation of NADPH oxidase activity, 378:539
Coombs, G. H. *See* Denton, H.
Cooper, C. E. *See* Borrelly, G. P. M.
Coquil, J.-F.
——; Blazquez, S.; Soave, S.; Mauger, J.-P.
Regulation of the cerebellar inositol 1,4,5-trisphoshate receptor by univalent cations, 381:423
Coraiola, M. *See* Scaloni, A.
Corgan, A. M.
——; Singleton, C.; Santoso, C. B.; Greenwood, J. A.
Phosphoinositides differentially regulate α-actinin flexibility and function, 378:1067
Cornette, J. *See* Bertin, B.
Corvol, P. *See* Rivière, G.
Costanzo, P. *See* Esposito, G.
Cottin, P. *See* Dulong, S.
Cottone, E. *See* Orso, F.
Coughtrie, M. W. H. *See* Staines, A. G.
Courtois, G. *See* Arnaud, M.
Cover, T. L. *See* Geisse, N. A.
Cox, D. *See* Cater, M. A.
Coxon, C. H. *See* Bicknell, K. A.
Craghill, J.
——; Cronshaw, A. D.; Harding, J. J.
The identification of a reaction site of glutathione mixed-disulphide formation on γS-crystallin in human lens, 379:595
Craig, A. W. B. *See* Fan, L.
Craig, M.-A. *See* Currie, S.
Craig, S. E. *See* Barton, S. J.
Craik, C. S. *See* Eggers, C. T.; Na, B.-K.
Craven, R. J. *See* Park, H. B.
Crawford, J. H. *See* Shiva, S.
Crawley, Y. *See* Wang, P.
Crawshaw, S. G.
——; Martoglio, B.; Meacock, S. L.; High, S.
A misassembled transmembrane domain of a polytopic protein associates with signal peptide peptidase, 384:9
Craxton, M. *See* Rickman, C.
Crépin, A. *See* Van Coppenolle, F.
Crespo, P. M.
——; Zurita, A. R.; Giraudo, C. G.; Maccioni, H. J. F.; Daniotti, J. L.
Ganglioside glycosyltransferases and newly synthesized gangliosides are excluded from detergent-insoluble complexes of Golgi membranes, 377:561
Creutz, C. E. *See* Tomsig, J. L.
Crompton, M. *See* Li, Y.
Cronshaw, A. D. *See* Craghill, J.
Cross, J. V.
——; Templeton, D. J.
Oxidative stress inhibits MEKK1 by site-specific glutathionylation in the ATP-binding domain, 381:675 (*See* Anselmo, A. N. for online-only commentary)
Cross, M.
——; Csar, X. F.; Wilson, N. J.; Manes, G.; Addona, T. A.; Marks, D. C.; Whitty, G. A.; Ashman, K.; Hamilton, J. A.
A novel 110 kDa form of myosin XVIIIA (MysPDZ) is tyrosine-phosphorylated after colony-stimulating factor-1 receptor signalling, 380:243
Crouin, C. *See* Arnaud, M.
Crouzier, D. *See* Rochu, D.
Crowe, D. L. *See* Tran, N. Q.
Crowley, P. B.
——; Hunter, D. M.; Sato, K.; McFarlane, W.; Dennison, C.
The parsley plastocyanin–turnip cytochrome *f* complex: a structurally distorted but kinetically functional acidic patch, 378:45
Cruciani, O. *See* Scaloni, A.
Csar, X. F. *See* Cross, M.
Csermely, P. *See* Farkas, A.
Cuenda, A. *See* Kuma, Y.; McNeill, H.; Sabio, G.
Cuezva, J. M. *See* Isidoro, A.
Cullen, P. J. *See* da Silva Xavier, G.
Cummings, O. W. *See* Yalowitz, J. A.
Curcio, M. J. *See* Laplaza, J. M.
Curmi, P. A. *See* Jourdain, I.
Currie, S.
——; Loughrey, C. M.; Craig, M.-A.; Smith, G. L.
Calcium/calmodulin-dependent protein kinase IIδ associates with the ryanodine receptor complex and regulates channel function in rabbit heart, 377:357
Curtis, S. M. *See* Dulhunty, A. F.
Cuthbertson, B. J.
——; Büllesbach, E. E.; Fievet, J.; Bachère, E.; Gross, P. S.
A new class (penaeidin class 4) of antimicrobial peptides from the Atlantic white shrimp (*Litopenaeus setiferus*) exhibits target specificity and an independent proline-rich-domain function, 381:79
Cuttitta, F. *See* Martínez, A.

Daar, I. O. *See* Bong, Y.-S.
Dagher, M.-C. *See* Paclet, M.-H.
Dalgard, C. L.
——; Lu, H.; Mohyeldin, A.; Verma, A.
Endogenous 2-oxoacids differentially regulate expression of oxygen sensors, 380:419
Dallas, P. B. *See* Wang, X.
Dalla Serra, M. *See* Scaloni, A.
Dallas-Yang, Q. *See* Jiang, G.
Dallner, G. *See* Forsgren, M.
Daly, R. J.
——; Cortactin signalling and dynamic actin networks, 382:13
Damante, G. *See* Paron, I.
D'Ambrosio, C. *See* Cappiello, M.; Paron, I.; Scaloni, A.
Damiano, J. S.
——; Oliveira, V.; Welsh, K.; Reed, J. C.
Heterotypic interactions among NACHT domains: implications for regulation of innate immune responses, 381:213
Danan, J.-L. *See* Chauvet, C.
Dancis, A. *See* Lesuisse, E.
D'Andrea, M. G. *See* Celej, M. S.
D'Angelo, M. A.
——; Sanguineti, S.; Reece, J. M.; Birnbaumer, L.; Torres, H. N.; Flawiá, M. M.
Identification, characterization and subcellular localization of TcPDE1, a novel cAMP-specific phosphodiesterase from *Trypanosoma cruzi*, 378:63
Dangi, S. *See* Cha, H.
Daniotti, J. L. *See* Crespo, P. M.
Danø, K. *See* Hansen, L. V.
Daosukho, C. *See* Kiningham, K. K.
Darbon, H. *See* Mouhat, S.
D'Arca, D. *See* Caccamo, A. E.
Dardevet, D. *See* Combaret, L.
Darley-Usmar, V. M. *See* Levonen, A.-L.; Shiva, S.
Darnet, S.
——; Rahier, A.
Plant sterol biosynthesis: identification of two distinct families of sterol 4α-methyl oxidases, 378:889

© 2005 Biochemical Society

Das, A. T. *See* Schoneveld, O. J. L. M.
da Silva Xavier, G. *See* Guillemain, G.
——; Qian, Q.; Cullen, P. J.; Rutter, G. A.
Distinct roles for insulin and insulin-like growth factor-1 receptors in pancreatic β-cell glucose sensing revealed by RNA silencing, 377:149; 383:599 (Correction) (*See* Shepherd, P. R. for online-only commentary)
Daston, G. P. *See* Chou, S. S.
Datta, K. *See* Sengupta, A.
Daub, E. *See* Sukdeo, N.
Dauksaite, V.
——; Akusjärvi, G.
The second RNA-binding domain of the human splicing factor ASF/SF2 is the critical domain controlling adenovirus E1A alternative 5′-splice site selection, 381:343
D'Auria, S. *See* Marabotti, A.; Piszczek, G.
D'Aurizio, F. *See* Paron, I.
David, L. *See* Serpa, J.
David-Dufilho, M. *See* Millanvoye-Van Brussel, E.
Davidson, J. N. *See* Simmons, C. Q.
Davidson, M. M. *See* Pallotti, F.
Davies, G. J. *See* Boraston, A. B.
Davies, M. J. *See* Rees, M. D.; Winterbourn, C. C.
Davies, N. W. *See* Rainbow, R. D.
Davies, R. A. *See* Brocklehurst, K. J.
Davis, C. *See* Paclet, M.-H.
Davletov, B. *See* Hu, K.; Rickman, C.
Day, A. G. *See* Eggers, C. T.
Day, C. L.
——; Puthalakath, H.; Skea, G.; Strasser, A.; Barsukov, I.; Lian, L.-Y.; Huang, D. C. S.; Hinds, M. G.
Localization of dynein light chains 1 and 2 and their pro-apoptotic ligands, 377:597
Dayananth, P. *See* Grill, C.
Dé, E. *See* Goulhen, F.
Deaglio, S. *See* Calzolari, A.
Deak, M. *See* Vitari, A. C.
Dean, J. L. E. *See* Sully, G.
DeAntonio, I. *See* Torres, R. J.
De Baere, I. *See* Longin, S.
de Bari, L.
——; Atlante, A.; Valenti, D.; Passarella, S.
Partial reconstruction of *in vitro* gluconeogenesis arising from mitochondrial L-lactate uptake/metabolism and oxaloacetate export via novel L-lactate translocators, 380:231
De Blieck-Hogervorst, J. M. A. *See* Ligtenberg, A. J. M.
De Bortoli, M. *See* Orso, F.
De Bosscher, K.
——; Hill, C. S.; Nicolás, F. J.
Molecular and functional consequences of Smad4 C-terminal missense mutations in colorectal tumour cells, 379:209
de Camilli, P. *See* Johenning, F. W.
Deckert, V. *See* Millanvoye-Van Brussel, E.
De Deyn, P. *See* Vreuls, C.
Deeg, M. A. *See* Mann, K. J.; Yalowitz, J. A.
Deelder, A. M. *See* Wuhrer, M.
Deem, T. L. *See* Cook-Mills, J. M.
De Falco, M. *See* De Felice, M.
De Felice, M.
——; Esposito, L.; Pucci, B.; De Falco, M.; Manco, G.; Rossi, M.; Pisani, F. M.
Modular organization of a Cdc6-like protein from the crenarchaeon *Sulfolobus solfataricus*, 381:645
DeFord, J. *See* Garg, N.
Degraef, C. *See* Arsenijevic, T.
DeGray, B. *See* Johenning, F. W.
de Gunzburg, J. *See* Traver, S.
Dehareng, D. *See* Généreux, C.
Deis, C. *See* Boatright, K. M.
de Jong, L. *See* Wong, H. Y.
Dekker, H. L. *See* Wong, H. Y.
Dekker, L. V. *See* Paclet, M.-H.
de La Fournière-Bessueille, L. *See* Lahdo, R.
De Launoit, Y. *See* Kherrouche, Z.
del Carpio, A. *See* Li, H.
Del Corso, A. *See* Cappiello, M.
Delcourt, P. *See* Van Coppenolle, F.
Delepierre, M. *See* Mouhat, S.
D'Elia, A. *See* Paron, I.
Delmar, V. A. *See* Eggers, C. T.
Deloffre, L. *See* Rivière, G.
Delpierre, G. *See* Collard, F.
de Maagd, R. A. *See* Herrero, S.
Demers, A.
——; McNicoll, N.; Febbraio, M.; Servant, M.; Marleau, S.; Silverstein, R.; Ong, H.
Identification of the growth hormone-releasing peptide binding site in CD36: a photoaffinity cross-linking study, 382:417
Denault, J.-B. *See* Boatright, K. M.
den Hertog, A. L. *See* Veerman, E. C. I.
——; Wong Fong Sang, H. W.; Kraayenhof, R.; Bolscher, J. G. M.; Vant't Hof, W.; Veerman, E. C. I.; Nieuw Amerongen, A. V.
Interactions of histatin 5 and histatin 5-derived peptides with liposome membranes: surface effects, translocation and permeabilization, 379:665
Denman, S. E. *See* Henriksson, H.
Dennison, C. *See* Crowley, P. B.
Dent, J. A. *See* Martínez, C.
Denton, H.
——; McGregor, J. C.; Coombs, G. H.
Reduction of anti-leishmanial pentavalent antimonial drugs by a parasite-specific thiol-dependent reductase, TDR1, 381:405
Denys, A. *See* Vanpouille, C.
de Oliveira, A. H. C. *See* Sá, J. M.
De Oliveira, F. *See* Guigas, B.
de Pomerai, D. *See* Mee, C. J.
Déroanne, C. *See* Chaplet, M.
De Rosa, M. C.
——; Castagnola, M.; Bertonati, C.; Galtieri, A.; Giardina, B.
From the Arctic to fetal life: physiological importance and structural basis of an 'additional' chloride-binding site in haemoglobin, 380:889
Derrick, J. P. *See* Garçon, A.
Derua, R. *See* Longin, S.
de Ruiter, P. E. *See* Wong, H. Y.
DesGroseillers, L. *See* Benoit, A.
Desmazes, C. *See* Godat, E.
De Smedt, H. *See* Bultynck, G.
de Sousa, L. P. *See* Andrade, A. A.
Detaille, D. *See* Guigas, B.
Detarsio, E.
——; Andreo, C. S.; Drincovich, M. F.
Basic residues play key roles in catalysis and $NADP^+$-specificity in maize (*Zea mays* L.) photosynthetic $NADP^+$-dependent malic enzyme, 382:1025
Detry, C. *See* Chaplet, M.
Devaux, C. *See* Jouirou, B.
de Vos, W. M. *See* Verhees, C. H.
Devreese, B. *See* Généreux, C.
De Waard, M. *See* Jouirou, B.; Mouhat, S.
Dewailly, E. *See* Van Coppenolle, F.
Dhermy, D. *See* Rotter, B.
Diakowski, W. *See* Hryniewicz-Jankowska, A.
Di Ciano-Oliveira, C. *See* Fan, L.
Dickinson, D. A. *See* Levonen, A.-L.
Dickinson, G. D. *See* Churamani, D.
Di Cosmo, A. *See* Fiore, G.
Diderich, J. A. *See* vanKuyk, P. A.
Dietz, F. *See* Abouzied, M. M.
Diez, M. *See* Carracedo, A.
di Fruscio, M. *See* Boulanger, M.-C.
Di Giulio, A. *See* Mangoni, M. L.
Dikic, I. *See* Szymkiewicz, I.
Di Lauro, B. *See* Ausili, A.
Dimaline, R. *See* Ashcroft, F. J.
Di Marzo, V. *See* Ligresti, A.
DiMauro, S. *See* Pallotti, F.
Dinarello, C. A. *See* Butler, P.
Ding, H.
——; Clark, R. J.
Characterization of iron binding in IscA, an ancient iron–sulphur cluster assembly protein, 379:433
Ding, W. *See* Grill, C.
Ding, X. *See* Li, S.
Ding, Y. *See* Wang, Guozheng
Dinger, M. C. *See* Kretzschmar, A. K.
Di Noia, M. A. *See* Agrimi, G.
Dip, R.
——; Naegeli, H.
Binding of the DNA-dependent protein kinase catalytic subunit to Holliday junctions, 381:165
Di Palma, T. *See* Nitsch, R.
Di Paolo, M. L.
——; Lunelli, M.; Scarpa, M.; Rigo, A.
Phosphonium compounds as new and specific inhibitors of bovine serum amine oxidase, 384:551
Diraison, F.
——; Parton, L.; Ferré, P.; Foufelle, F.; Briscoe, C. P.; Leclerc, I.; Rutter, G. A.
Over-expression of sterol-regulatory-element-binding protein-1c (SREBP1c) in rat pancreatic islets induces lipogenesis and decreases glucose-stimulated insulin release: modulation by 5-aminoimidazole-4-carboxamide ribonucleoside (AICAR), 378:769
Dirr, H. W. *See* Kolobe, D.
d'Ischia, M. *See* Fiore, G.
Dixelius, J. *See* Welsh, M.
Djiane, J. *See* Van Coppenolle, F.
Dobner, T. *See* Kzhyshkowska, J.
Dobson, R. C. J.
——; Gerrard, J. A.; Pearce, F. G.
Dihydrodipicolinate synthase is not inhibited by its substrate, (*S*)-aspartate β-semialdehyde, 377:757
Docagne, F.
——; Gabriel, C.; Lebeurrier, N.; Lesné, S.; Hommet, Y.; Plawinski, L.; MacKenzie, E. T.; Vivien, D.
Sp1 and Smad transcription factors co-operate to mediate TGF-β-dependent activation of amyloid-β precursor protein gene transcription, 383:393
Dockray, G. J. *See* Ashcroft, F. J.
Doctor, A. *See* Zaman, K.
Doctor, R. B. *See* McWilliams, R. R.
Dodge, K. L. *See* Carlisle Michel, J. J.
Doege, K. *See* Marxsen, J. H.
Doehn, U.
——; Gammeltoft, S.; Shen, S.-H.; Jensen, C. J.
p90 ribosomal S6 kinase 2 is associated with and dephosphorylated by protein phosphatase 2Cδ, 382:425

© 2005 Biochemical Society

Doenecke, D. *See* Koessler, H.
Doering, T. L. *See* Bar-Peled, M.
Dolinsky, V. W.
——; Douglas, D. N.; Lehner, R.; Vance, D. E.
Regulation of the enzymes of hepatic microsomal triacylglycerol lipolysis and re-esterification by the glucocorticoid dexamethasone, 378:967
Doll, R. J. *See* Grill, C.
Domino, S. E. *See* Iwamori, M.
Domlatil, J. *See* Mucha, J.
Donati, C. *See* Meacci, E.
Dong, Y.-X. *See* Kondo, H.
Donner, P. *See* Blume, A.
Do Pham, T. *See* Millanvoye-Van Brussel, E.
Doran, J. D.
——; Liu, X.; Taslimi, P.; Saadat, A.; Fox, T.
New insights into the structure–function relationships of Rho-associated kinase: a thermodynamic and hydrodynamic study of the dimer-to-monomer transition and its kinetic implications, 384:255
Doran, P. *See* Dowling, P.
Douce, R. *See* van der Rest, B.
Douette, P.
——; Navet, R.; Bouillenne, F.; Brans, A.; Sluse-Goffart, C.; Matagne, A.; Sluse, F. E.
Secondary-structure characterization by far-UV CD of highly purified uncoupling protein 1 expressed in yeast, 380:139
Douglas, D. N. *See* Dolinsky, V. W.
Dover, L. G. *See* Guy, M. R.
Dowling, P.
——; Doran, P.; Ohlendieck, K.
Drastic reduction of sarcalumenin in Dp427 (dystrophin of 427 kDa)-deficient fibres indicates that abnormal calcium handling plays a key role in muscular dystrophy, 379:479
Downes, C. P. *See* Batty, I. H.; Fleming, I. N.; Leslie, N. R.; Walker, S. M.; Watt, S. A.
Dremina, E. S.
——; Sharov, V. S.; Kumar, K.; Zaidi, A.; Michaelis, E. K.; Schöneich, C.
Anti-apoptotic protein Bcl-2 interacts with and destabilizes the sarcoplasmic/endoplasmic reticulum Ca^{2+}-ATPase (SERCA), 383:361
Drescher, D. *See* Petrova, V. Y.
Drewe, J. *See* Schnyder, A.
Drincovich, M. F. *See* Detarsio, E.
Du, G. G.
——; Khanna, V. K.; Guo, X.; MacLennan, D. H.
Central core disease mutations R4892W, I4897T and G4898E in the ryanodine receptor isoform 1 reduce the Ca^{2+} sensitivity and amplitude of Ca^{2+}-dependent Ca^{2+} release, 382:557
Dubielecka, P. *See* Hryniewicz-Jankowska, A.
Dubois, A. *See* Lindén, S.
Duce, I. R. *See* Mee, C. J.
Duchêne, S. *See* Godat, E.
Ducourouble, M.-P. *See* Jonckheere, N.
Duester, G. *See* Molotkov, A.
Duffy, J. Y. *See* Chou, S. S.
Dulhunty, A. F.
——; Curtis, S. M.; Cengia, L.; Sakowska, M.; Casarotto, M. G.
Peptide fragments of the dihydropyridine receptor can modulate cardiac ryanodine receptor channel activity and sarcoplasmic reticulum Ca^{2+} release, 379:161
Dulong, S.
——; Goudenege, S.; Vuillier-Devillers, K.; Manenti, S.; Poussard, S.; Cottin, P.
Myristoylated alanine-rich C kinase substrate (MARCKS) is involved in myoblast fusion through its regulation by protein kinase Cα and calpain proteolytic cleavage, 382:1015
Dumas, J.-F. *See* Roussel, D.
Dumas, N. A. *See* He, D.
Dumont, J. E. *See* Arsenijevic, T.
Dunn, J. M. *See* Graham, M. E.
Durozard, D. *See* Vercoutère, B.
Dwek, R. A. *See* Mellor, H. R.
Dyson, H. J. *See* Matt, T.

Ebeler, S. E. *See* Webb, M. R.
Echtay, K. S. *See* Esteves, T. C.
Eckenhoff, R. G. *See* Liu, R.
Ecker, R. C. *See* Ilk, N.
Eckes, B. *See* Kessler-Becker, D.
Eckey, H. *See* Shojaee-Moradie, F.
Edwards, M. *See* Li, Y.
Edwardson, J. M. *See* Geisse, N. A.; Wäsle, B.
Efremov, R. G.
——; Kosinsky, Y. A.; Nolde, D. E.; Tsivkovskii, R.; Arseniev, A. S.; Lutsenko, S.
Molecular modelling of the nucleotide-binding domain of Wilson's disease protein: location of the ATP-binding site, domain dynamics and potential effects of the major disease mutations, 382:293
Egan, R. W. *See* Wang, P.
Egelseer, E. M. *See* Ilk, N.
Eggers, C. T.
——; Murray, I. A.; Delmar, V. A.; Day, A. G.; Craik, C. S.
The periplasmic serine protease inhibitor ecotin protects bacteria against neutrophil elastase, 379:107
Ehrlich, B. E. *See* Johenning, F. W.
Einerhand, A. W. C. *See* Jonckheere, N.
Ekman, M. *See* Welsh, M.
El Ayeb, M. *See* Jouirou, B.
Elder, G. H. *See* Morgan, R. R.
Elich, T. D. *See* Weatherly, S. C.
Elmquist, A. M. *See* Lindgren, M. E.
Elsayed, W. A. *See* Koreen, I. V.
Elsby, L. M. *See* Ghosh, M.
Emmler, T. *See* Schachtrup, C.
Emson, P. C. *See* Giudici, M.-L.
Endo, H.
——; Takagi, Y.; Ozaki, N.; Kogure, T.; Watanabe, T.
A crustacean Ca^{2+}-binding protein with a glutamate-rich sequence promotes $CaCO_3$ crystallization, 384:159
Endres, C. J.
——; Sengupta, D. J.; Unadkat, J. D.
Mutation of leucine-92 selectively reduces the apparent affinity of inosine, guanosine, NBMPR [5^6-(4-nitrobenzyl)-mercaptopurine riboside] and dilazep for the human equilibrative nucleoside transporter, hENT1, 380:131
English, J. M. *See* Grill, C.
English, J. T. *See* Frébortová, J.
Enoksson, M. *See* Gogvadze, V.
Enomoto, A. *See* Omae, F.
Enosawa, S. *See* Terui, K.
Epand, R. F. *See* Epand, R. M.; Schneiter, R.
——; Martinou, J.-C.; Montessuit, S.; Epand, R. M.
Fatty acids enhance membrane permeabilization by pro-apoptotic Bax, 377:509
Epand, R. M. *See* Epand, R. F.; Schneiter, R.
——; Vuong, P.; Yip, C. M.; Maekawa, S.; Epand, R. F.
Cholesterol-dependent partitioning of PtdIns(4,5)P_2 into membrane domains by the N-terminal fragment of NAP-22 (neuronal axonal myristoylated membrane protein of 22 kDa), 379:527
Erdmann, R. *See* Lasorsa, F. M.; Platta, H. W.
Erdogan, S. *See* Johnston, L. A.
Ernens, I. *See* Magiera, M. M.
Errington, R. *See* Morgan, R. R.
Ertesvåg, H. *See* Bjerkan, T. M.
Esen, A. *See* Opassiri, R.
Espinoza, M. *See* Rauch, M. C.
Esposito, G.
——; Vitagliano, L.; Costanzo, P.; Borrelli, L.; Barone, R.; Pavone, L.; Izzo, P.; Zagari, A.; Salvatore, F.
Human aldolase A natural mutants: relationship between flexibility of the C-terminal region and enzyme function, 380:51
Esposito, L. *See* De Felice, M.
Esser, K. A. *See* Hornberger, T. A.
Estes, M. K. *See* Huang, H.
Esteves, T. C.
——; Echtay, K. S.; Jonassen, T.; Clarke, C. F.; Brand, M. D.
Ubiquinone is not required for proton conductance by uncoupling protein 1 in yeast mitochondria, 379:309
Eulitz, D. *See* Napirei, M.
Evangelista, M. *See* Poliseno, L.
Evangelista, V. *See* Piccardoni, P.
Evans, P. C.
——; Ovaa, H.; Hamon, M.; Kilshaw, P. J.; Hamm, S.; Bauer, S.; Ploegh, H. L.; Smith, T. S.
Zinc-finger protein A20, a regulator of inflammation and cell survival, has de-ubiquitinating activity, 378:727
Evans, R. J. *See* Vial, C.
Evjen, G. *See* Hansen, G.

Facchiano, A. M. *See* Marabotti, A.
Facchin, S. *See* Lopreiato, R.
Færgeman, N. J.
——; Feddersen, S.; Christiansen, J. K.; Larsen, M. K.; Schneiter, R.; Ungermann, C.; Mutenda, K.; Roepstorff, P.; Knudsen, J.
Acyl-CoA-binding protein, Acb1p, is required for normal vacuole function and ceramide synthesis in *Saccharomyces cerevisiae*, 380:907
Faijes, M.
——; Imai, T.; Bulone, V.; Planas, A.
In vitro synthesis of a crystalline (1 → 3,1 → 4)-β-D-glucan by a mutated (1 → 3,1 → 4)-β-D-glucanase from *Bacillus*, 380:635 (*See* Watts, A. G. for online-only commentary)
Fajardo, I. *See* Fleming, J. V.
Fajloun, Z. *See* Jouirou, B.
Falany, C. N. *See* He, D.
Falgueyret, J.-P. *See* Ouellet, M.
Falkenbach, B. *See* Neumann-Giesen, C.
Fan, L.
——; Di Ciano-Oliveira, C.; Weed, S. A.; Craig, A. W. B.; Greer, P. A.; Rotstein, O. D.; Kapus, A.
Actin depolymerization-induced tyrosine phosphorylation of cortactin: the role of Fer kinase, 380:581 (*See* Gunst, S. J. for online-only commentary)

© 2005 Biochemical Society

Fann, M.-J. *See* Liu, W.-K.
Farkas, A.
——; Nardai, G.; Csermely, P.; Tompa, P.; Friedrich, P.
DUK114, the *Drosophila* orthologue of bovine brain calpain activator protein, is a molecular chaperone, 383:165
——; Tompa, P.; Schád, E.; Sinka, R.; Jékely, G.; Friedrich, P.
Autolytic activation and localization in Schneider cells (S2) of calpain B from *Drosophila*, 378:299
Farquharson, C. *See* Roberts, S. J.
Farris, W. *See* Leissring, M. A.
Fassy, F.
——; Krebs, O.; Lowinski, M.; Ferrari, P.; Winter, J.; Collard-Dutilleul, V.; Salahbey Hocini, K.
UMP kinase from *Streptococcus pneumoniae*: evidence for co-operative ATP binding and allosteric regulation, 384:619
Faust, N. *See* Markart, P.
Fauvelle, F. *See* Laulagnier, K.
Febbraio, M. *See* Demers, A.
Feccia, T. *See* Stellacci, E.
Feddersen, S. *See* Færgeman, N. J.
Fedele, M. J. *See* Hornberger, T. A.
Federico, L. *See* Piccardoni, P.
Feeney, B.
——; Pop, C.; Tripathy, A.; Clark, A. C.
Ionic interactions near the loop L4 are important for maintaining the active-site environment and the dimer stability of (pro)caspase 3, 384:515
Fei, H. *See* Li, S.
Fei, Y.-J. *See* Inoue, K.
——; Liu, J.-C.; Inoue, K.; Zhuang, L.; Miyake, K.; Miyauchi, S.; Ganapathy, V.
Relevance of NAC-2, an Na^+-coupled citrate transporter, to life span, body size and fat content in *Caenorhabditis elegans*, 379:191
Feijoo, C. *See* Sabio, G.
Feller, G. *See* Garsoux, G.
Feng, D.-R. *See* Zhang, D.-Q.
Feng, X. *See* Xu, D.
Fenoll, L. G.
——; Peñalver, M. J.; Rodríguez-López, J. N.; García-Ruiz, P. A.; García-Cánovas, F.; Tudela, J.
Deuterium isotope effect on the oxidation of monophenols and *o*-diphenols by tyrosinase, 380:643
Ferguson, S. J. *See* Allen, J. W. A.
Fernández, C. *See* Freire, T.
Fernández, P. L. *See* Isidoro, A.
Fernandez-Luna, J. L. *See* Sanz, C.
Fernández-Montalván, A.
——; Assfalg-Machleidt, I.; Pfeiler, D.; Fritz, H.; Jochum, M.; Machleidt, W.
Electrostatic interactions of domain III stabilize the inactive conformation of μ-calpain, 382:607
Fernández-Novell, J. M. *See* Marin, S.
Fernández-Pascual, S.
——; Mukala-Nsengu-Tshibangu, A.; Martín del Río, R.; Tamarit-Rodríguez, J.
Conversion into GABA (γ-aminobutyric acid) may reduce the capacity of L-glutamine as an insulin secretagogue, 379:721
Fernetti, C. *See* Rigato, I.
Fernig, D. G. *See* Wang, Guozheng
Ferrari, P. *See* Fassy, F.
Ferré, J. *See* Herrero, S.
Ferré, P. *See* Diraison, F.
Ferreira, P. C. P. *See* Andrade, A. A.
Ferreira, T. *See* Alimardani, P.
——; Régnacq, M.; Alimardani, P.; Moreau-Vauzelle, C.; Bergès, T.
Lipid dynamics in yeast under haem-induced unsaturated fatty acid and/or sterol depletion, 378:899
Ferreira, T. L. *See* Sá, J. M.
Ferro, M. *See* van der Rest, B.
Fidelio, G. D. *See* Celej, M. S.
Field, F. J. *See* Murthy, S.
Fields, G. B. *See* Hurst, D. R.
Fiermonte, G. *See* Agrimi, G.
Fievet, J. *See* Cuthbertson, B. J.
Filée, P. *See* Vreuls, C.
Filenko, N. *See* Brondijk, T. H. C.
Filipovska, A. *See* Ross, M. F.
Finazzi-Agro, A. *See* Candi, E.
Fingleton, B. *See* McIntyre, J. O.
Finne, E. F.
——; Munthe, E.; Aasheim, H.-C.
A new ephrin-A1 isoform (ephrin-A1b) with altered receptor binding properties abrogates the cleavage of ephrin-A1a, 379:39
Finnie, C. *See* Maeda, K.
Fiorani, M. *See* Guidarelli, A.
Fiore, A. *See* Scaloni, A.
Fiore, G.
——; Poli, A.; Di Cosmo, A.; d'Ischia, M.; Palumbo, A.
Dopamine in the ink defence system of *Sepia officinalis*: biosynthesis, vesicular compartmentation in mature ink gland cells, nitric oxide (NO)/cGMP-induced depletion and fate in secreted ink, 378:785
Fiorotto, M. L. *See* Hornberger, T. A.
Fischer, P.
——; Lehmann, U.; Sobota, R. M.; Schmitz, J.; Niemand, C.; Linnemann, S.; Haan, S.; Behrmann, I.; Yoshimura, A.; Johnston, J. A.; Müller-Newen, G.; Heinrich, P. C.; Schaper, F.
The role of the inhibitors of interleukin-6 signal transduction SHP2 and SOCS3 for desensitization of interleukin-6 signalling, 378:449
Fisher, K. *See* Ryan, A. J.
Fisher, I. W. *See* Chaplet, M.
Fitzmaurice, T. J. *See* Thackray, A. M.
Flanagan, J. U.
——; Maréchal, J.-D.; Ward, R.; Kemp, C. A.; McLaughlin, L. A.; Sutcliffe, M. J.; Roberts, G. C. K.; Paine, M. J. I.; Wolf, C. R.
Phe^{120} contributes to the regiospecificity of cytochrome P450 2D6: mutation leads to the formation of a novel dextromethorphan metabolite, 380:353
Flatley, R. M. *See* Liu, M.
Flawiá, M. M. *See* D'Angelo, M. A.
Fleming, I. N. *See* Batty, I. H.; Watt, S. A.
——; Batty, I. H.; Prescott, A. R.; Gray, A.; Kular, G. S.; Stewart, H.; Downes, C. P.
Inositol phospholipids regulate the guanine-nucleotide-exchange factor Tiam1 by facilitating its binding to the plasma membrane and regulating GDP/GTP exchange on Rac1, 382:857
Fleming, J. V.
——; Fajardo, I.; Langlois, M. R.; Sánchez-Jiménez, F.; Wang, T. C.
The C-terminus of rat L-histidine decarboxylase specifically inhibits enzymic activity and disrupts pyridoxal phosphate-dependent interactions with L-histidine substrate analogues, 381:769
——; Sánchez-Jiménez, F.; Moya-García, A. A.; Langlois, M. R.; Wang, T. C.
Mapping of catalytically important residues in the rat L-histidine decarboxylase enzyme using bioinformatic and site-directed mutagenesis approaches, 379:253
Fliegel, L. *See* Slepkov, E. R.
Flörchinger, M. *See* Wormit, A.
Flores, F. J.
——; Martín, J. F.
Iron-regulatory proteins DmdR1 and DmdR2 of *Streptomyces coelicolor* form two different DNA–protein complexes with iron boxes, 380:497
Flores, S. *See* Qadri, I.
Flórez-Álvarez, J. *See* Sonkaria, S.
Flowers, S. *See* Biswas, S. B.
Fodor, A. *See* Marokházi, J.
Foetisch, K. *See* Lauer, I.
Fogaça, S. E.
——; Melo, R. L.; Pimenta, D. C.; Hosoi, K.; Juliano, L.; Juliano, M. A.
Differences in substrate and inhibitor sequence specificity of human, mouse and rat tissue kallikreins, 380:775
Fogliano, V. *See* Scaloni, A.
Folgueira, C. *See* Soto, M.
Fontaine, E. *See* Guigas, B.
Forbes, J. *See* Cater, M. A.
Formstecher, P. *See* Oxombre, B.
Fornůsková, D. *See* Ješina, P.
Forsgren, M.
——; Attersand, A.; Lake, S.; Grünler, J.; Swiezewska, E.; Dallner, G.; Climent, I.
Isolation and functional expression of human *COQ2*, a gene encoding a polyprenyl transferase involved in the synthesis of CoQ, 382:519
Forss-Petter, S. *See* Fraisl, P.
Forstner, J. F. *See* Khatri, I. A.
Fortpied, J. *See* Collard, F.
Fouassier, L. *See* McWilliams, R. R.
Foufelle, F. *See* Diraison, F.
Fox, E. J.
——; Stubbs, S. A.; Kyaw Tun, J.; Leek, J. P.; Markham, A. F.; Wright, S. C.
PRELI (protein of relevant evolutionary and lymphoid interest) is located within an evolutionarily conserved gene cluster on chromosome 5q34–q35 and encodes a novel mitochondrial protein, 378:817
Fox, T. *See* Doran, J. D.
Foxwell, N. *See* Hagen, T.
Fraaije, M. W. *See* Frébortová, J.
Fraisl, P.
——; Forss-Petter, S.; Zigman, M.; Berger, J.
Murine bubblegum orthologue is a microsomal very long-chain acyl-CoA synthetase, 377:85
Frame, S. *See* Cole, A.
Frampton, J. *See* Pearce, A. C.
Frank, R. *See* Godehardt, A. W.
Frank, S. *See* Gauster, M.
Franken, S. *See* Abouzied, M. M.
Fransson, Å. *See* Aspenström, P.
Frasson, F. *See* Nori, A.
Frébort, I. *See* Frébortová, J.
Frébortová, J.
——; Fraaije, M. W.; Galuszka, P.; Šebela, M.; Peč, P.; Hrbáč, J.; Novák, O.; Bilyeu, K. D.; English, J. T.; Frébort, I.
Catalytic reaction of cytokinin dehydrogenase: preference for quinones as electron acceptors, 380:121
Fredriksson, R. *See* Haitina, T.

© 2005 Biochemical Society

Freeman, M. R. *See* Cinar, B.
Freire, T.
——; Fernández, C.; Chalar, C.; Maizels, R. M.; Alzari, P.; Osinaga, E.; Robello, C.
Characterization of a UDP-*N*-acetyl-D-galactosamine:polypeptide *N*-acetylgalactosaminyltransferase with an unusual lectin domain from the platyhelminth parasite *Echinococcus granulosus*, 382:501
Frenck Holbrook, J. *See* Mason, R. W.
Frère, J.-M. *See* Vreuls, C.
Frerman, F. E. *See* Šimkovič, M.
Frey, S. *See* Baum, S.
Friedrich, P. *See* Farkas, A.
Friesen, J. A. *See* Li, S.
Fritz, H. *See* Fernández-Montalván, A.
Froment, M.-T. *See* Rochu, D.
Frontali, L. *See* Rinaldi, T.
Frost, A. R. *See* He, D.
Frydman, B. *See* Mitchell, J. L. A.
Frère, J.-M. *See* Généreux, C.
Fu, K. *See* Jiang, H.
Fuentes-Prior, P.
——; Salvesen, G. S.
The protein structures that shape caspase activity, specificity, activation and inhibition, 384:201
Fujii, J. *See* Otsu, K.
Fujimoto, K. *See* Hamaguchi, H.
Fujimoto, S. *See* Sugawara, T.
Fujio, Y. *See* Ito, T.
Fujishita, K. *See* Koizumi, S.
Fujita, S. *See* Yamanouchi, J.
Fujita, T. *See* Momoi, M.
——; Okada, T.; Hayashi, S.; Jahangeer, S.; Miwa, N.; Nakamura, S.-i.
δ-Catenin/NPRAP (neural plakophilin-related armadillo repeat protein) interacts with and activates sphingosine kinase 1, 382:717
Fukase, K. *See* Triantafilou, M.
Fukuda, M.
——; RNA interference-mediated silencing of synaptotagmin IX, but not synaptotagmin I, inhibits dense-core vesicle exocytosis in PC12 cells, 380:875
Fukui, K. *See* Liu, L.
Fukushima, H. *See* Ueda, H.
Furihata, T.
——; Hosokawa, M.; Satoh, T.; Chiba, K.
Synergistic role of specificity proteins and upstream stimulatory factor 1 in transactivation of the mouse carboxylesterase 2/microsomal acylcarnitine hydrolase gene promoter, 384:101
Furukawa, M. *See* Hamaguchi, H.
Fushiki, S. *See* Akita, K.

Gabbianelli, M. *See* Calzolari, A.
Gabriel, C. *See* Docagne, F.
Gaemers, I. C. *See* Schoneveld, O. J. L. M.
Gait, M. J. *See* Abelian, A.; Ross, M. F.
Galanis, A. *See* Barsyte-Lovejoy, D.
Gallacher, G. *See* Sonkaria, S.
Gallegos, A. M.
——; McIntosh, A. L.; Atshaves, B. P.; Schroeder, F.
Structure and cholesterol domain dynamics of an enriched caveolae/raft isolate, 382:451
Gallo, M. *See* Scaloni, A.
Galtieri, A. *See* De Rosa, M. C.
Galuszka, P. *See* Frébortová, J.
Gambadoro, A. *See* Rinaldi, T.
Gamboni-Robertson, F. *See* Bufler, P.
Gammeltoft, S. *See* Doehn, U.
Gan, L. *See* Zhao, X.
Ganapathy, V. *See* Fei, Y.-J.; Inoue, K.
Gander, J. E. *See* Bonner, C. A.
Gandhi, P. N.
——; Gibson, R. M.; Tong, X.; Miyoshi, J.; Takai, Y.; Konieczkowski, M.; Sedor, J. R.; Wilson-Delfosse, A. L.
An activating mutant of Rac1 that fails to interact with Rho GDP-dissociation inhibitor stimulates membrane ruffling in mammalian cells, 378:409
Gans, P. *See* Vanhaverbeke, C.
Gao, B. *See* Radaeva, S.
Gao, C. *See* Wei, J.
García-Cánovas, F. *See* Fenoll, L. G.
Garcia-Horsman, J. A. *See* Venäläinen, J. I.
García-Rocha, M. *See* Lerín, C.
García-Ruiz, P. A. *See* Fenoll, L. G.
Garçon, A.
——; Bermingham, A.; Lian, L.-Y.; Derrick, J. P.
Kinetic and structural characterization of a product complex of 6-hydroxymethyl-7,8-dihydropterin pyrophosphokinase from *Escherichia coli*, 380:867
Gårdsvoll, H. *See* Hansen, L. V.
Garg, N.
——; Gerstner, A.; Bhatia, V.; DeFord, J.; Papaconstantinou, J.
Gene expression analysis in mitochondria from chagasic mice: alterations in specific metabolic pathways, 381:743; 383:599 (Correction)
Garner, B. *See* Quinn, C. M.
Garner, C. *See* Sabio, G.
Garofalo, R. S. *See* Greene, M. W.
Garrod, D. *See* Smith, C.
Garrow, T. *See* Schwahn, B. C.
Garsoux, G.
——; Lamotte, J.; Gerday, C.; Feller, G.
Kinetic and structural optimization to catalysis at low temperatures in a psychrophilic cellulase from the Antarctic bacterium *Pseudoalteromonas haloplanktis*, 384:247
Gartner, T. K. *See* Pearce, A. C.
Gastaldello, S. *See* Sandonà, D.
Gaston, B. *See* Zaman, K.
Gaudriault, G. *See* Traver, S.
Gauster, M.
——; Oskolkova, O. V.; Innerlohinger, J.; Glatter, O.; Knipping, G.; Frank, S.
Endothelial lipase-modified high-density lipoprotein exhibits diminished ability to mediate SR-BI (scavenger receptor B type I)-dependent free-cholesterol efflux, 382:75
Gautam, S. *See* McIntyre, J. O.
Gazzinelli, R. T. *See* Andrade, A. A.
Ge, Y. *See* Liu, M.
Gebicki, J. M. *See* Winterbourn, C. C.
Gebicki, S. *See* Winterbourn, C. C.
Geelen, M. J. H. *See* Carracedo, A.
Geisse, N. A.
——; Cover, T. L.; Henderson, R. M.; Edwardson, J. M.
Targeting of *Helicobacter pylori* vacuolating toxin to lipid raft membrane domains analysed by atomic force microscopy, 381:911
Gelpí, J. Ll. *See* Pineda, M.
Genazzani, A. A. *See* Billington, R. A.
Généreux, C.
——; Dehareng, D.; Devreese, B.; Van Beeumen, J.; Frère, J.-M.; Joris, B.
Mutational analysis of the catalytic centre of the *Citrobacter freundii* AmpD *N*-acetylmuramyl-L-alanine amidase, 377:111
Georges, E. *See* Alqawi, O.
Geraghty, K. M. *See* Pozuelo Rubio, M.
Gerday, C. *See* Garsoux, G.
Gerhartz, B. *See* Paschalidou, K.
Gerrard, J. A. *See* Dobson, R. C. J.
Gerstner, A. *See* Garg, N.
Gerth, A.
——; Nieber, K.; Oppenheimer, N. J.; Hauschildt, S.
Extracellular NAD^+ regulates intracellular free calcium concentration in human monocytes, 382:849 (*See* Ziegler, M. for online-only commentary)
Gesbert, F. *See* Arnaud, M.
Getz, G. S. *See* Biswas, T. K.
Gewirtz, A. T. *See* Walia, B.
Geyer, R. *See* Wuhrer, M.
Ghaffari, M. A. *See* Hurst, D. R.
Ghanekar, Y.
——; Chandrashaker, A.; Tatu, U.; Visweswariah, S. S.
Glycosylation of the receptor guanylate cyclase C: role in ligand binding and catalytic activity, 379:653
Gheyas, F. *See* Grill, C.
Ghosh, K.
——; Pal, A.; Chattopadhyaya, R.
pH-dependent autocleavage of λ repressor occurs in the operator-bound form: characterization of λ repressor autocleavage, 379:325
Ghosh, M.
——; Elsby, L. M.; Mal, T. K.; Gooding, J. M.; Roberts, S. G. E.; Ikura, M.
Probing Zn^{2+}-binding effects on the zinc-ribbon domain of human general transcription factor TFIIB, 378:317
Ghosh, S. *See* Chen, C.
Ghyselinck, N. B. *See* Molotkov, A.
Giannini, S. *See* Rahmouni, S.
Giardina, B. *See* De Rosa, M. C.
Gibson, K. J. C. *See* Guy, M. R.
Gibson, R. M. *See* Gandhi, P. N.
Gidey, E. *See* McWilliams, R. R.
Gidwitz, S.
——; Temple, B.; White, II, G. C.
Mutations in and near the second calcium-binding domain of integrin αIIb affect the structure and function of integrin αIIbβ3, 379:449
Gieselmann, V. *See* Abouzied, M. M.
Gigant, B. *See* Jourdain, I.
Gijsbers, R. *See* Cimpean, A.
Gilad, A. *See* Kalifa, Y.
Gilbert, H. J. *See* Boraston, A. B.
Ginger, M. L. *See* Allen, J. W. A.
Ginsburg, A. *See* Piszczek, G.
Giraudo, C. G. *See* Crespo, P. M.
Girzalsky, W. *See* Platta, H. W.
Giudici, M.-L.
——; Emson, P. C.; Irvine, R. F.
A novel neuronal-specific splice variant of Type I phosphatidylinositol 4-phosphate 5-kinase isoform γ, 379:489
Glatt, H. *See* Schneider, H.
Glatter, O. *See* Gauster, M.
Glickman, M. H. *See* Rinaldi, T.
Gliemann, J.
——; Hermey, G.; Nykjær, A.; Petersen, C. M.; Jacobsen, C.; Andreasen, P. A.

© 2005 Biochemical Society

The mosaic receptor sorLA/LR11 binds components of the plasminogen-activating system and platelet-derived growth factor-BB similarly to LRP1 (low-density lipoprotein receptor-related protein), but mediates slow internalization of bound ligand, 381:203
Gnaiger, E. *See* Hutter, E.
Goda, Y. *See* Akiyama, H.
Godat, E.
——; Lecaille, F.; Desmazes, C.; Duchêne, S.; Weidauer, E.; Saftig, P.; Brömme, D.; Vandier, C.; Lalmanach, G.
Cathepsin K: a cysteine protease with unique kinin-degrading properties, 383:501
Godehardt, A. W.
——; Hammerschmidt, S.; Frank, R.; Chhatwal, G. S.
Binding of α_2-macroglobulin to GRAB (Protein G-related α_2-macroglobulin-binding protein), an important virulence factor of group A streptococci, is mediated by two charged motifs in the ΔA region, 381:877
Godovac-Zimmermann, J. *See* Paclet, M.-H.
Goedert, M. *See* Sabio, G.
Gogvadze, V.
——; Robertson, J. D.; Enoksson, M.; Zhivotovsky, B.; Orrenius, S.
Mitochondrial cytochrome *c* release may occur by volume-dependent mechanisms not involving permeability transition, 378:213
Goh, P.-Y. *See* Khu, Y.-L.
Goldberg, H. A. *See* Pampena, D. A.
Goldstein, I. J. *See* Tateno, H.
Golubovskaya, V. *See* Park, H. B.
Gomes, C. M. *See* Urich, T.
Gomez, B. *See* Zhu, J.
Gómez-Foix, A. M. *See* Lerín, C.
Gómez-Puertas, P. *See* Morillas, M.
González, M. *See* Tapia, L.
González-Agüero, M. *See* Tapia, L.
González-Cabrera, J. *See* Herrero, S.
González-Mañas, J. M. *See* Gutiérrez-Aguirre, I.
González-Martínez, D. *See* Hu, Y.
Gooding, J. M. *See* Ghosh, M.
Goormaghtigh, E. *See* Scheirlinckx, F.
Gopal, E. *See* Inoue, K.
Gopalakrishnan, M. M.
——; Grosch, H.-W.; Locatelli-Hoops, S.; Werth, N.; Smolenová, E.; Nettersheim, M.; Sandhoff, K.; Hasilik, A.
Purified recombinant human prosaposin forms oligomers that bind procathepsin D and affect its autoactivation, 383:507
Gopalakrishnapai, J. *See* Kapoor, M.
Gopalan, V. *See* Rangarajan, S.
Gordon, D. M. *See* Amutha, B.
Gorin, Y.
——; Ricono, J. M.; Wagner, B.; Kim, N.-H.; Bhandari, B.; Choudhury, G. G.; Abboud, H. E.
Angiotensin II-induced ERK1/ERK2 activation and protein synthesis are redox-dependent in glomerular mesangial cells, 381:231
Goris, J. *See* Longin, S.
Goto, A. *See* Yamashita, H.
Gotte, G. *See* Libonati, M.
Gottschall, P. E. *See* Westling, J.
Goudenege, S. *See* Dulong, S.
Goulhen, F.
——; Dé, E.; Pagès, J.-M.; Bolla, J.-M.
Functional refolding of the *Campylobacter jejuni* MOMP (major outer membrane protein) porin by GroEL from the same species, 378:851
Gourdou, I. *See* Van Coppenolle, F.
Graf, T. *See* Markart, P.
Gráf, L. *See* Marokházi, J.
Graham, G. J. *See* Blackburn, P. E.
Graham, M. E. *See* Xue, J.
——; Ruma-Haynes, P.; Capes-Davis, A. G.; Dunn, J. M.; Tan, T. C.; Valova, V. A.; Robinson, P. J.; Jeffrey, P. L.
Multisite phosphorylation of doublecortin by cyclin-dependent kinase 5, 381:471
Grahammer, F. *See* Murray, J. T.
Graniti, A. *See* Scaloni, A.
Grant, P. J. *See* Rice, G. I.
Gray, A. *See* Fleming, I. N.; Powell, D. J.
Gray, G. M. *See* Shan, L.
Greco, M. L. *See* Scaloni, A.
Green, A. *See* Aiston, S.
Greene, L. J. *See* Sá, J. M.
Greene, M. W.
——; Morrice, N.; Garofalo, R. S.; Roth, R. A.
Modulation of human insulin receptor substrate-1 tyrosine phosphorylation by protein kinase Cδ, 378:105
Greenough, M. *See* Pase, L.
Greenwood, J. A. *See* Corgan, A. M.
Greer, P. A. *See* Fan, L.
Gregory, III, J. F. *See* Tseung, C.-W.
Gregory, R. B.
——; Hughes, R.; Riley, A. M.; Potter, B. V. L.; Wilcox, R. A.; Barritt, G. J.
Inositol trisphosphate analogues selective for types I and II inositol trisphosphate receptors exert differential effects on vasopressin-stimulated Ca^{2+} inflow and Ca^{2+} release from intracellular stores in rat hepatocytes, 381:519
Greimers, R. *See* Rahmouni, S.
Grempler, R.
——; Kienitz, A.; Werner, T.; Meyer, M.; Barthel, A.; Ailett, F.; Sutherland, C.; Walther, R.; Schmoll, D.
Tumour necrosis factor α decreases glucose-6-phosphatase gene expression by activation of nuclear factor κB, 382:471
Griffin, R. L. *See* Tserng, K.-Y.
Griffith, C. L. *See* Bar-Peled, M.
Grill, C.
——; Gheyas, F.; Dayananth, P.; Jin, W.; Ding, W.; Qiu, P.; Wang, L.; Doll, R. J.; English, J. M.
Analysis of the ERK1,2 transcriptome in mammary epithelial cells, 381:635
Grissmer, S. *See* Jouirou, B.; Mouhat, S.
Grizard, J. *See* Combaret, L.
Grootegoed, J. A. *See* Wong, H. Y.
Grosch, H.-W. *See* Gopalakrishnan, M. M.
Gross, P. S. *See* Cuthbertson, B. J.
Grossman, C. E.
——; Niland, B.; Stancato, C.; Verhoeven, N. M.; van der Knaap, M. S.; Jakobs, C.; Brown, L. M.; Vajda, S.; Banki, K.; Perl, A.
Deletion of Ser-171 causes inactivation, proteasome-mediated degradation and complete deficiency of human transaldolase, 382:725
Grotewold, E. *See* Rangarajan, S.
Grothe, C. *See* Claus, P.
Grove, A. *See* Chen, C.
Grover, A. K. *See* Mwanjewe, J.
Grummitt, A. R.
——; Rutledge, P. J.; Clifton, I. J.; Baldwin, J. E.
Active-site-mediated elimination of hydrogen fluoride from a fluorinated substrate analogue by isopenicillin N synthase, 382:659
Grundy, J. E. *See* Zeibdawi, A. R.
Grünler, J. *See* Forsgren, M.
Gu, Y. *See* Amutha, B.
Guagliardi, A.
——; Mancusi, L.; Rossi, M.
Reversion of protein aggregation mediated by Sso7d in cell extracts of *Sulfolobus solfataricus*, 381:249
Guarente, L. *See* Leissring, M. A.
Guenzi, C. *See* Arnaud, M.
Guenzi, E. *See* Naschberger, E.
Guérin, R. *See* Maréchal, A.
Guerreiro, P. *See* Nevitt, T.
Guh, J.-Y. *See* Yang, Y.-L.
Guidarelli, A.
——; Fiorani, M.; Cantoni, O.
Enhancing effects of intracellular ascorbic acid on peroxynitrite-induced U937 cell death are mediated by mitochondrial events resulting in enhanced sensitivity to peroxynitrite-dependent inhibition of complex III and formation of hydrogen peroxide, 378:959
Guigas, B.
——; Detaille, D.; Chauvin, C.; Batandier, C.; De Oliveira, F.; Fontaine, E.; Leverve, X.
Metformin inhibits mitochondrial permeability transition and cell death: a pharmacological *in vitro* study, 382:877
Guillemain, G.
——; da Silva Xavier, G.; Rafiq, I.; Leturque, A.; Rutter, G. A.
Importin β1 mediates the glucose-stimulated nuclear import of pancreatic and duodenal homeobox-1 in pancreatic islet β-cells (MIN6), 378:219
Guinovart, J. J. *See* Lerín, C.; Marin, S.
Gul, S. *See* Sonkaria, S.
——; Brown, R.; May, E.; Mazzulla, M.; Smyth, M. G.; Berry, C.; Morby, A.; Powell, D. J.
Staphylococcus aureus DNA ligase: characterization of its kinetics of catalysis and development of a high-throughput screening compatible chemiluminescent hybridization protection assay, 383:551
Gullans, S. R. *See* Kojima, R.
Gunst, S. J.
——; Actions by actin: reciprocal regulation of cortactin activity by tyrosine kinases and F-actin (online-only commentary on Fan, L.), 380:e7
Guo, H. *See* Wei, J.
Guo, X. *See* Du, G. G.
Guo, X.-L. *See* Pedersen, A. K.
Gupta, M. *See* Magiera, M. M.
Gupta, R. S. *See* Singh, B.
Gurcha, S. S. *See* Guy, M. R.
Gutiérrez, A. *See* Baglietto-Vargas, D.
Gutiérrez-Aguirre, I.
——; Barlič, A.; Podlesek, Z.; Maček, P.; Anderluh, G.; González-Mañas, J. M.
Membrane insertion of the N-terminal α-helix of equinatoxin II, a sea anemone cytolytic toxin, 384:421
Gutowski, M. *See* Salhi, I.
Guy, M. R.
——; Illarionov, P. A.; Gurcha, S. S.; Dover, L. G.; Gibson, K. J. C.; Smith, P. W.; Minnikin, D. E.; Besra, G. S.

© 2005 Biochemical Society

Novel prenyl-linked benzophenone substrate analogues of mycobacterial mannosyltransferases, 382:905
Guzmán, M. *See* Carracedo, A.
Guzzo, R. M.
——; Wigle, J.; Salih, M.; Moore, E. D.; Tuana, B. S.
Regulated expression and temporal induction of the tail-anchored sarcolemmal-membrane-associated protein is critical for myoblast fusion, 381:599
Gyllberg, H. *See* Nielsen, D.
Gynther, J. *See* Venäläinen, J. I.

Ha, C.-E. *See* Liu, R.
Ha, N.-C. *See* Jang, D. S.
Haan, S. *See* Fischer, P.
Habuchi, O. *See* Yamada, T.
Hada, J. *See* Aoki, K.
Hada, N. *See* Aoki, K.
Haga, S. *See* Terui, K.
Hagemann, M. *See* Hincha, D. K.
Hagen, T.
——; Sethi, J. K.; Foxwell, N.; Vidal-Puig, A.
Signalling activity of β-catenin targeted to different subcellular compartments, 379:471
Hägerkvist, R. *See* Welsh, M.
Haigis, M. C. *See* Leissring, M. A.
Hains, M. D. *See* Kimple, R. J.
Haitina, T.
——; Klovins, J.; Andersson, J.; Fredriksson, R.; Lagerström, M. C.; Larhammar, D.; Larson, E. T.; Schiöth, H. B.
Cloning, tissue distribution, pharmacology and three-dimensional modelling of melanocortin receptors 4 and 5 in rainbow trout suggest close evolutionary relationship of these subtypes, 380:475
Haito, S. *See* Ito, M.
Hajduch, E. *See* Powell, D. J.
Hakkola, J. *See* Ulvila, J.
Halden, Y.
——; Rek, A.; Atzenhofer, W.; Szilak, L.; Wabnig, A.; Kungl, A. J.
Interleukin-8 binds to syndecan-2 on human endothelial cells, 377:533
Hällbrink, M. M. *See* Lindgren, M. E.
Halliwell, B. *See* Lin, H.-S.
Haltia, T. *See* Okkeri, J.
Hamaguchi, H.
——; Fujimoto, K.; Kawamoto, T.; Noshiro, M.; Maemura, K.; Takeda, N.; Nagai, R.; Furukawa, M.; Honma, S.; Honma, K.-i.; Kurihara, H.; Kato, Y.
Expression of the gene for Dec2, a basic helix–loop–helix transcription factor, is regulated by a molecular clock system, 382:43
Hamaguchi, N. *See* McLean, J. E.
Hamdi, S. *See* Laulagnier, K.
Hamilton, J. A. *See* Cross, M.
Hamm, S. *See* Evans, P. C.
Hammerschmidt, S. *See* Godehardt, A. W.
Hamon, M. *See* Evans, P. C.
Han, I. *See* Keum, E.
Han, K.-H. *See* Chi, S.-W.
Hanada, K. *See* Carracedo, A.
Hancock, C. *See* Cha, H.
Handa, M. *See* Kamata, T.
Handa, V. *See* Negi, S.
Hanna, B. T. *See* Xue, J.
Hanneman, A. *See* Zhu, S.
Hansen, G.
——; Berg, T.; Riise Stensland, H. M. F.; Heikinheimo, P.; Klenow, H.; Evjen, G.; Nilssen, Ø.; Tollersrud, O. K.
Intracellular transport of human lysosomal α-mannosidase and α-mannosidosis-related mutants, 381:537
Hansen, L. V.
——; Gårdsvoll, H.; Nielsen, B. S.; Lund, L. R.; Danø, K.; Jensen, O. N.; Ploug, M.
Structural analysis and tissue localization of human C4.4A: a protein homologue of the urokinase receptor, 380:845
Hansíková, H. *See* Ješina, P.
Haque, M. A. *See* Kotake, T.
Hara, A. *See* Yamada, M.
Harding, J. J. *See* Craghill, J.
Hardy, M. P.
——; McGettrick, A. F.; O'Neill, L. A. J.
Transcriptional regulation of the human *TRIF* (TIR domain-containing adaptor protein inducing interferon β) gene, 380:83
Hardy, R. W. *See* Zhao, H.
Harris, A. *See* Mouchel, N.
Harris, A. L. *See* Koreen, I. V.
Harris, L. R.
——; Kamarainen, O.-P.; Sevakivi, M.; Miller, G. C.; Clarke, J. W.; Potter, J. L.; Bridgewater, L. C.
A novel retinoic acid-response element requires an enhancer element mediator for transcriptional activation, 383:37 (*See* Redfern, C. P. F. for online-only commentary)
Harrison, J. *See* Chen, Z.
Harvey, D. J. *See* Mellor, H. R.
Harvey, I. *See* Borrelly, G. P. M.
Hasan, M. K.
——; Yaguchi, T.; Minoda, Y.; Hirano, T.; Taira, K.; Wadhwa, R.; Kaul, S. C.
Alternative reading frame protein (ARF)-independent function of CARF (collaborator of ARF) involves its interactions with p53: evidence for a novel p53-activation pathway and its negative feedback control, 380:605
Hasegawa, M. *See* Sabio, G.
Haseman, J. R. *See* Lockwood, N. A.
Hasilik, A. *See* Gopalakrishnan, M. M.
Hasleton, M. D. *See* Orso, F.
Hatanaka, Y. *See* Ueda, H.
Hato, T. *See* Yamanouchi, J.
Hattori, M. *See* Nakayama, T.; Suetsugu, S.
Haubner, A. *See* Simmons, C. Q.
Hauschildt, S. *See* Gerth, A.
Hawkins, C. L. *See* Rees, M. D.
Hayashi, K. *See* Honda, Y.
Hayashi, S. *See* Fujita, T.
Hayashizaki, Y. *See* Zhang, W.
Haynes, L. *See* Morgan, C. P.
Hays, L. B. *See* Wäsle, B.
He, D. *See* Long, J.
——; Meloche, C. A.; Dumas, N. A.; Frost, A. R.; Falany, C. N.
Different subcellular localization of sulphotransferase 2B1b in human placenta and prostate, 379:533
He, Q.-Y. *See* Lau, A. T. Y.
He, W.-J.
——; Liu, W.-Y.
Both N- and C-terminal regions are essential for cinnamomin A-chain to deadenylate ribosomal RNA and supercoiled double-stranded DNA, 377:17
He, Y.-M. *See* Zhang, D.-Q.
Hedenbro, J. *See* Lindén, S.
Hedstrom, L. *See* McLean, J. E.
Hegardt, F. G. *See* Morillas, M.
Heikinheimo, P. *See* Hansen, G.
Heikkinen, P. *See* Marxsen, J. H.
Heimlich, G.
——; McKinnon, A. D.; Bernardo, K.; Brdiczka, D.; Reed, J. C.; Kain, R.; Krönke, M.; Jürgensmeier, J. M.
Bax-induced cytochrome *c* release from mitochondria depends on α-helices-5 and -6, 378:247
Heinrich, P. C. *See* Fischer, P.
Heller, T. *See* Radaeva, S.
Helms, J. B. *See* Bleijerveld, O. B.
Hemler, M. E. *See* Kovalenko, O. V.
Hémon, B. *See* Mariette, C.
Henderson, L. M. *See* Paclet, M.-H.
Henderson, R. M. *See* Geisse, N. A.
Henrich, V. C. *See* Bergman, T.
Henriksson, H.
——; Denman, S. E.; Campuzano, I. D. G.; Ademark, P.; Master, E. R.; Teeri, T. T.; Brumer, III, H.
N-linked glycosylation of native and recombinant cauliflower xyloglucan endotransglycosylase 16A (Correction), 378:1095
Henriques, S. *See* Veiga, S.
Henstra, S. A. *See* Mouchel, N.
Henze, C. *See* Kretzschmar, A. K.
Hepworth, M. R. *See* Mann, K. J.
Hererro, O. *See* vanKuyk, P. A.
Hermey, G. *See* Gliemann, J.
Hermida, C. *See* Martínez-Costa, O. H.
Hermosilla, R. *See* Neuschäfer-Rube, F.
Hermus, A. R. M. M. *See* Bosch, R. R.
Hernandez, J. M. *See* Rangarajan, S.
Hernandez-Rosa, E. *See* Pallotti, F.
Hernández-Sanmiguel, E. *See* Montero, M.
Herrero, S.
——; González-Cabrera, J.; Ferré, J.; Bakker, P. L.; de Maagd, R. A.
Mutations in the *Bacillus thuringiensis* Cry1Ca toxin demonstrate the role of domains II and III in specificity towards *Spodoptera exigua* larvae, 384:507
Hertz, R. *See* Bronner, M.
Herzog, V. *See* Neumann-Giesen, C.
Hewitson, K. S. *See* Lancaster, D. E.
High, S. *See* Crawshaw, S. G.
Hill, C. S. *See* De Bosscher, K.
Hilligsmann, C. *See* Tsuboi, K.
Hillson, T. *See* Shiva, S.
Hincha, D. K.
——; Hagemann, M.
Stabilization of model membranes during drying by compatible solutes involved in the stress tolerance of plants and microorganisms, 383:277
Hinderlich, S. *See* Blume, A.
Hinds, M. G. *See* Day, C. L.
Hinkle, P. M. *See* Cook, L. B.
Hinterkörner, G. *See* Mucha, J.
Hirabayashi, K.
——; Ishida, M.; Suzuki, M.; Yamanouchi, K.; Nishihara, M.
Characterization and functional analysis of the 5′-flanking region of the mouse 20α-hydroxysteroid dehydrogenase gene, 382:975
Hirano, T. *See* Hasan, M. K.
Hirashima, M. *See* Saito, Y.
Hirata, M. *See* Ito, T.
Hirose, F. *See* Choi, T.-Y.
Ho, A. *See* Allali-Hassani, A.
Ho, F.-M. *See* Wu, W.-T.
Ho, M. K. C.
——; Chan, J. H. P.; Wong, C. S. S.; Wong, Y. H.

© 2005 Biochemical Society

Identification of a stretch of six divergent amino acids on the α5 helix of $G\alpha_{16}$ as a major determinant of the promiscuity and efficiency of receptor coupling, 380:361

Ho, Y.
——; Lo, H.-R.; Lee, T.-C.; Wu, C. P. Y.; Chao, Y.-C.
Enhancement of correct protein folding *in vivo* by a non-lytic baculovirus, 382:695

Hock, T. D.
——; Nick, H. S.; Agarwal, A.
Upstream stimulatory factors, USF1 and USF2, bind to the human haem oxygenase-1 proximal promoter *in vivo* and regulate its transcription, 383:209

Hodge, G. *See* Chang, M. H. Y.
Hoekman, M. F. M. *See* van der Heide, L. P.
Hoekstra, D. *See* Rejman, J.
Hofer-Warbinek, R. *See* Ilk, N.
Hofhaus, G. *See* Bourges, I.
Hofinger, A. *See* Mucha, J.
Hofmann, M. *See* Kzhyshkowska, J.
Hohenegger, M. *See* Bacher, I.
Hokke, C. H. *See* Wuhrer, M.
Holmes, A. B. *See* Billington, R. A.
Holmes, A. M. *See* Peppiatt, C. M.
Holtan, S. *See* Campa, C.
Hommet, Y. *See* Docagne, F.
Honda, Y.
——; Kitaoka, M.; Hayashi, K.
Reaction mechanism of chitobiose phosphorylase from *Vibrio proteolyticus*: identification of family 36 glycosyltransferase in *Vibrio*, 377:225

Honek, J. F. *See* Clugston, S. L.; Sukdeo, N.
Hong, B. H. *See* Jang, D. S.
Hong, W. *See* Khu, Y.-L.
Honma, K.-i. *See* Hamaguchi, H.
Honma, S. *See* Hamaguchi, H.
Hoogenkamp, M. *See* Schoneveld, O. J. L. M.
Hooper, N. M. *See* Rice, G. I.
Hopken, M. W. *See* Qadri, I.
Hörhä, J. *See* Hytönen, V. P.
Horibe, T. *See* Kimura, T.
Horn, F. *See* Kretzschmar, A. K.
Hornberger, T. A.
——; Stuppard, R.; Conley, K. E.; Fedele, M. J.; Fiorotto, M. L.; Chin, E. R.; Esser, K. A.
Mechanical stimuli regulate rapamycin-sensitive signalling by a phosphoinositide 3-kinase-, protein kinase B- and growth factor-independent mechanism, 380:795

Horstkorte, R. *See* Blume, A.
Horvatin, C. *See* Sampaleanu, L. M.
Hosoi, K. *See* Fogaça, S. E.
Hosokawa, M. *See* Furihata, T.
Hosoki, Y. *See* Akita, K.
Hot, D. *See* Lefebvre, C.
Hounsell, E. F.
——; Prions in control of cell glycosylation? (online-only commentary on Nielsen, D.), 380:e5

Houslay, M. D. *See* Johnston, L. A.
Houštěk, J. *See* Ješina, P.
Houweling, M. *See* Bleijerveld, O. B.
Howell, L. D.
——; Borchardt, R.; Kole, J.; Kaz, A. M.; Randak, C.; Cohn, J. A.
Protein kinase A regulates ATP hydrolysis and dimerization by a CFTR (cystic fibrosis transmembrane conductance regulator) domain, 378:151

Howell, P. L. *See* Sampaleanu, L. M.
Hrbáč, J. *See* Frébortová, J.

Hryniewicz-Jankowska, A.
——; Bok, E.; Dubielecka, P.; Chorzalska, A.; Diakowski, W.; Jezierski, A.; Lisowski, M.; Sikorski, A. F.
Mapping of an ankyrin-sensitive, phosphatidylethanolamine/phosphatidylcholine mono- and bi-layer binding site in erythroid β-spectrin, 382:677

Hseu, M.-J. *See* Chen, Y.-H.
Hsu, T.-Y. *See* Wu, C.-C.
Hu, G. *See* Coleman, C. S.; Ikeguchi, Y.
Hu, K.
——; Rickman, C.; Carroll, J.; Davletov, B.
A common mechanism for regulation of vesicular SNAREs on phospholipid membranes, 377:781

Hu, Y.
——; González-Martínez, D.; Kim, S.-H.; Bouloux, P. M. G.
Cross-talk of anosmin-1, the protein implicated in X-linked Kallmann's syndrome, with heparan sulphate and urokinase-type plasminogen activator, 384:495

Hua, C. T. *See* Chang, M. H. Y.
Hua, Y. *See* Opassiri, R.
Huang, D. C. S. *See* Day, C. L.
Huang, H.
——; Schroeder, F.; Estes, M. K.; McPherson, T.; Ball, J. M.
Interaction(s) of rotavirus non-structural protein 4 (NSP4) C-terminal peptides with model membranes, 380:723

Huang, K.-F.
——; Ko, T.-P.; Hung, C.-C.; Chu, J.; Wang, A. H.-J.; Chiou, S.-H.
Crystal structure of a platelet-agglutinating factor isolated from the venom of Taiwan habu (*Trimeresurus mucrosquamatus*), 378:399

Huang, S. H. *See* Lin, H.-S.
Huang, S.-M.
——; Cheng, Y.-S.
Analysis of two CBP (cAMP-response-element-binding protein-binding protein) interacting sites in GRIP1 (glucocorticoid-receptor-interacting protein), and their importance for the function of GRIP1, 382:111

Huang, Y.-L. *See* Yang, Y.-L.
Huang, Y.-S. *See* Pereira, S. L.
Hubbard, M. J.
——; Mangum, J. E.; McHugh, N. J.
Purification and biochemical characterization of native ERp29 from rat liver, 383:589

Hudecz, F. *See* Marokházi, J.
Hudman, D. *See* Rainbow, R. D.
Hue, L. *See* Rider, M. H.
Hughes, D. A. *See* Woodcock, S. A.
Hughes, P. J. *See* Barker, C. J.
Hughes, R. *See* Gregory, R. B.
Humez, S. *See* Van Coppenolle, F.
Hummel, M. *See* Clermont, A.
Humphreys, S. *See* Vitari, A. C.
Humphries, M. J. *See* Barton, S. J.
Hundal, H. S. *See* Powell, D. J.
Hung, C.-C. *See* Huang, K.-F.
Hung, M.-Y. *See* Yang, Y.-L.
Hunt, A. N. *See* Rodway, H. A.
Hunt, J. F. *See* Zaman, K.
Hunter, C. N. *See* Shepherd, M.
Hunter, D. M. *See* Crowley, P. B.
Hunter, G. K. *See* Pampena, D. A.
Huot, L. *See* Lefebvre, C.
Hupp, T. R. *See* Pospíšilová, Š.

Hurst, D. R.
——; Schwartz, M. A.; Ghaffari, M. A.; Jin, Y.; Tschesche, H.; Fields, G. B.; Sang, Q.-X. A.
Catalytic- and ecto-domains of membrane type 1-matrix metalloproteinase have similar inhibition profiles but distinct endopeptidase activities, 377:775

Hurst, H. C. *See* Orso, F.
Hussain, S. *See* Reid, J. D.; Sonkaria, S.
Huston, E. *See* Johnston, L. A.
Hutter, E.
——; Renner, K.; Pfister, G.; Stöckl, P.; Jansen-Dürr, P.; Gnaiger, E.
Senescence-associated changes in respiration and oxidative phosphorylation in primary human fibroblasts, 380:919

Huttley, G. A. *See* Robinson, A.
Huwyler, J. *See* Schnyder, A.
Huys, I.
——; Xu, C.-Q.; Wang, C.-Z.; Vacher, H.; Martin-Eauclaire, M.-F.; Chi, C.-W.; Tytgat, J.
BmTx3, a scorpion toxin with two putative functional faces separately active on A-type K^+ and HERG currents, 378:745

Hytönen, V. P.
——; Laitinen, O. H.; Airenne, T. T.; Kidron, H.; Meltola, N. J.; Porkka, E. J.; Hörhä, J.; Paldanius, T.; Määttä, J. A. E.; Nordlund, H. R.; Johnson, M. S.; Salminen, T. A.; Airenne, K. J.; Ylä-Herttuala, S.; Kulomaa, M. S.
Efficient production of active chicken avidin using a bacterial signal peptide in *Escherichia coli*, 384:385

Hyunh, H. *See* Nika, K.

Ibbitt, J. C. *See* Orso, F.
Iborra, S. *See* Soto, M.
Iidawa, S. *See* Ito, M.
Ikeda, H.
——; Nishi, S.; Sakai, M.
Transcription factor Nrf2/MafK regulates rat placental glutathione S-transferase gene during hepatocarcinogenesis, 380:515

Ikeda, Y. *See* Kamata, T.; Otsu, K.
Ikeguchi, Y.
——; Wang, X.; McCloskey, D. E.; Coleman, C. S.; Nelson, P.; Hu, G.; Shantz, L. M.; Pegg, A. E.
Characterization of transgenic mice with widespread overexpression of spermine synthase, 381:701

Ikemoto, N. *See* Kobayashi, S.
Ikura, M. *See* Abu-Abed, M.; Ghosh, M.
Ilk, N.
——; Küpcü, S.; Moncayo, G.; Klimt, S.; Ecker, R. C.; Hofer-Warbinek, R.; Egelseer, E. M.; Sleytr, U. B.; Sára, M.
A functional chimaeric S-layer–enhanced green fluorescent protein to follow the uptake of S-layer-coated liposomes into eukaryotic cells, 379:441

Illarionov, P. A. *See* Guy, M. R.
Imai, S.-i.
——; Kai, M.; Yamada, K.; Kanoh, H.; Sakane, F.
The plasma membrane translocation of diacylglycerol kinase δ1 is negatively regulated by conventional protein kinase C-dependent phosphorylation at Ser-22 and Ser-26 within the pleckstrin homology domain, 382:957

Imai, T. *See* Faijes, M.
Ingram, J. C. *See* Barnes, K.

© 2005 Biochemical Society

Innerlohinger, J. *See* Gauster, M.
Inoue, H. *See* Athauda, S. B. P.; Suzuki, M.
Inoue, K. *See* Fei, Y.-J.
——: Fei, Y.-J.; Zhuang, L.; Gopal, E.; Miyauchi, S.; Ganapathy, V.
Functional features and genomic organization of mouse NaCT, a sodium-coupled transporter for tricarboxylic acid cycle intermediates, 378:949
Inoue, Kaori *See* Koizumi, S.
Inoue, Kazuhide *See* Koizumi, S.
Inoue, M. *See* Akita, K.
Inoue, T. *See* Nakayama, T.
Insall, R. *See* Morgan, C. P.
Irvine, R. F. *See* Giudici, M.-L.
Isaac, E. L. *See* Chang, M. H. Y.
Isaacs, N. W. *See* Blackburn, P. E.
Ishida, M. *See* Hirabayashi, K.
Ishida, N. *See* Miyazaki, K.
Ishii, I.
——: Akahoshi, N.; Yu, X.-N.; Kobayashi, Y.; Namekata, K.; Komaki, G.; Kimura, H.
Murine cystathionine γ-lyase: complete cDNA and genomic sequences, promoter activity, tissue distribution and developmental expression, 381:113
Ishikawa, G. *See* Takeuchi, R.
Ishimura, A. *See* Bong, Y.-S.
Isidoro, A.
——; Martínez, M.; Fernández, P. L.; Ortega, Á. D.; Santamaría, G.; Chamorro, M.; Reed, J. C.; Cuezva, J. M.
Alteration of the bioenergetic phenotype of mitochondria is a hallmark of breast, gastric, lung and oesophageal cancer, 378:17
Isogai, A. *See* Aoki, K.
Isom, G. E. *See* Shou, Y.
Isono, T. *See* Omatsu-Kanbe, M.
Israelson, A. *See* Azoulay-Zohar, H.
Issartel, J.-P. *See* Bourges, I.
Itaya, M. *See* Ohtani, N.
Ito, E. *See* Kojima, R.
Ito, M. *See* Paal, K.
——; Iidawa, S.; Izuka, M.; Haito, S.; Segawa, H.; Kuwahata, M.; Ohkido, I.; Ohno, H.; Miyamoto, K.-i.
Interaction of a farnesylated protein with renal type IIa Na/P$_i$ co-transporter in response to parathyroid hormone and dietary phosphate, 377:607
Ito, T.
——; Fujio, Y.; Hirata, M.; Takatani, T.; Matsuda, T.; Muraoka, S.; Takahashi, K.; Azuma, J.
Expression of taurine transporter is regulated through the TonE (tonicity-responsive element)/TonEBP (TonE-binding protein) pathway and contributes to cytoprotection in HepG2 cells, 382:177
Itonori, S. *See* Aoki, K.
Iversen, L. F. *See* Pedersen, A. K.
Iwahashi, M. *See* Qadri, I.
Iwai, M. *See* Nakayama, T.
Iwamatsu, A. *See* Athauda, S. B. P.
Iwamori, M.
——; Domino, S. E.
Tissue-specific loss of fucosylated glycolipids in mice with targeted deletion of α(1,2)fucosyltransferase genes, 380:75
Iwata, Y. *See* Okumura, H.
Izuka, M. *See* Ito, M.
Izzo, P. *See* Esposito, G.

Jaakkola, P. *See* Marxsen, J. H.
Jacobsen, C. *See* Gliemann, J.
Jacobsson, A. *See* Lindgren, E. M.
Jahangeer, S. *See* Fujita, T.
Jahnke, H.-G. *See* Tréhin, R.
Jaikaran, E. T. A. S.
——; Nilsson, M. R.; Clark, A.
Pancreatic β-cell granule peptides form heteromolecular complexes which inhibit islet amyloid polypeptide fibril formation, 377:709
Jakobs, C. *See* Grossman, C. E.
Jalanko, A. *See* Saarela, J.
Jameel, S. *See* Surjit, M.
James, M. *See* Rainbow, R. D.
James, S. J. *See* Schwahn, B. C.
Jang, D. S.
——; Cha, H. J.; Cha, S.-S.; Hong, B. H.; Ha, N.-C.; Lee, J. Y.; Oh, B.-H.; Lee, H.-S.; Choi, K. Y.
Structural double-mutant cycle analysis of a hydrogen bond network in ketosteroid isomerase from *Pseudomonas putida* biotype B, 382:967
Jansen, J. M. *See* Yang, Wannian
Jansen-Dürr, P. *See* Hutter, E.
Janssens, V. *See* Longin, S.
Jao, D. L.-E. *See* Xu, A.
Jarho, E. M. *See* Venäläinen, J. I.
Jaruga, B. *See* Radaeva, S.
Jarvis, G. E.
——; Best, D.; Watson, S. P.
Glycoprotein VI/Fc receptor γ chain-independent tyrosine phosphorylation and activation of murine platelets by collagen, 383:581
Jaworski, K. *See* Charpenteau, M.
Jayaram, H. N. *See* Yalowitz, J. A.
Jeffrey, P. L. *See* Graham, M. E.
Jékely, G. *See* Farkas, A.
Jelkmann, W. *See* Marxsen, J. H.
Jenkins, J. R. *See* Takeuchi, H.
Jenner, A. M. *See* Lin, H.-S.
Jensen, C. J. *See* Doehn, U.
Jensen, O. N. *See* Hansen, L. V.
Jensen, P. A. *See* Bonner, C. A.
Ješina, P.
——; Tesařová, M.; Fornůsková, D.; Vojtíšková, A.; Pecina, P.; Kaplanová, V.; Hansíková, H.; Zeman, J.; Houštěk, J.
Diminished synthesis of subunit a (ATP6) and altered function of ATP synthase and cytochrome *c* oxidase due to the mtDNA 2 bp microdeletion of TA at positions 9205 and 9206, 383:561
Jessup, W. *See* Quinn, C. M.
Jeyaseelan, K. *See* Koh, D. C.-I.
Jezierski, A. *See* Hryniewicz-Jankowska, A.
Jia, Y.
——; Ramasamy, S.; Wood, F.; Alayash, A. I.; Rifkind, J. M.
Cross-linking with *O*-raffinose lowers oxygen affinity and stabilizes haemoglobin in a non-cooperative T-state conformation, 384:367
Jiang, G.
——; Dallas-Yang, Q.; Biswas, S.; Li, Z.; Zhang, B. B.
Rosiglitazone, an agonist of peroxisome-proliferator-activated receptor γ (PPARγ), decreases inhibitory serine phosphorylation of IRS1 *in vitro* and *in vivo*, 377:339
Jiang, H.
——; Fu, K.; Andrews, G. K.
Gene- and cell-type-specific effects of signal transduction cascades on metal-regulated gene transcription appear to be independent of changes in the phosphorylation of metal-response-element-binding transcription factor-1, 382:33
Jimenez, S. A. *See* Cicchillitti, L.
Jin, D.-Y. *See* Cheung, N.
Jin, W. *See* Grill, C.
Jin, Y. *See* Hurst, D. R.
Jingami, H. *See* Kanaya, E.
Jochum, M. *See* Fernández-Montalván, A.
Joët, T.
——; Chotivanich, K.; Silamut, K.; Patel, A. P.; Morin, C.; Krishna, S.
Analysis of *Plasmodium vivax* hexose transporters and effects of a parasitocidal inhibitor, 381:905
Jogini, V. *See* Candi, E.
Johansson, F. I.
——; Michalecka, A. M.; Møller, I. M.; Rasmusson, A. G.
Oxidation and reduction of pyridine nucleotides in alamethicin-permeabilized plant mitochondria, 380:193
Johenning, F. W.
——; Wenk, M. R.; Uhlén, P.; DeGray, B.; Lee, E.; de Camilli, P.; Ehrlich, B. E.
InsP_3-mediated intracellular calcium signalling is altered by expression of synaptojanin-1, 382:687
Johnson, A. *See* Taylor, K. M.
Johnson, J. A. *See* Ogbi, M.
Johnson, J. D. *See* Cook-Mills, J. M.
Johnson, M. S. *See* Hytönen, V. P.
Johnson, N. *See* Li, Y.
Johnston, J. A. *See* Fischer, P.
Johnston, L. A.
——; Erdogan, S.; Cheung, Y. F.; Sullivan, M.; Barber, R.; Lynch, M. J.; Baillie, G. S.; Van Heeke, G.; Adams, D. R.; Huston, E.; Houslay, M. D.
Expression, intracellular distribution and basis for lack of catalytic activity of the PDE4A7 isoform encoded by the human *PDE4A* cAMP-specific phosphodiesterase gene, 380:371
Jokilehto, T. *See* Marxsen, J. H.
Jonassen, T. *See* Esteves, T. C.
Jonckheere, N. *See* Mariette, C.
——; van der Sluis, M.; Velghe, A.; Buisine, M.-P.; Sutmuller, M.; Ducourouble, M.-P.; Pigny, P.; Büller, H. A.; Aubert, J.-P.; Einerhand, A. W. C.; Van Seuningen, I.
Transcriptional activation of the murine *Muc5ac* mucin gene in epithelial cancer cells by TGF-β/Smad4 signalling pathway is potentiated by Sp1, 377:797
Jonczy, J. *See* Lai, R.
Jones, A. D. *See* Coleman, C. S.
Jones, M. *See* Nixon, P. F.
Jones, M. B. *See* Kimple, R. J.
Jones, R. H. *See* Shojaee-Moradie, F.
Jong, H.-S. *See* Kim, H.-P.
Jordens, J. *See* Longin, S.
Joris, B. *See* Généreux, C.; Vreuls, C.
Joseph, J. *See* Andrekopoulos, C.
Joubert, F. *See* Birkholtz, L.-M.
Jouirou, B. *See* Mouhat, S.
——; Mosbah, A.; Visan, V.; Grissmer, S.; M'Barek, S.; Fajloun, Z.; Van Rietschoten, J.; Devaux, C.; Rochat, H.; Lippens, G.; El Ayeb, M.; De Waard, M.; Mabrouk, K.; Sabatier, J.-M.
Cobatoxin 1 from *Centruroides noxius* scorpion venom: chemical synthesis, three-dimensional structure in solution,

© 2005 Biochemical Society

pharmacology and docking on K^+ channels, 377:37
Jouniaux, A.-M. *See* Bailleux, A.
Jourdain, I.
——; Lachkar, S.; Charbaut, E.; Gigant, B.; Knossow, M.; Sobel, A.; Curmi, P. A.
A synergistic relationship between three regions of stathmin family proteins is required for the formation of a stable complex with tubulin, 378:877
Juliano, L. *See* Fogaça, S. E.
Juliano, M. A. *See* Fogaça, S. E.
Jung, H. C. *See* Baek, H. Y.
Jung, J. *See* Seo, Y. S.
Jung, S.-M.
——; Le, D. T.; Yoon, S.-S.; Yoon, M.-Y.; Kim, Y. T.; Choi, J.-D.
Amino acid residues conferring herbicide resistance in tobacco acetohydroxy acid synthase, 383:53
Jürgensmeier, J. M. *See* Heimlich, G.
Juvonen, R. O. *See* Venäläinen, J. I.

Kadowaki, T. *See* Yamashita, H.
Kafsack, B. F. *See* Rasoloson, D.
Kågedal, K. *See* Quinn, C. M.
Kahle, J. *See* Koessler, H.
Kahlert, S. *See* Schönfeld, P.
Kai, M. *See* Imai, S.-i.
Kain, R. *See* Heimlich, G.
Kaipia, A. *See* Aapola, U.
Kalifa, Y.
——; Gilad, A.; Konrad, Z.; Zaccai, M.; Scolnik, P. A.; Bar-Zvi, D.
The water- and salt-stress-regulated *Asr1* (abscisic acid stress ripening) gene encodes a zinc-dependent DNA-binding protein, 381:373
Kalivendi, S. *See* Andrekopoulos, C.
Kaltenbach, S. *See* Pineda, M.
Kalyanaraman, B. *See* Andrekopoulos, C.
Kamarainen, O.-P. *See* Harris, L. R.
Kamata, T.
——; Ambo, H.; Puzon-McLaughlin, W.; Tieu, K. K.; Handa, M.; Ikeda, Y.; Takada, Y.
Critical cysteine residues for regulation of integrin $\alpha IIb\beta 3$ are clustered in the epidermal growth factor domains of the $\beta 3$ subunit, 378:1079
Kan, D. *See* Zhao, X.
Kan, Y. W. *See* Ma, Q.
Kanai, Y. *See* Takeuchi, R.
Kanaya, E.
——; Shiraki, T.; Jingami, H.
The nuclear bile acid receptor FXR is activated by PGC-1α in a ligand-dependent manner, 382:913
Kanda, A. *See* Kawada, T.
Kanda, H. *See* Murwantoko
Kaneko, S. *See* Kotake, T.
Kang, H.-S. *See* Choi, T.-Y.
Kang, L. *See* Zhang, T.-Y.
Kangur, L. *See* Palumaa, P.
Kannan, P. *See* Li, M.
Kanoh, H. *See* Imai, S.-i.
Kaplanová, V. *See* Ješina, P.
Kapoor, M.
——; Gopalakrishnapai, J.; Surolia, N.; Surolia, A.
Mutational analysis of the triclosan-binding region of enoyl-ACP (acyl-carrier protein) reductase from *Plasmodium falciparum*, 381:735
——; Mukhi, P. L. S.; Surolia, N.; Suguna, K.; Surolia, A.
Kinetic and structural analysis of the increased affinity of enoyl-ACP (acyl-carrier protein) reductase for triclosan in the presence of NAD^+, 381:725
——; Reddy, C. C.; Krishnasastry, M. V.; Surolia, N.; Surolia, A.
Slow-tight-binding inhibition of enoyl-acyl carrier protein reductase from *Plasmodium falciparum* by triclosan, 381:719
Kappler, J. *See* Abouzied, M. M.
Kapur, S. *See* Sivanandam, A. S.
Kapus, A. *See* Fan, L.
Karageorgos, L. E. *See* Chang, M. H. Y.
Karande, A. A. *See* Narayanan, S.
Karasawa, S.
——; Araki, T.; Nagai, T.; Mizuno, H.; Miyawaki, A.
Cyan-emitting and orange-emitting fluorescent proteins as a donor/acceptor pair for fluorescence resonance energy transfer, 381:307
Karkanias, G. B. *See* VanPatten, S.
Karlsson, L. *See* Martínez, C.
Karreman, R. *See* Motshwene, P.
Kashiwabara, Y. *See* Nakano, K.
Kasri, N. N. *See* Bultynck, G.
Kastrup, J. S. *See* Pedersen, A. K.
Kato, Y. *See* Hamaguchi, H.
Kaul, S. C. *See* Hasan, M. K.
Kawada, T.
——; Kanda, A.; Minakata, H.; Matsushima, O.; Satake, H.
Identification of a novel receptor for an invertebrate oxytocin/vasopressin superfamily peptide: molecular and functional evolution of the oxytocin/vasopressin superfamily, 382:231
Kawaichi, M. *See* Murwantoko
Kawamoto, T. *See* Hamaguchi, H.
Kaz, A. M. *See* Howell, L. D.
Keen, C. L. *See* Chou, S. S.; Verstraeten, S. V.
Kelley, G. G.
——; Reks, S. E.; Smrcka, A. V.
Hormonal regulation of phospholipase Cε through distinct and overlapping pathways involving G_{12} and Ras family G-proteins, 378:129
Kemp, B. E. *See* Bukczynska, P.
Kemp, C. A. *See* Flanagan, J. U.
Kengen, S. W. M. *See* Verhees, C. H.
Keough, K. M. W. *See* Plasencia, I.
Kern, A.
——; Szentpétery, Z.; Liliom, K.; Bakos, É.; Sarkadi, B.; Váradi, A.
Nucleotides and transported substrates modulate different steps of the ATPase catalytic cycle of MRP1 multidrug transporter, 380:549
Kessler-Becker, D.
——; Krieg, T.; Eckes, B.
Expression of pro-inflammatory markers by human dermal fibroblasts in a three-dimensional culture model is mediated by an autocrine interleukin-1 loop, 379:351
Ketterman, A. J. *See* Udomsinprasert, R.; Winayanuwattikun, P.
Ketudat Cairns, J. R. *See* Opassiri, R.
Keum, E.
——; Kim, Y.; Kim, J.; Kwon, S.; Lim, Y.; Han, I.; Oh, E.-S.
Syndecan-4 regulates localization, activity and stability of protein kinase C-α, 378:1007
Keyhani, N. O. *See* Bonner, C. A.
Kgari, G. *See* Motshwene, P.
Khanna, V. K. *See* Du, G. G.
Khatri, I. A.
——; Wang, R.; Forstner, J. F.
Evidence for a second peptide cleavage in the C-terminal domain of rodent intestinal mucin Muc3, 378:207
Kherrouche, Z.
——; De Launoit, Y.; Monte, D.
The NRF-1/α-PAL transcription factor regulates the human *E2F6* promoter activity, 383:529
Khoklatchev, A. *See* Praskova, M.
Khosla, C. *See* Shan, L.
Khu, Y.-L.
——; Tan, Y.-J.; Lim, S. G.; Hong, W.; Goh, P.-Y.
Hepatitis C virus non-structural protein NS3 interacts with LMP7, a component of the immunoproteasome, and affects its proteasome activity, 384:401
Kido, H. *See* Wu, X.
Kidron, H. *See* Hytönen, V. P.
Kienitz, A. *See* Grempler, R.
Kikuchi, K. *See* Takagaki, K.
Kikuchi, M. *See* Kimura, T.
Kikuta, T. *See* Ohara-Imaizumi, M.
Kilberg, M. S. *See* Leung-Pineda, V.
Kilić, A. *See* Kuhn, M.
Kilshaw, P. J. *See* Evans, P. C.
Kim, D. H. *See* Lee, C. W.
Kim, D.-H. *See* Chi, S.-W.
Kim, H. *See* Baek, H. Y.
Kim, H.-D. *See* Choi, T.-Y.
Kim, H.-P.
——; Lee, M.-S.; Yu, J.; Park, J.-A.; Jong, H.-S.; Kim, T.-Y.; Lee, J. W.; Bang, Y.-J.
TGF-β1 (transforming growth factor-β1)-mediated adhesion of gastric carcinoma cells involves a decrease in Ras/ERKs (extracellular signal-regulated kinases) cascade activity dependent on c-Src activity, 379:141
Kim, J. *See* Keum, E.
——; Beak, D.-G.; Kim, Y.-T.; Choi, J.-D.; Yoon, M.-Y.
Effects of deletions at the C-terminus of tobacco acetohydroxyacid synthase on the enzyme activity and cofactor binding, 384:59
Kim, J.-E. *See* Lee, J.-W.
Kim, J.-H. *See* Lee, J.-W.
Kim, J. I. *See* Lee, C. W.
Kim, J. M. *See* Baek, H. Y.
Kim, J. S. *See* Baek, H. Y.
Kim, K. H. *See* Baek, H. Y.
Kim, N. H. *See* Lee, G. Y.
Kim, N.-H. *See* Gorin, Y.
Kim, S.-H. *See* Bufler, P.; Hu, Y.
Kim, T.-Y. *See* Kim, H.-P.
Kim, W.-H. *See* Radaeva, S.
Kim, W. T. *See* Seo, Y. S.
Kim, Y. *See* Keum, E.
Kim, Y.-H.
——; Park, J.-S.; Cho, J.-Y.; Cho, K. M.; Park, Y.-H.; Lee, J.
Proteomic response analysis of a threonine-overproducing mutant of *Escherichia coli*, 381:823
Kim, Y. S. *See* Lee, G. Y.
Kim, Y. T. *See* Jung, S.-M.
Kim, Y.-T. *See* Kim, J.
Kimber, W. A. *See* Watt, S. A.

© 2005 Biochemical Society

Kimple, R. J.
——; Willard, F. S.; Hains, M. D.; Jones, M. B.; Nweke, G. K.; Siderovski, D. P.
Guanine nucleotide dissociation inhibitor activity of the triple GoLoco motif protein G18: alanine-to-aspartate mutation restores function to an inactive second GoLoco motif, 378:801
Kimura, H. *See* Ishii, I.
Kimura, T.
——; Nishida, A.; Ohara, N.; Yamagishi, D.; Horibe, T.; Kikuchi, M.
Functional analysis of the CXXC motif using phage antibodies that cross-react with protein disulphide-isomerase family proteins, 382:169
Kindler, S. *See* Brendel, C.
Kiningham, K. K.
——; Daosukho, C.; St. Clair, D. K.
IκBα (inhibitory κBα) identified as labile repressor of MnSOD (manganese superoxide dismutase) expression, 384:543
Kinneer, K. *See* Ma, Q.
Kinney, A. J. *See* Pereira, S. L.
Kirk, C. J. *See* Barker, C. J.
Kirkman-Brown, J. C.
——; Barratt, C. L. R.; Publicover, S. J.
Slow calcium oscillations in human spermatozoa, 378:827
Kita, H. *See* Sivanandam, A. S.
Kitagawa, Y. *See* Yamashita, H.
Kitajima, K. *See* Okumura, H.
Kitaoka, M. *See* Honda, Y.
Kjeken, R. *See* Mousavi, S. A.
Klein, W. *See* Bleijerveld, O. B.
Kleinjung, J. *See* Shojaee-Moradie, F.
Klenow, H. *See* Hansen, G.
Klessig, D. F. *See* Clark, D.
Kletzin, A. *See* Urich, T.
Klimt, S. *See* Ilk, N.
Klingler-Hoffmann, M. *See* Bukczynska, P.
Klingmuller, U. *See* Cohen, J.
Klovins, J. *See* Haitina, T.
Knebel, A. *See* McNeill, H.
Knight, S. A. B. *See* Lesuisse, E.
Knipping, G. *See* Gauster, M.
Knoop, H. *See* Napirei, M.
Knossow, M. *See* Jourdain, I.
Knudsen, J. *See* Færgeman, N. J.
Ko, T.-P. *See* Huang, K.-F.
Kobayashi, H. *See* Kotake, T.
Kobayashi, S.
——; Yamamoto, T.; Parness, J.; Ikemoto, N.
Antibody probe study of Ca^{2+} channel regulation by interdomain interaction within the ryanodine receptor, 380:561 (*See* McCarthy, T. V. for online-only commentary)
Kobayashi, T. *See* Laulagnier, K.
——; Nakatani, Y.; Tanioka, T.; Tsujimoto, M.; Nakajo, S.; Nakaya, K.; Murakami, M.; Kudo, I.
Regulation of cytosolic prostaglandin E synthase by phosphorylation, 381:59
Kobayashi, Y. *See* Ishii, I.
Kóczán, G. *See* Marokházi, J.
Koda, M. *See* Yamada, M.
Koeleman, C. A. M. *See* Wuhrer, M.
Koessler, H.
——; Kahle, J.; Bode, C.; Doenecke, D.; Albig, W.
Human replication-dependent histone H3 genes are activated by a tandemly arranged pair of two CCAAT boxes, 384:317
Kogure, T. *See* Endo, H.; Suzuki, M.
Koh, D. C.-I.
——; Armugam, A.; Jeyaseelan, K.
Sputa nerve growth factor forms a preferable substitute to mouse 7S-β nerve growth factor, 383:149
Köhl, R. *See* Schmid, T.
Köhler, D. *See* Kruse, M.-N.
Kohler, J. A. *See* Rodway, H. A.
Kohno, Y. *See* Okumura, H.
Köhrle, J. *See* Schweizer, U.
Kois, A. *See* Zawilak, A.
Koizumi, S.
——; Fujishita, K.; Inoue, K.; Shigemoto-Mogami, Y.; Tsuda, M.; Inoue, K.
Ca^{2+} waves in keratinocytes are transmitted to sensory neurons: the involvement of extracellular ATP and $P2Y_2$ receptor activation, 380:329
Kojima, M. *See* Athauda, S. B. P.
Kojima, R.
——; Randall, J. D.; Ito, E.; Manshio, H.; Suzuki, Y.; Gullans, S. R.
Regulation of expression of the stress response gene, *Osp94*: identification of the tonicity response element and intracellular signalling pathways, 380:783
Kolachala, V. L. *See* Walia, B.
Kolarich, D. *See* Lauer, I.
Kole, J. *See* Howell, L. D.
Kolesnikova, T. V. *See* Kovalenko, O. V.
Kolobe, D.
——; Sayed, Y.; Dirr, H. W.
Characterization of bromosulphophthalein binding to human glutathione S-transferase A1-1: thermodynamics and inhibition kinetics, 382:703
Kolset, S. O.
——; Prydz, K.; Pejler, G.
Intracellular proteoglycans, 379:217
Komaki, G. *See* Ishii, I.
Kömüves, L. G. *See* Kuhn, M.
Konaka, H. *See* Cinar, B.
Kondo, H.
——; Nakamura, Y.; Dong, Y.-X.; Nikawa, J.-i.; Sueda, S.
Pyridoxine biosynthesis in yeast: participation of ribose 5-phosphate ketol-isomerase, 379:65
Kone, B. C. *See* Zhang, W.
Konieczkowski, M. *See* Gandhi, P. N.
Konopa, G. *See* Zawilak, A.
Konrad, Z. *See* Kalifa, Y.
Koreen, I. V.
——; Elsayed, W. A.; Liu, Y. J.; Harris, A. L.
Tetracycline-regulated expression enables purification and functional analysis of recombinant connexin channels from mammalian cells, 383:111
Korzeniewski, B.
——; Zoladz, J. A.
Factors determining the oxygen consumption rate ($\dot{V}O_2$) on-kinetics in skeletal muscles, 379:703
Korzhev, M. *See* Schröder, H.-C.
Kosinsky, Y. A. *See* Efremov, R. G.
Kosma, P. *See* Mucha, J.
Kosman, D. J. *See* Severance, S.
Kotake, T.
——; Kaneko, S.; Kubomoto, A.; Haque, M. A.; Kobayashi, H.; Tsumuraya, Y.
Molecular cloning and expression in *Escherichia coli* of a *Trichoderma viride* endo-β-(1 → 6)-galactanase gene, 377:749
Kotsonis, P. *See* Paclet, M.-H.
Kouach, M. *See* Oxombre, B.
Koumanov, K. *See* Bailleux, A.
Kovalenko, O. V.
——; Yang, X.; Kolesnikova, T. V.; Hemler, M. E.
Evidence for specific tetraspanin homodimers: inhibition of palmitoylation makes cysteine residues available for cross-linking, 377:407
Kozutsumi, Y. *See* Momoi, M.
Kraayenhof, R. *See* den Hertog, A. L.
Krähenbühl, S. *See* Schnyder, A.
Kratzel, M. *See* Bacher, I.
Krauss, U. *See* Tréhin, R.
Krawczyk, Z. *See* Ścieglińska, D.
Krebs, O. *See* Fassy, F.
Kreienkamp, H.-J. *See* Brendel, C.
Krell, H.-W. *See* Kruse, M.-N.
Kremmer, E. *See* Kzhyshkowska, J.
Krempler, F. *See* Oberkofler, H.
Kretzschmar, A. K.
——; Dinger, M. C.; Henze, C.; Brocke-Heidrich, K.; Horn, F.
Analysis of Stat3 (signal transducer and activator of transcription 3) dimerization by fluorescence resonance energy transfer in living cells, 377:289
Kreuzer, J.
——; Nürnberg, B.; Krieger-Brauer, H. I.
Ligand-dependent autophosphorylation of the insulin receptor is positively regulated by G_i-proteins, 380:831 (*See* Malbon, C. C. for online-only commentary)
Krieg, T. *See* Kessler-Becker, D.
Krieger-Brauer, H. I. *See* Kreuzer, J.
Krishna, S. *See* Joët, T.
Krishna, S. S. *See* Praseeda, M.
Krishnamurthy, G. *See* Wang, Y.
Krishnasastry, M. V. *See* Kapoor, M.
Krittanai, C. *See* Siritapetawee, J.
Krönke, M. *See* Heimlich, G.
Kronman, C. *See* Cohen, O.
Kroon, E. G. *See* Andrade, A. A.
Kroviarski, Y. *See* Rotter, B.
Krupa, A. *See* Praseeda, M.
Kruse, M.-N.
——; Becker, C.; Lottaz, D.; Köhler, D.; Yiallouros, I.; Krell, H.-W.; Sterchi, E. E.; Stöcker, W.
Human meprin α and β homo-oligomers: cleavage of basement membrane proteins and sensitivity to metalloprotease inhibitors, 378:383
Kuang, C. *See* Ogawa, K.
Kubomoto, A. *See* Kotake, T.
Kubomura-Yoshida, N. *See* Athauda, S. B. P.
Kuchaříková, K. *See* Pospíšilová, Š.
Kudo, I. *See* Kobayashi, T.; Sun, Y.-X.
Kuge, O. *See* Ohsawa, T.
Kuhl, D. *See* Murray, J. T.
Kuhlendahl, S. *See* Sabio, G.
Kuhn, M.
——; Ng, C. K. D.; Su, Y.-H.; Kilić, A.; Mitko, D.; Bien-Ly, N.; Kömüves, L. G.; Yang, R.-B.
Identification of an orphan guanylate cyclase receptor selectively expressed in mouse testis, 379:385
Kujumdzieva, A. V. *See* Petrova, V. Y.
Kular, G. S. *See* Fleming, I. N.
Kulomaa, M. S. *See* Hytönen, V.
Kuma, Y.
——; Campbell, D. G.; Cuenda, A.
Identification of glycogen synthase as a new substrate for stress-activated protein kinase 2b/p38β, 379:133

© 2005 Biochemical Society

Kumagai, H. *See* Aoki, K.
Kumar, K. *See* Dremina, E. S.
Kumar, M. S.
——; Reddy, P. Y.; Kumar, P. A.; Surolia, I.; Reddy, G. B.
Effect of dicarbonyl-induced browning on α-crystallin chaperone-like activity: physiological significance and caveats of *in vitro* aggregation assays, 379:273
Kumar, P. A. *See* Kumar, M. S.
Kumar, R. R. *See* Praseeda, M.
Kung, T. T. *See* Wang, P.
Kungl, A. J. *See* Halden, Y.
Kuo, P. C. *See* Wei, J.
Küpcü, S. *See* Ilk, N.
Kuribayashi, M. *See* Athauda, S. B. P.
Kurihara, H. *See* Hamaguchi, H.
Kurosaki, T. *See* Morita, T.
Kurz, T.
——; Leake, A.; von Zglinicki, T.; Brunk, U. T.
Relocalized redox-active lysosomal iron is an important mediator of oxidative-stress-induced DNA damage, 378:1039
Kusumoto, S. *See* Triantafilou, M.
Kuvelkar, R. *See* Wang, P.
Kuwahata, M. *See* Ito, M.
Kuze, K. *See* Tanaka, K.
Kwon, J. *See* Lee, J.-W.
Kwon, S. *See* Keum, E.
Kyaw Tun, J. *See* Fox, E. J.
Kzhyshkowska, J.
——; Kremmer, E.; Hofmann, M.; Wolf, H.; Dobner, T.
Protein arginine methylation during lytic adenovirus infection, 383:259

Laakkonen, L. *See* Okkeri, J.
Labrou, N. E. *See* Axarli, I. A.
Lachkar, S. *See* Jourdain, I.
Ladenstein, R. *See* Njålsson, R.
La Fontaine, S. *See* Cater, M. A.
Lagerström, M. C. *See* Haitina, T.
Lahdo, R.
——; de La Fournière-Bessueille, L.
Insertion of the amyloid precursor protein into lipid monolayers: effects of cholesterol and apolipoprotein E, 382:987
Lai, R.
——; Lomas, L. O.; Jonczy, J.; Turner, P. C.; Rees, H. H.
Two novel non-cationic defensin-like antimicrobial peptides from haemolymph of the female tick, *Amblyomma hebraeum*, 379:681
Laine, B. *See* Oxombre, B.
Laitinen, O. H. *See* Hytönen, V. P.
Lajoie, G. *See* Pampena, D. A.
Lake, S. *See* Forsgren, M.
Lal, S. K. *See* Surjit, M.
Lalmanach, G. *See* Godat, E.
Lam, M. H. C. *See* Bukczynska, P.
Lamarre, I. *See* Salhi, I.
Lambert, A. J.
——; Brand, M. D.
Superoxide production by NADH:ubiquinone oxidoreductase (complex I) depends on the pH gradient across the mitochondrial inner membrane, 382:511
Lambert, D. M. *See* Tsuboi, K.
Lamers, W. H. *See* Schoneveld, O. J. L. M.
Lammers, A. *See* Wieland, W. H.
Lamotte, J. *See* Garsoux, G.
Lancaster, D. E.
——; McNeill, L. A.; McDonough, M. A.; Aplin, R. T.; Hewitson, K. S.; Pugh, C. W.; Ratcliffe, P. J.; Schofield, C. J.
Disruption of dimerization and substrate phosphorylation inhibit factor inhibiting hypoxia-inducible factor (FIH) activity, 383:429
Landar, A. *See* Levonen, A.-L.
Lang, F. *See* Murray, J. T.; Pineda, M.
Langeberg, L. K. *See* Carlisle Michel, J. J.
Langel, Ü. *See* Lindgren, M. E.
Langlois, D. *See* Allegra, S.
Langlois, M. R. *See* Fleming, J. V.
Laplaza, J. M.
——; Bostick, M.; Scholes, D. T.; Curcio, M. J.; Callis, J.
Saccharomyces cerevisiae ubiquitin-like protein Rub1 conjugates to cullin proteins Rtt101 and Cul3 *in vivo*, 377:459
Larhammar, D. *See* Haitina, T.
Larsen, M. K. *See* Færgeman, N. J.
Larson, E. T. *See* Haitina, T.
Larsson, A. *See* Njålsson, R.
Laryea, M. D. *See* Schwahn, B. C.
Lascano, H. R. *See* Casano, L. M.
Lasia, B. *See* Zeibdawi, A. R.
Lasko, P. *See* Boulanger, M.-C.
Lasorsa, F. M. *See* Agrimi, G.
——; Scarcia, P.; Erdmann, R.; Palmieri, F.; Rottensteiner, H.; Palmieri, L.
The yeast peroxisomal adenine nucleotide transporter: characterization of two transport modes and involvement in ΔpH formation across peroxisomal membranes, 381:581
Lau, A. T. Y.
——; He, Q.-Y.; Chiu, J.-F.
A proteome analysis of the arsenite response in cultured lung cells: evidence for *in vitro* oxidative stress-induced apoptosis, 382:641
Lauer, I.
——; Foetisch, K.; Kolarich, D.; Ballmer-Weber, B. K.; Conti, A.; Altmann, F.; Vieths, S.; Scheurer, S.
Hazelnut (*Corylus avellana*) vicilin Cor a 11: molecular characterization of a glycoprotein and its allergenic activity, 383:327
Laulagnier, K.
——; Motta, C.; Hamdi, S.; Roy, S.; Fauvelle, F.; Pageaux, J.-F.; Kobayashi, T.; Salles, J.-P.; Perret, B.; Bonnerot, C.; Record, M.
Mast cell- and dendritic cell-derived exosomes display a specific lipid composition and an unusual membrane organization, 380:161
Laune, D. *See* Salhi, I.
Lavezzi, T. *See* Yang, Wenyu
Lavigne, P. *See* Bissonnette, L.
Lay, P. A. *See* Rayner, B. S.
Lazzarotti, A. *See* Cappiello, M.
Le, D. T. *See* Jung, S.-M.
Leake, A. *See* Kurz, T.
Leal, S. S. *See* Urich, T.
Leal-Ortiz, S. *See* Sabio, G.
Lebeurrier, N. *See* Docagne, F.
Lecaille, F. *See* Godat, E.
Leclerc, I. *See* Diraison, F.
Lecomte, M.-C. *See* Rotter, B.
Leduc, A. *See* Aouida, M.
Leduc, R. *See* Bissonnette, L.
Lee, B. L. *See* Choi, T.-Y.
Lee, C.-H. *See* Lee, J.-W.
Lee, C. W.
——; Lee, E. H.; Takeuchi, K.; Takahashi, H.; Shimada, I.; Sato, K.; Shin, S. Y.; Kim, D. H.; Kim, J. I.
Molecular basis of the high-affinity activation of type 1 ryanodine receptors by imperatoxin A, 377:385
Lee, E. *See* Johenning, F. W.
Lee, E. H. *See* Lee, C. W.
Lee, G. Y.
——; Kim, N. H.; Zhao, Z.-S.; Cha, B. S.; Kim, Y. S.
Peroxisomal-proliferator-activated receptor α activates transcription of the rat hepatic malonyl-CoA decarboxylase gene: a key regulation of malonyl-CoA level, 378:983
Lee, H.-S. *See* Bong, Y.-S.; Jang, D. S.
Lee, J. *See* Kim, Y.-H.
Lee, J. W. *See* Kim, H.-P.; Park, H. B.
Lee, J.-W.
——; Kim, J.-E.; Park, E.-J.; Kim, J.-H.; Lee, C.-H.; Lee, S.-R.; Kwon, J.
Two conserved cysteine residues are critical for the enzymic function of the human platelet-derived growth factor receptor-β: evidence for different roles of Cys-822 and Cys-940 in the kinase activity, 382:631
Lee, J. Y. *See* Jang, D. S.
Lee, M.-S. *See* Kim, H.-P.
Lee, S.-R. *See* Lee, J.-W.
Lee, T.-C. *See* Ho, Y.
Lee, W. *See* Seo, Y. S.
Lee, W.-N. P. *See* Marin, S.
Leek, J. P. *See* Fox, E. J.
Leena, S. *See* Praseeda, M.
Lefebvre, C.
——; Cocquerelle, C.; Vandenbulcke, F.; Hot, D.; Huot, L.; Lemoine, Y.; Salzet, M.
Transcriptomic analysis in the leech *Theromyzon tessulatum*: involvement of cystatin B in innate immunity, 380:617
Le Good, J. A.
——; Brindley, D. N.
Molecular mechanisms regulating protein kinase Cζ turnover and cellular transformation, 378:83
Lehmann, U. *See* Fischer, P.
Lehner, R. *See* Dolinsky, V. W.
Lehtinen, D. A.
——; Perrino, F. W.
Dysfunctional proofreading in the *Escherichia coli* DNA polymerase III core, 384:337
Leissring, M. A.
——; Farris, W.; Wu, X.; Christodoulou, D. C.; Haigis, M. C.; Guarente, L.; Selkoe, D. J.
Alternative translation initiation generates a novel isoform of insulin-degrading enzyme targeted to mitochondria, 383:439
Lemieux, M. J. *See* Slepkov, E. R.
Lemoine, Y. *See* Lefebvre, C.
Lenaz, G. *See* Pallotti, F.
Lentzen, G. *See* Abelian, A.
Lenze, D. *See* Clermont, A.
Leonard, A. E. *See* Pereira, S. L.
León-Quinto, T. *See* Skoudy, A.
Le Pendu, J. *See* Serpa, J.
Lerín, C.
——; Montell, E.; Nolasco, T.; García-Rocha, M.; Guinovart, J. J.; Gómez-Foix, A. M.
Regulation of glycogen metabolism in cultured human muscles by the glycogen phosphorylase inhibitor CP-91149, 378:1073
Leslie, N. R. *See* Walker, S. M.; Watt, S. A.
——; Downes, C. P.
PTEN function: how normal cells control it and tumour cells lose it, 382:1
Lesné, S. *See* Docagne, F.
Lesuisse, E.
——; Lyver, E. R.; Knight, S. A. B.; Dancis, A.
Role of *YHM1*, encoding a mitochondrial carrier protein, in iron distribution of yeast, 378:599

© 2005 Biochemical Society

Leteurtre, E. *See* Mariette, C.
Leturque, A. *See* Guillemain, G.
Leubert, R. *See* Naschberger, E.
Leung-Pineda, V.
——; Pan, Y.; Chen, H.; Kilberg, M. S.
Induction of p21 and p27 expression by amino acid deprivation of HepG2 human hepatoma cells involves mRNA stabilization, 379:79
Leverve, X. *See* Guigas, B.
Levonen, A.-L.
——; Landar, A.; Ramachandran, A.; Ceaser, E. K.; Dickinson, D. A.; Zanoni, G.; Morrow, J. D.; Darley-Usmar, V. M.
Cellular mechanisms of redox cell signalling: role of cysteine modification in controlling antioxidant defences in response to electrophilic lipid oxidation products, 378:373
Levoye, A. *See* Rivière, G.
Ley, S. C. *See* Beinke, S.
Lezzi, M. *See* Bergman, T.
Li, E. *See* Mund, C.
Li, G. *See* Liang, Z.
Li, H.
——; Sánchez-Torres, J.; del Carpio, A.; Salas, V.; Villalobo, A.
The ErbB2/Neu/HER2 receptor is a new calmodulin-binding protein, 381:257
Li, J. Y. *See* Allegra, S.
Li, K. W. *See* Wong, H. Y.
Li, L. *See* Shou, Y.
Li, M.
——; Naidu, P.; Yu, Y.; Berger, N. A.; Kannan, P.
Dual regulation of AP-2α transcriptional activation by poly(ADP-ribose) polymerase-1, 382:323
Li, Q.-F. *See* Liu, Q.-R.
Li, S.
——; Friesen, J. A.; Fei, H.; Ding, X.; Borst, D. W.
The lobster mandibular organ produces soluble and membrane-bound forms of 3-hydroxy-3-methylglutaryl-CoA reductase, 381:831
——; Wang, J.; Zhang, X.; Ren, Y.; Wang, N.; Zhao, K.; Chen, X.; Zhao, C.; Li, X.; Shao, J.; Yin, J.; West, M. B.; Xu, N.; Liu, S.
Proteomic characterization of two snake venoms: *Naja naja atra* and *Agkistrodon halys*, 384:119
Li, X. *See* Li, S.
Li, Y.
——; Johnson, N.; Capano, M.; Edwards, M.; Crompton, M.
Cyclophilin-D promotes the mitochondrial permeability transition but has opposite effects on apoptosis and necrosis, 383:101
——; Song, X.; Ma, Y.; Liu, J.; Yang, D.; Yan, B.
DNA binding, but not interaction with Bmal1, is responsible for DEC1-mediated transcription regulation of the circadian gene mPer1, 382:895
Li, Z. *See* Jiang, G.
Lian, L.-Y. *See* Day, C. L.; Garçon, A.
Liang, C.-C. *See* Wei, G.-H.
Liang, S. *See* Wang, Y.
Liang, T. J. *See* Radaeva, S.
Liang, Z.
——; Veeraprame, H.; Bayan, N.; Li, G.
C-terminus of prenylin is important in forming a dimer conformation necessary for endoplasmic reticulum-to-Golgi transport, 380:43
Liao, T.-N. *See* Yang, Y.-L.
Liberatori, S. *See* Poliseno, L.
Libonati, M.
——; Gotte, G.
Oligomerization of bovine ribonuclease A: structural and functional features of its multimers, 380:311
Liebau, E. *See* Abo-Dalo, B.
Lightowlers, R. N. *See* Chrzanowska-Lightowlers, Z. M. A.
Ligresti, A.
——; Morera, E.; van der Stelt, M.; Monory, K.; Lutz, B.; Ortar, G.; Di Marzo, V.
Further evidence for the existence of a specific process for the membrane transport of anandamide, 380:265
Ligtenberg, A. J. M.
——; Bikker, F. J.; De Blieck-Hogervorst, J. M. A.; Veerman, E. C. I.; Nieuw Amerongen, A. V.
Binding of salivary agglutinin to IgA, 383:159
Liliom, K. *See* Kern, A.
Lillehov, B. E. *See* Bjerkan, T. M.
Lillycrop, K. A. *See* Rodway, H. A.
Lim, J. W. *See* Baek, H. Y.
Lim, S. *See* Marin, S.
Lim, S. G. *See* Khu, Y.-L.
Lim, Y. *See* Keum, E.
Lin, H.-S.
——; Jenner, A. M.; Ong, C. N.; Huang, S. H.; Whiteman, M.; Halliwell, B.
A high-throughput and sensitive methodology for the quantification of urinary 8-hydroxy-2′-deoxyguanosine: measurement with gas chromatography-mass spectrometry after single solid-phase extraction, 380:541
Lin, Q. *See* Yang, Wannian
Lin, W.-W. *See* Wu, W.-T.
Lin, Z. *See* Liu, Q.-R.
Lindén, S.
——; Borén, T.; Dubois, A.; Carlstedt, I.
Rhesus monkey gastric mucins: oligomeric structure, glycoforms and *Helicobacter pylori* binding[1], 379:765
——; Mahdavi, J.; Hedenbro, J.; Borén, T.; Carlstedt, I.
Effects of pH on *Helicobacter pylori* binding to human gastric mucins: identification of binding to non-MUC5AC mucins, 384:263
Lindgren, E. M.
——; Nielsen, R.; Petrovic, N.; Jacobsson, A.; Mandrup, S.; Cannon, B.; Nedergaard, J.
Noradrenaline represses PPAR (peroxisome-proliferator-activated receptor) γ2 gene expression in brown adipocytes: intracellular signalling and effects on PPARγ2 and PPARγ1 protein levels, 382:597
Lindgren, M. E.
——; Hällbrink, M. M.; Elmquist, A. M.; Langel, Ü.
Passage of cell-penetrating peptides across a human epithelial cell layer *in vitro*, 377:69
Lindqvist, Y. *See* Veitch, N. J.
Lindsey, G. *See* Motshwene, P.
Ling, H.
——; Recklies, A. D.
The chitinase 3-like protein human cartilage glycoprotein 39 inhibits cellular responses to the inflammatory cytokines interleukin-1 and tumour necrosis factor-α, 380:651
Linhardt, R. J. *See* Akiyama, H.
Linkhart, T. A. *See* Sivanandam, A. S.
Linnemann, S. *See* Fischer, P.
Lippens, G. *See* Jouirou, B.
Lisowski, M. *See* Hryniewicz-Jankowska, A.
Litjens, T. *See* Chang, M. H. Y.
Litvinova, O. *See* Pampena, D. A.
Liu, B. *See* Surjit, M.; Zhang, D.-Q.
Liu, D.-P. *See* Wei, G.-H.
Liu, E. T. *See* Welsh, M.
Liu, F. *See* Long, J.
Liu, J. *See* Li, Y.
Liu, J.-C. *See* Fei, Y.-J.
Liu, J.-H.
——; Wang, Z.-X.
Kinetic analysis of ligand-induced autocatalytic reactions, 379:697
Liu, L.
——; Sakai, T.; Sano, N.; Fukui, K.
Nucling mediates apoptosis by inhibiting expression of galectin-3 through interference with nuclear factor κB signalling, 380:31
Liu, M.
——; Whetstine, J. R.; Payton, S. G.; Ge, Y.; Flatley, R. M.; Matherly, L. H.
Roles of USF, Ikaros and Sp proteins in the transcriptional regulation of the human reduced folate carrier B promoter, 383:249
Liu, Q.-R.
——; Zhang, P.-W.; Lin, Z.; Li, Q.-F.; Woods, A. S.; Troncoso, J.; Uhl, G. R.
GBPI, a novel gastrointestinal- and brain-specific PP1-inhibitory protein, is activated by PKC and inactivated by PKA, 377:171
Liu, R.
——; Meng, Q.; Xi, J.; Yang, J.; Ha, C.-E.; Bhagavan, N. V.; Eckenhoff, R. G.
Comparative binding character of two general anaesthetics for sites on human serum albumin, 380:147
Liu, S. *See* Li, S.
Liu, S.-F. *See* Yang, Y.-L.
Liu, W.-K.
——; Yen, P.-F.; Chien, C.-Y.; Fann, M.-J.; Su, J.-Y.; Chou, C.-K.
The inhibitor ABIN-2 disrupts the interaction of receptor-interacting protein with the kinase subunit IKKγ to block activation of the transcription factor NF-κB and potentiate apoptosis, 378:867
Liu, W.-Y. *See* He, W.-J.
Liu, X. *See* Doran, J. D.
Liu, Y. J. *See* Koreen, I. V.
Llabrès, G. *See* Vreuls, C.
Llorian, M.
——; Beullens, M.; Andrés, I.; Ortiz, J.-M.; Bollen, M.
SIPP1, a novel pre-mRNA splicing factor and interactor of protein phosphatase-1, 378:229
Lo, H.-R. *See* Ho, Y.
Lobatón, C. D. *See* Montero, M.
Lobsanov, Y. D. *See* Sampaleanu, L. M.
Locatelli-Hoops, S. *See* Gopalakrishnan, M. M.
Lochnit, G. *See* Mucha, J.
Lockwood, N. A.
——; Haseman, J. R.; Tirrell, M. V.; Mayo, K. H.
Acylation of SC4 dodecapeptide increases bactericidal potency against Gram-positive bacteria, including drug-resistant strains, 378:93
Lodovichetti, F. *See* Scaloni, A.
Lodwick, D. *See* Rainbow, R. D.
Lomas, L. O. *See* Lai, R.
Lombroso, P. J. *See* Nika, K.
Long, J.
——; Wang, G.; He, D.; Liu, F.
Repression of Smad4 transcriptional activity by SUMO modification, 379:23

© 2005 Biochemical Society

Longin, S.
——: Jordens, J.; Martens, E.; Stevens, I.; Janssens, V.; Rondelez, E.; De Baere, I.; Derua, R.; Waelkens, E.; Goris, J.; Van Hoof, C.
An inactive protein phosphatase 2A population is associated with methylesterase and can be reactivated by the phosphotyrosyl phosphatase activator, 380:111
Longpré, J.-M. *See* Bissonnette, L.
López-Téllez, J. F. *See* Baglietto-Vargas, D.
López-Viñas, E. *See* Morillas, M.
Lopreiato, R.
——: Facchin, S.; Sartori, G.; Arrigoni, G.; Casonato, S.; Ruzzene, M.; Pinna, L. A.; Carignani, G.
Analysis of the interaction between piD261/Bud32, an evolutionarily conserved protein kinase of *Saccharomyces cerevisiae*, and the Grx4 glutaredoxin, 377:395
Lord, J. M. *See* Spooner, R. A.
Lortat-Jacob, H. *See* Vanhaverbeke, C.
Lottaz, D. *See* Kruse, M.-N.
Loughrey, C. M. *See* Currie, S.
Louw, A. I. *See* Birkholtz, L.-M.
Lovett, D. H. *See* Alfonso-Jaume, M. A.
Lowinski, M. *See* Fassy, F.
Lu, D.
——: Yan, H.; Othman, T.; Turner, C. P.; Woolf, T.; Rivkees, S. A.
Cytoskeletal protein 4.1G binds to the third intracellular loop of the A_1 adenosine receptor and inhibits receptor action, 377:51
Lu, G. *See* Mason, R. W.
Lu, H. *See* Dalgard, C. L.
Lu, Y.-T. *See* Wang, Y.
Lubeseder-Martellato, C. *See* Naschberger, E.
Luciani, M. G. *See* Pospíšilová, Š.
Lucka, L. *See* Blume, A.
Lucocq, J. M. *See* Watt, S. A.
Lüers, G. *See* Neumann-Giesen, C.
Lüersen, K. *See* Abo-Dalo, B.
Lund, L. R. *See* Hansen, L. V.
Lundell, K.
——: The porcine taurochenodeoxycholic acid 6α-hydroxylase (*CYP4A21*) gene: evolution by gene duplication and gene conversion, 378:1053
Lunelli, M. *See* Di Paolo, M. L.
Luo, J.-L. *See* Njålsson, R.
Lutsenko, S. *See* Efremov, R. G.
Lutz, B. *See* Ligresti, A.
Lyko, F. *See* Mund, C.
Lynch, C. C. *See* McIntyre, J. O.
Lynch, M. J. *See* Johnston, L. A.
Lyver, E. R. *See* Lesuisse, E.

Ma, J. *See* Zhou, F.
Ma, Q. *See* Bi, Y.
——: Kinneer, K.; Bi, Y.; Chan, J. Y.; Kan, Y. W.
Induction of murine NAD(P)H:quinone oxidoreductase by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin requires the CNC (cap 'n' collar) basic leucine zipper transcription factor Nrf2 (nuclear factor erythroid 2-related factor 2): cross-interaction between AhR (aryl hydrocarbon receptor) and Nrf2 signal transduction, 377:205
Ma, Y. *See* Li, Y.
Maassen, J. A. *See* Bosch, R. R.
Määttä, J. A. E. *See* Hytönen, V. P.
Mabrouk, K. *See* Jouirou, B.
MacCabe, A. P. *See* vanKuyk, P. A.
Maccioni, H. J. F. *See* Crespo, P. M.
Macedo, B. *See* Almeida, M. R.
Maček, P. *See* Gutiérrez-Aguirre, I.
Machesky, L. M. *See* Millard, T. H.
Machleidt, W. *See* Fernández-Montalván, A.
MacKenzie, E. T. *See* Docagne, F.
Mackenzie, G. G. *See* Verstraeten, S. V.
Mackie, A. *See* Triantafilou, M.
Mackintosh, C. *See* Pozuelo Rubio, M.
——; Dynamic interactions between 14-3-3 proteins and phosphoproteins regulate diverse cellular processes, 381:329
Mackrill, J. J. *See* McCarthy, T. V.
MacLennan, D. H. *See* Abu-Abed, M.; Du, G. G.
Maeda, K.
——; Finnie, C.; Svensson, B.
Cy5 maleimide labelling for sensitive detection of free thiols in native protein extracts: identification of seed proteins targeted by barley thioredoxin h isoforms, 378:497
Maekawa, S. *See* Epand, R. M.
Maemura, K. *See* Hamaguchi, H.
Mäenpää, K. *See* Aapola, U.
Maga, G. *See* Cancio, R.
Magiera, M. M.
——; Gupta, M.; Rundell, C. J.; Satish, N.; Ernens, I.; Yarwood, S. J.
Exchange protein directly activated by cAMP (EPAC) interacts with the light chain (LC) 2 of MAP1A, 382:803
Mahboobi, S. *See* Welsh, M.
Mahdavi, J. *See* Lindén, S.
Mahimkar, R. *See* Alfonso-Jaume, M. A.
Maier, E. *See* Mampel, J.
Maiguel, D. *See* Cha, H.
Maitani, T. *See* Akiyama, H.
Maizels, R. M. *See* Freire, T.
Majeski, M. *See* Zhao, X.
Mal, T. K. *See* Ghosh, M.
Malavalli, A. *See* Vandegriff, K. D.
Malavasi, F. *See* Calzolari, A.
Malawista, S. E. *See* Rollet-Labelle, E.
Malbon, C. C.
——; Tao, J.; Wang, H.-y.
AKAPs (A-kinase anchoring proteins) and molecules that compose their G-protein-coupled receptor signalling complexes, 379:1
——: Insulin signalling: putting the 'G-' in protein–protein interactions (online-only commentary on Kreuzer, J.), 380:e11
Malerød, L. *See* Mousavi, S. A.
Malhotra, P. *See* Akhouri, R. R.
Mallampalli, R. K. *See* Ryan, A. J.
Malthièry, Y. *See* Roussel, D.
Malthouse, J. P. G. *See* NíBeilliú, M. E.
Mampel, J.
——; Maier, E.; Tralau, T.; Ruff, J.; Benz, R.; Cook, A. M.
A novel outer-membrane anion channel (porin) as part of a putatively two-component transport system for 4-toluenesulphonate in *Comamonas testosteroni* T-2, 383:91
Manarini, S. *See* Piccardoni, P.
Manco, G. *See* De Felice, M.
Mancusi, L. *See* Guagliardi, A.
Mandrup, S. *See* Lindgren, E. M.
Manenti, S. *See* Dulong, S.
Manes, G. *See* Cross, M.
Mangiola, M. *See* Caccamo, A. E.
Mangoni, M. L.
——; Papo, N.; Barra, D.; Simmaco, M.; Bozzi, A.; Di Giulio, A.; Rinaldi, A. C.
Effects of the antimicrobial peptide temporin L on cell morphology, membrane permeability and viability of *Escherichia coli*, 380:859
Mangroo, D. *See* Steiner-Mosonyi, M.
Mangum, J. E. *See* Hubbard, M. J.
Mann, K. J.
——; Hepworth, M. R.; Raikwar, N. S.; Deeg, M. A.; Sevlever, D.
Effect of glycosylphosphatidylinositol (GPI)-phospholipase D overexpression on GPI metabolism, 378:641
Mannherz, H. G. *See* Napirei, M.
Mannina, L. *See* Scaloni, A.
Männistö, P. T. *See* Venäläinen, J. I.
Manshio, H. *See* Kojima, R.
Marabotti, A.
——; D'Auria, S.; Rossi, M.; Facchiano, A. M.
Theoretical model of the three-dimensional structure of a sugar-binding protein from *Pyrococcus horikoshii*: structural analysis and sugar-binding simulations, 380:677
Maréchal, A.
——; Tanguay, P.-L.; Callejo, M.; Guérin, R.; Boileau, G.; Rokeach, L. A.
Cell viability and secretion of active proteins in *Schizosaccharomyces pombe* do not require the chaperone function of calnexin, 380:441
Maréchal, J.-D. *See* Flanagan, J. U.
Mariani, L. *See* Poliseno, L.
Mariette, C.
——: Perrais, M.; Leteurtre, E.; Jonckheere, N.; Hémon, B.; Pigny, P.; Batra, S.; Aubert, J.-P.; Triboulet, J.-P.; Van Seuningen, I.
Transcriptional regulation of human mucin MUC4 by bile acids in oesophageal cancer cells is promoter-dependent and involves activation of phosphatidylinositol 3-kinase signalling pathway, 377:701
Marin, S.
——; Lee, W.-N. P.; Bassilian, S.; Lim, S.; Boros, L. G.; Centelles, J. J.; Fernández-Novell, J. M.; Guinovart, J. J.; Cascante, M.
Dynamic profiling of the glucose metabolic network in fasted rat hepatocytes using [1,2-$^{13}C_2$]glucose, 381:287
Markart, P.
——; Faust, N.; Graf, T.; Na, C.-L.; Weaver, T. E.; Akinbi, H. T.
Comparison of the microbicidal and muramidase activities of mouse lysozyme M and P, 380:385
Markham, A. F. *See* Fox, E. J.
Marks, D. C. *See* Cross, M.
Marleau, S. *See* Demers, A.
Marobbio, C. M. T. *See* Agrimi, G.
Marois, S. *See* Rollet-Labelle, E.
Marokházi, J.
——; Kóczán, G.; Hudecz, F.; Gráf, L.; Fodor, A.; Venekei, I.
Enzymic characterization with progress curve analysis of a collagen peptidase from an enthomopathogenic bacterium, *Photorhabdus luminescens*, 379:633
Marquez, R. *See* Murray, J. T.
Marsden, C. J. *See* Spooner, R. A.
Marsh, D. *See* Plasencia, I.
Marshall, S. J. *See* Pearce, A. C.
Marsich, E. *See* Tramer, F.
Martelli, N. *See* Piccardoni, P.
Martens, E. *See* Longin, S.

© 2005 Biochemical Society

Marti, T. *See* Shan, L.
Martin, F. *See* Skoudy, A.
Martin, G. *See* Vercoutère, B.
Martín, J. F. *See* Flores, F. J.
Martín, M. *See* Casano, L. M.
Martín del Río, R. *See* Fernández-Pascual, S.; Pineda, M.
Martin-Eauclaire, M.-F. *See* Huys, I.
Martinelli, M. *See* Tramer, F.
Martinello, T. *See* Sandonà, D.
Martínez, A.
——; Oh, H.-R.; Unsworth, E. J.; Bregonzio, C.; Saavedra, J. M.; Stetler-Stevenson, W. G.; Cuttitta, F.
Matrix metalloproteinase-2 cleavage of adrenomedullin produces a vasoconstrictor out of a vasodilator, 383:413 (*See* Overall, C. M. for online-only commentary)
Martínez, C.
——; Sanjuan, M. A.; Dent, J. A.; Karlsson, L.; Ware, J.
Human septin–septin interactions as a prerequisite for targeting septin complexes in the cytosol, 382:783
Martínez, M. *See* Isidoro, A.
Martínez-Costa, O. H.
——; Hermida, C.; Sánchez-Martínez, C.; Santamaría, B.; Aragón, J. J.
Identification of C-terminal motifs responsible for transmission of inhibition by ATP of mammalian phosphofructokinase, and their contribution to other allosteric effects, 377:77
Martinez-Yamout, M. A. *See* Matt, T.
Martin-Fernandez, M. *See* Wang, Guozheng
Martinou, J.-C. *See* Epand, R. F.
Martoglio, B. *See* Crawshaw, S. G.
Marton, L. J. *See* Mitchell, J. L. A.
Marxsen, J. H.
——; Stengel, P.; Doege, K.; Heikkinen, P.; Jokilehto, T.; Wagner, T.; Jelkmann, W.; Jaakkola, P.; Metzen, E.
Hypoxia-inducible factor-1 (HIF-1) promotes its degradation by induction of HIF-α-prolyl-4-hydroxylases, 381:761
Marziali, G. *See* Stellacci, E.
Mascia, A. *See* Nitsch, R.
Masliah, J. *See* Bailleux, A.
Mason, C. B. *See* Yang, Wenyu
Mason, G. G. F. *See* Bose, S.
Mason, R. W.
——; Bergman, C. A.; Lu, G.; Frenck Holbrook, J.; Sol-Church, K.
Expression and characterization of cathepsin P, 378:657
Massiha, A. *See* Ryser, S.
Masson, P. *See* Rochu, D.
Master, E. R. *See* Henriksson, H.
Masuda, K. *See* Takagaki, K.
Matagne, A. *See* Douette, P.; Vreuls, C.
Matherly, L. H. *See* Cao, W.; Liu, M.
Mathur, S. N. *See* Murthy, S.
Matrisian, L. M. *See* McIntyre, J. O.
Matsuda, T. *See* Ito, T.; Okumura, H.
Matsumoto, K. *See* Athauda, S. B. P.
Matsushima, O. *See* Kawada, T.
Matsushita, A. *See* Nakano, K.
Matsuura, H. *See* Omatsu-Kanbe, M.
Matt, T.
——; Martinez-Yamout, M. A.; Dyson, H. J.; Wright, P. E.
The CBP/p300 TAZ1 domain in its native state is not a binding partner of MDM2, 381:685 (*See* Nyborg, J. K. for online-only commentary)
Mauger, J.-P. *See* Coquil, J.-F.
Maugeri, D. A. *See* Veitch, N. J.
Maurer, P. *See* Spitznagel, L.
Mauroy, B. *See* Van Coppenolle, F.
May, E. *See* Gul, S.
Mayadevi, M. *See* Praseeda, M.
Mayer, N. C. *See* Carlisle Michel, J. J.
Mayo, K. H. *See* Lockwood, N. A.
Mayo, M. W. *See* Cinar, B.
Mayr, G. W. *See* Brehm, M. A.
Maytal-Kivity, V. *See* Rinaldi, T.
Mazurier, J. *See* Vanpouille, C.
Mazzulla, M. *See* Gul, S.
M'Barek, S. *See* Jouirou, B.
Mbikay, M. *See* Basak, S.
McCarthy, T. V.
——; Mackrill, J. J.
Unravelling calcium-release channel gating: clues from a 'hot' disease (online-only on Kobayashi, S.), 380:e1
McCarthy, V. A. *See* Mouchel, N.
McCloskey, D. E. *See* Ikeguchi, Y.
McConville, M. J. *See* Morita, Y. S.
McDermott, P. J. *See* Tuxworth, Jr, W. J.
McDonald, F. *See* Peppiatt, C. M.
McDonald, J. *See* Xu, D.
McDonough, M. A. *See* Lancaster, D. E.
McFarlane, W. *See* Crowley, P. B.
McGettrick, A. F. *See* Hardy, M. P.
McGivan, J. D. *See* Bungard, C. I.
McGregor, J. C. *See* Denton, H.
McHugh, N. J. *See* Hubbard, M. J.
McIntosh, A. L. *See* Gallegos, A. M.
McIntosh, J. M. *See* Chi, S.-W.
McIntyre, J. O.
——; Fingleton, B.; Wells, K. S.; Piston, D. W.; Lynch, C. C.; Gautam, S.; Matrisian, L. M.
Development of a novel fluorogenic proteolytic beacon for *in vivo* detection and imaging of tumour-associated matrix metalloproteinase-7 activity, 377:617
McKinnon, A. D. *See* Heimlich, G.
McLaughlin, L. A. *See* Flanagan, J. U.
McLean, J. E.
——; Hamaguchi, N.; Belenky, P.; Mortimer, S. E.; Stanton, M.; Hedstrom, L.
Inosine 5′-monophosphate dehydrogenase binds nucleic acids *in vitro* and *in vivo*, 379:243
McMahon, L. G. *See* Tseung, C.-W.
McMaster, C. R. *See* Yu, A.
McNeill, H.
——; Knebel, A.; Arthur, J. S. C.; Cuenda, A.; Cohen, P.
A novel UBA and UBX domain protein that binds polyubiquitin and VCP and is a substrate for SAPKs, 384:391
McNeill, L. A. *See* Lancaster, D. E.
McNicoll, N. *See* Demers, A.
McPherson, T. *See* Huang, H.
McWilliams, R. R.
——; Gidey, E.; Fouassier, L.; Weed, S. A.; Doctor, R. B.
Characterization of an ankyrin repeat-containing Shank2 isoform (Shank2E) in liver epithelial cells, 380:181
Meacci, E.
——; Cencetti, F.; Donati, C.; Nuti, F.; Becciolini, L.; Bruni, P.
Sphingosine kinase activity is required for sphingosine-mediated phospholipase D activation in C2C12 myoblasts, 381:655
Meacock, S. L. *See* Crawshaw, S. G.
Medema, R. H.
——; Optimizing RNA interference for application in mammalian cells, 380:593
Mee, C. J.
——; Tomlinson, S. R.; Perestenko, P. V.; de Pomerai, D.; Duce, I. R.; Usherwood, P. N. R.; Bell, D. R.
Latrophilin is required for toxicity of black widow spider venom in *Caenorhabditis elegans*, 378:185
Meikle, P. J. *See* Chang, M. H. Y.
Meiyappan, M. *See* Candi, E.
Melino, G. *See* Candi, E.
Mellor, H. R.
——; Neville, D. C. A.; Harvey, D. J.; Platt, F. M.; Dwek, R. A.; Butters, T. D.
Cellular effects of deoxynojirimycin analogues: uptake, retention and inhibition of glycosphingolipid biosynthesis, 381:861
——; Neville, D. C. A.; Harvey, D. J.; Platt, F. M.; Dwek, R. A.; Butters, T. D.
Cellular effects of deoxynojirimycin analogues: inhibition of N-linked oligosaccharide processing and generation of free glucosylated oligosaccharides, 381:867
Melnyk, S. *See* Schwahn, B. C.
Melo, R. L. *See* Fogaça, S. E.
Meloche, C. A. *See* He, D.
Meltola, N. J. *See* Hytönen, V. P.
Melzi d'Eril, G. V. *See* Pallotti, F.
Mendes, N. *See* Serpa, J.
Méndez, B. L. *See* Cappiello, M.
Menestrina, G. *See* Scaloni, A.
Meng, Q. *See* Liu, R.
Menick, D. R. *See* Tuxworth, Jr, W. J.
Mercer, J. F. B. *See* Cater, M. A.
Merkle, H. P. *See* Tréhin, R.
Merlin, D. *See* Walia, B.
Merrill, A. R. *See* Yates, S. P.
Merritt, A. *See* Smith, C.
Mesaki, M. *See* Miyazaki, K.
Metzen, E. *See* Marxsen, J. H.
Meyer, M. *See* Grempler, R.
Michaelis, E. K. *See* Dremina, E. S.
Michaelis, M. *See* Schweizer, U.
Michalecka, A. M. *See* Johansson, F. I.
Michalski, J.-C. *See* Robbe, C.
Michán, C. *See* Monje-Casas, F.
Michaud, A. *See* Rivière, G.
Michell, R. H. *See* Barker, C. J.
Michels, P. A. *See* Rider, M. H.
Michikawa, T. *See* Nakayama, T.
Miki, H. *See* Takenaka, K.
Mikkelsen, R.
——; Baunsgaard, L.; Blennow, A.
Functional characterization of α-glucan,water dikinase, the starch phosphorylating enzyme, 377:525
Mikolajczyk, M.
——; Nelson, M. A.
Regulation of stability of cyclin-dependent kinase CDK11^{p110} and a caspase-processed form, CDK11^{p46}, by Hsp90, 384:461
Mikoshiba, K. *See* Nakayama, T.; Suetsugu, S.
Milburn, P. J. *See* Xue, J.
Millanvoye-Van Brussel, E.
——; Topal, G.; Brunet, A.; Do Pham, T.; Deckert, V.; Rendu, F.; David-Dufilho, M.
Lysophosphatidylcholine and 7-oxocholesterol modulate Ca^{2+} signals and inhibit the phosphorylation of endothelial NO synthase and cytosolic phospholipase A_2, 380:533
Millard, T. H.
——; Sharp, S. J.; Machesky, L. M.

© 2005 Biochemical Society

Signalling to actin assembly via the WASP (Wiskott–Aldrich syndrome protein)-family proteins and the Arp2/3 complex, 380:1
Miller, G. C. *See* Harris, L. R.
Millet, O. *See* Abu-Abed, M.
Minakata, H. *See* Kawada, T.
Minetti, G.
——; Ciana, A.; Balduini, C.
Differential sorting of tyrosine kinases and phosphotyrosine phosphatases acting on band 3 during vesiculation of human erythrocytes, 377:489
Minnikin, D. E. *See* Guy, M. R.
Minoda, Y. *See* Hasan, M. K.
Miranda, T. B. *See* Boulanger, M.-C.
Misawa, H. *See* Nakano, K.
Missiaen, L. *See* Bultynck, G.
Mitchelhill, K. I. *See* Bukczynska, P.
Mitchell, G. *See* Xu, F.
Mitchell, J. L. A.
——; Simkus, C. L.; Thane, T. K.; Tokarz, P.; Bonar, M. M.; Frydman, B.; Valasinas, A. L.; Reddy, V. K.; Marton, L. J.
Antizyme induction mediates feedback limitation of the incorporation of specific polyamine analogues in tissue culture, 384:271
Mitko, D. *See* Kuhn, M.
Miwa, N. *See* Fujita, T.
Miyake, K. *See* Fei, Y.-J.
Miyamoto, K.-i. *See* Ito, M.
Miyamoto, S. *See* Shumway, S. D.; Takenaka, K.
Miyauchi, S. *See* Fei, Y.-J.; Inoue, K.
Miyawaki, A. *See* Karasawa, S.
Miyazaki, K.
——; Nagase, T.; Mesaki, M.; Narukawa, J.; Ohara, O.; Ishida, N.
Phosphorylation of clock protein PER1 regulates its circadian degradation in normal human fibroblasts, 380:95
Miyazaki, M. *See* Omae, F.
Miyoshi, J. *See* Gandhi, P. N.
Mizuno, H. *See* Karasawa, S.
Mockett, R. J. *See* Rebrin, I.
Moerman, E. *See* Oxombre, B.
Mohan, S. *See* Sivanandam, A. S.
Möhlmann, T. *See* Wormit, A.
Mohyeldin, A. *See* Dalgard, C. L.
Molina, F. *See* Salhi, I.
Møller, I. M. *See* Johansson, F. I.
Møller, K. B. *See* Pedersen, A. K.
Møller, N. P. H. *See* Pedersen, A. K.
Molotkov, A.
——; Ghyselinck, N. B.; Chambon, P.; Duester, G.
Opposing actions of cellular retinol-binding protein and alcohol dehydrogenase control the balance between retinol storage and degradation, 383:295
Momma, T. Y. *See* Chou, S. S.
Momoi, M.
——; Tanoue, D.; Sun, Y.; Takematsu, H.; Suzuki, Y.; Suzuki, M.; Suzuki, A.; Fujita, T.; Kozutsumi, Y.
SLI1 (*YGR212W*) is a major gene conferring resistance to the sphingolipid biosynthesis inhibitor ISP-1, and encodes an ISP-1 N-acetyltransferase in yeast, 381:321
Moncayo, G. *See* Ilk, N.
Monje-Casas, F.
——; Michán, C.; Pueyo, C.
Absolute transcript levels of thioredoxin- and glutathione-dependent redox systems in *Saccharomyces cerevisiae*: response to stress and modulation with growth, 383:139
Monory, K. *See* Ligresti, A.
Monte, D. *See* Kherrouche, Z.
Montell, E. *See* Lerín, C.
Montero, M.
——; Lobatón, C. D.; Hernández-Sanmiguel, E.; Santodomingo, J.; Vay, L.; Moreno, A.; Alvarez, J.
Direct activation of the mitochondrial calcium uniporter by natural plant flavonoids, 384:19
Montessuit, S. *See* Epand, R. F.
Monzani, E. *See* Roncone, R.
Mood, K. *See* Bong, Y.-S.
Moore, A.
——; Wordeman, L.
C-terminus of mitotic centromere-associated kinesin (MCAK) inhibits its lattice-stimulated ATPase activity, 383:227
Moore, E. D. *See* Guzzo, R. M.
Moore, K. A. H. *See* Spooner, R. A.
Moore, T. S. *See* Yang, Wenyu
Mora, A. *See* Murray, J. T.
Moracci, M. *See* Ausili, A.
Moran, E. *See* Wang, X.
Morby, A. *See* Gul, S.
Moreau-Vauzelle, C. *See* Alimardani, P.; Ferreira, T.
Morel, F. *See* Paclet, M.-H.
Moreno, A. *See* Montero, M.
Moreno-González, I. *See* Baglietto-Vargas, D.
Morera, E. *See* Ligresti, A.
Morgan, C. P.
——; Insall, R.; Haynes, L.; Cockcroft, S.
Identification of phospholipase B from *Dictyostelium discoideum* reveals a new lipase family present in mammals, flies and nematodes, but not yeast, 382:441
Morgan, H. E. *See* Taylor, K. M.
Morgan, R. R.
——; Errington, R.; Elder, G. H.
Identification of sequences required for the import of human protoporphyrinogen oxidase to mitochondria, 377:281
Morgan-Warren, R. J. *See* Thackray, A. M.
Morgenstern, R. *See* Tsoi, C.
Mori, H. *See* Okumura, H.; Suga, K.
Morillas, M.
——; López-Viñas, E.; Valencia, A.; Serra, D.; Gómez-Puertas, P.; Hegardt, F. G.; Asins, G.
Structural model of carnitine palmitoyltransferase I based on the carnitine acetyltransferase crystal, 379:777
Morimura, T. *See* Suetsugu, S.
Morin, C. *See* Joët, T.; Xu, F.
Morioka, H. *See* Takeuchi, R.
Morita, T.
——; Tanimura, A.; Nezu, A.; Kurosaki, T.; Tojyo, Y.
Functional analysis of the green fluorescent protein-tagged inositol 1,4,5-trisphosphate receptor type 3 in Ca^{2+} release and entry in DT40 B lymphocytes, 382:793
Morita, Y. S.
——; Patterson, J. H.; Billman-Jacobe, H.; McConville, M. J.
Biosynthesis of mycobacterial phosphatidylinositol mannosides, 378:589
Moroder, L. *See* Štern, I.
Moroney, J. V. *See* Yang, Wenyu
Morrice, N. *See* Greene, M. W.; Vitari, A. C.; Murray, J. T.; Pozuelo Rubio, M.
Morrow, J. D. *See* Levonen, A.-L.
Morsilli, O. *See* Calzolari, A.
Mortensen, S. B. *See* Pedersen, A. K.
Mortimer, S. E. *See* McLean, J. E.
Mosbah, A. *See* Jouirou, B.; Mouhat, S.
Motshwene, P.
——; Karreman, R.; Kgari, G.; Brandt, W.; Lindsey, G.
LEA (late embryonic abundant)-like protein Hsp 12 (heat-shock protein 12) is present in the cell wall and enhances the barotolerance of the yeast *Saccharomyces cerevisiae*, 377:769
Motta, C. *See* Laulagnier, K.
Mouchel, N.
——; Henstra, S. A.; McCarthy, V. A.; Williams, S. H.; Phylactides, M.; Harris, A.
HNF1α is involved in tissue-specific regulation of *CFTR* gene expression, 378:909
Mouhat, S.
——; Jouirou, B.; Mosbah, A.; De Waard, M.; Sabatier, J.-M.
Diversity of folds in animal toxins acting on ion channels, 378:717
——; Mosbah, A.; Visan, V.; Wulff, H.; Delepierre, M.; Darbon, H.; Grissmer, S.; De Waard, M.; Sabatier, J.-M.
The 'functional' dyad of scorpion toxin Pi1 is not itself a prerequisite for toxin binding to the voltage-gated Kv1.2 potassium channels, 377:25
Mould, A. P. *See* Barton, S. J.
Mousavi, S. A.
——; Malerød, L.; Berg, T.; Kjeken, R.
Clathrin-dependent endocytosis, 377:1
Mousson de Camaret, B. *See* Bourges, I.
Moutschen, M. *See* Rahmouni, S.
Moya-García, A. A. *See* Fleming, J. V.
Mucha, J.
——; Domlatil, J.; Lochnit, G.; Rendić, D.; Paschinger, K.; Hinterkörner, G.; Hofinger, A.; Kosma, P.; Wilson, I. B. H.
The *Drosophila melanogaster* homologue of the human histo-blood group P^k gene encodes a glycolipid-modifying α1,4-*N*-acetylgalactosaminyltransferase, 382:67
Muhammad, K. *See* Sundaram, A. K.
Mukala-Nsengu-Tshibangu, A. *See* Fernández-Pascual, S.
Mukerji, P. *See* Pereira, S. L.
Mukhi, P. L. S. *See* Kapoor, M.
Mukhopadhyay, A.
——; Ni, L.; Weiner, H.
A co-translational model to explain the *in vivo* import of proteins into HeLa cell mitochondria, 382:385
Mukhtar, M. *See* Aiston, S.
Mulcahy, J. V.
——; Riddell, D. R.; Owen, J. S.
Human scavenger receptor class B, type II (SR-BII) and cellular cholesterol efflux, 377:741
Müller, I. M. *See* Schröder, H.-C.
Müller, W. E. G. *See* Schröder, H.-C.
Müller-Newen, G. *See* Fischer, P.
Mund, C.
——; Musch, T.; Strödicke, M.; Assmann, B.; Li, E.; Lyko, F.
Comparative analysis of DNA methylation patterns in transgenic *Drosophila* overexpressing mouse DNA methyltransferases, 378:763
Munthe, E. *See* Finne, E. F.
Mura, U. *See* Cappiello, M.
Murakami, M. *See* Kobayashi, T.; Sun, Y.-X.
Muraoka, S. *See* Ito, T.
Murasaki, A. *See* Murwantoko

© 2005 Biochemical Society

Murate, T. *See* Asano, H.
Murayama, E. *See* Suzuki, M.
Murphy, M. P. *See* Ross, M. F.
Murray, I. A. *See* Eggers, C. T.
Murray, J. T.
——; Campbell, D. G.; Morrice, N.; Auld, G. C.; Shpiro, N.; Marquez, R.; Peggie, M.; Bain, J.; Bloomberg, G. B.; Grahammer, F.; Lang, F.; Wulff, P.; Kuhl, D.; Cohen, P.
Exploitation of KESTREL to identify NDRG family members as physiological substrates for SGK1 and GSK3, 384:477
——; Campbell, D. G.; Peggie, M.; Mora, A.; Cohen, P.
Identification of filamin C as a new physiological substrate of PKBα using KESTREL, 384:489
Murtas, M. *See* Roncone, R.
Murthy, S.
——; Born, E.; Mathur, S. N.; Field, F. J.
Liver-X-receptor-mediated increase in ATP-binding cassette transporter A1 expression is attenuated by fatty acids in CaCo-2 cells: effect on cholesterol efflux to high-density lipoprotein, 377:545
Murwantoko
——; Yano, M.; Ueta, Y.; Murasaki, A.; Kanda, H.; Oka, C.; Kawaichi, M.
Binding of proteins to the PDZ domain regulates proteolytic activity of HtrA1 serine protease, 381:895
Musch, T. *See* Mund, C.
Mustelin, T. *See* Nika, K.
Mutenda, K. *See* Færgeman, N. J.
Mutus, B. *See* Root, P.
Mwanjewe, J.
——; Grover, A. K.
Role of transient receptor potential canonical 6 (TRPC6) in non-transferrin-bound iron uptake in neuronal phenotype PC12 cells, 378:975
Mzali, R. *See* Arnaud, M.

Na, B.-K.
——; Shenai, B. R.; Sijwali, P. S.; Choe, Y.; Pandey, K. C.; Singh, A.; Craik, C. S.; Rosenthal, P. J.
Identification and biochemical characterization of vivapains, cysteine proteases of the malaria parasite *Plasmodium vivax*, 378:529
Na, C.-L. *See* Markart, P.
Naccache, P. H. *See* Rollet-Labelle, E.
Nadano, D. *See* Okumura, H.
Naegeli, H. *See* Dip, R.
Nagai, R. *See* Hamaguchi, H.
Nagai, S. *See* Ohara-Imaizumi, M.
Nagai, T. *See* Karasawa, S.
Nagamatsu, S. *See* Ohara-Imaizumi, M.
Nagasawa, H. *See* Suzuki, M.
Nagasawa, S. *See* Saito, Y.
Nagase, T. *See* Miyazaki, K.
Nagegowda, D. A.
——; Bach, T. J.; Chye, M.-L.
Brassica juncea 3-hydroxy-3-methylglutaryl (HMG)-CoA synthase 1: expression and characterization of recombinant wild-type and mutant enzymes, 383:517
Nagl, Jr, N. G. *See* Wang, X.
Naidu, P. *See* Li, M.
Nakada, H. *See* Akita, K.
Nakagawa, H. *See* Takenaka, K.
Nakajo, S. *See* Kobayashi, T.
Nakamichi, Y. *See* Ohara-Imaizumi, M.
Nakamura, H. *See* Nakano, K.
Nakamura, S.-i. *See* Fujita, T.
Nakamura, T. *See* Nakayama, T.
Nakamura, Y. *See* Kondo, H.
Nakano, K.
——; Matsushita, A.; Sasaki, S.; Misawa, H.; Nishiyama, K.; Kashiwabara, Y.; Nakamura, H.
Thyroid-hormone-dependent negative regulation of thyrotropin β gene by thyroid hormone receptors: study with a new experimental system using CV1 cells, 378:549
Nakatani, Y. *See* Kobayashi, T.
Nakaya, K. *See* Kobayashi, T.
Nakayama, T.
——; Hattori, M.; Uchida, K.; Nakamura, T.; Tateishi, Y.; Bannai, H.; Iwai, M.; Michikawa, T.; Inoue, T.; Mikoshiba, K.
The regulatory domain of the inositol 1,4,5-trisphosphate receptor is necessary to keep the channel domain closed: possible physiological significance of specific cleavage by caspase 3, 377:299
Namekata, K. *See* Ishii, I.
Naoe, T. *See* Asano, H.
Napirei, M.
——; Ricken, A.; Eulitz, D.; Knoop, H.; Mannherz, H. G.
Expression pattern of the deoxyribonuclease 1 gene: lessons from the *Dnase1* knockout mouse, 380:929
Narasimhan, J. *See* Sullivan, Jr, W. J.
Narayanan, S.
——; Surolia, A.; Karande, A. A.
Ribosome-inactivating protein and apoptosis: abrin causes cell death via mitochondrial pathway in Jurkat cells, 377:233
Nardai, G. *See* Farkas, A.
Narukawa, J. *See* Miyazaki, K.
Naschberger, E.
——; Werner, T.; Vicente, A. B.; Guenzi, E.; Töpolt, K.; Leubert, R.; Lubeseder-Martellato, C.; Nelson, P. J.; Stürzl, M.
Nuclear factor-κB motif and interferon-α-stimulated response element co-operate in the activation of guanylate-binding protein-1 expression by inflammatory cytokines in endothelial cells, 379:409
Nasrallah, H. *See* Alahari, S. K.
Navarro-Teulon, I. *See* Salhi, I.
Navet, R. *See* Douette, P.
Nayjib, B. *See* Rahmouni, S.
Nazmi, K. *See* Veerman, E. C. I.
Ndjonka, D. *See* Abo-Dalo, B.
Nebreda, A. R. *See* Cheung, P. C. F.
Nedergaard, J. *See* Lindgren, E. M.
Negi, S.
——; Singh, S. K.; Pati, N.; Handa, V.; Chauhan, R.; Pati, U.
A proximal tissue-specific module and a distal negative regulatory module control apolipoprotein(a) gene transcription, 379:151
Negishi, M. *See* Ulvila, J.
Nelson, M. A. *See* Mikolajczyk, M.
Nelson, P. *See* Ikeguchi, Y.
Nelson, P. J. *See* Naschberger, E.
Nettersheim, M. *See* Gopalakrishnan, M. M.
Neuhaus, H. E. *See* Wormit, A.
Neumann, D. *See* Cohen, J.
Neumann, U. *See* Paschalidou, K.
Neumann-Giesen, C.
——; Falkenbach, B.; Beicht, P.; Claasen, S.; Lüers, G.; Stuermer, C. A. O.; Herzog, V.; Tikkanen, R.
Membrane and raft association of reggie-1/flotillin-2: role of myristoylation, palmitoylation and oligomerization and induction of filopodia by overexpression, 378:509
Neuschäfer-Rube, F.
——; Hermosilla, R.; Rehwald, M.; Rönnstrand, L.; Schülein, R.; Wernstedt, C.; Püschel, G. P.
Identification of a Ser/Thr cluster in the C-terminal domain of the human prostaglandin receptor EP4 that is essential for agonist-induced β-arrestin1 recruitment but differs from the apparent principal phosphorylation site, 379:573
Neville, D. C. A. *See* Mellor, H. R.
Neville, T. A.-M. *See* Breznan, D.
Nevitt, T.
——; Pereira, J.; Azevedo, D.; Guerreiro, P.; Rodrigues-Pousada, C.
Expression of *YAP4* in *Saccharomyces cerevisiae* under osmotic stress, 379:367
Nezu, A. *See* Morita, T.
Ng, C. K. D. *See* Kuhn, M.
Nguyen, L. T. *See* O'Connell, B.
Ni, L. *See* Mukhopadhyay, A.
Nibbs, R. J. B. *See* Blackburn, P. E.
NíBeilliú, M. E.
——; Malthouse, J. P. G.
The stereospecificity and catalytic efficiency of the tryptophan-synthase-catalysed exchange of the α-protons of amino acids, 381:847
Nicholson, R. I. *See* Taylor, K. M.
Nick, H. S. *See* Hock, T. D.
Nicolas, G. *See* Rotter, B.
Nicolás, F. J. *See* De Bosscher, K.
Nieber, K. *See* Gerth, A.
Nielsen, B. S. *See* Hansen, L. V.
Nielsen, D.
——; Gyllberg, H.; Östlund, P.; Bergman, T.; Bedecs, K.
Increased levels of insulin and insulin-like growth factor-1 hybrid receptors and decreased glycosylation of the insulin receptor α- and β-subunits in scrapie-infected neuroblastoma N2a cells, 380:571 (*See* Hounsell, E. F. for online-only commentary)
Nielsen, H. M. *See* Tréhin, R.
Nielsen, R. *See* Lindgren, E. M.
Niemand, C. *See* Fischer, P.
Niere, M. *See* Ziegler, M.
Nieuw Amerongen, A. V. *See* den Hertog, A. L.; Ligtenberg, A. J. M.; Veerman, E. C. I.
Nika, K.
——; Hyunh, H.; Williams, S.; Paul, S.; Bottini, N.; Taskén, K.; Lombroso, P. J.; Mustelin, T.
Haematopoietic protein tyrosine phosphatase (HePTP) phosphorylation by cAMP-dependent protein kinase in T-cells: dynamics and subcellular location, 378:335
Nikawa, J.-i. *See* Kondo, H.
Niland, B. *See* Grossman, C. E.
Nilavongse, A. *See* Brondijk, T. H. C.
Niles, B. J. *See* Chou, S. S.
Nilsen, N. *See* Campa, C.
Nilssen, Ø. *See* Hansen, G.
Nilsson, L. *See* Njålsson, R.
Nilsson, M. R. *See* Jaikaran, E. T. A. S.
Nishi, S. *See* Ikeda, H.
Nishida, A. *See* Kimura, T.
Nishihara, M. *See* Hirabayashi, K.
Nishijima, M. *See* Ohsawa, T.

© 2005 Biochemical Society

Nishiwaki, C. *See* Ohara-Imaizumi, M.
Nishiyama, K. *See* Nakano, K.
Nitsch, R.
——; Di Palma, T.; Mascia, A.; Zannini, M.
WBP-2, a WW domain binding protein, interacts with the thyroid-specific transcription factor Pax8, 377:553
Nitsche, D. P. *See* Spitznagel, L.
Nixon, P. F.
——; Jones, M.; Winzor, D. J.
Quantitative description of the interaction between folate and the folate-binding protein from cow's milk, 382:215
Njålsson, R.
——; Carlsson, K.; Bhansali, V.; Luo, J.-L.; Nilsson, L.; Ladenstein, R.; Anderson, M.; Larsson, A.; Norgren, S.
Human hereditary glutathione synthetase deficiency: kinetic properties of mutant enzymes, 381:489
Noël, G. *See* Achouri, Y.
Nolasco, T. *See* Lerín, C.
Nolde, D. E. *See* Efremov, R. G.
Nordlund, H. R. *See* Hytönen, V. P.
Norgate, M. *See* Southon, A.
Norgren, S. *See* Njålsson, R.
Nori, A.
——; Bortoloso, E.; Frasson, F.; Valle, G.; Volpe, P.
Vesicle budding from endoplasmic reticulum is involved in calsequestrin routing to sarcoplasmic reticulum of skeletal muscles, 379:505
Norman, R. I. *See* Rainbow, R. D.
Noshiro, M. *See* Hamaguchi, H.
Novák, O. *See* Frébortová, J.
Nozawa, Y. *See* Yamada, M.
Nugent, M. A. *See* Chu, C. L.
Nürnberg, B. *See* Kreuzer, J.
Nuti, F. *See* Meacci, E.
Nweke, G. K. *See* Kimple, R. J.
Nyborg, J. K.
——; Peersen, O. B.
That zincing feeling: the effects of EDTA on the behaviour of zinc-binding transcriptional regulators (online-only commentary on Matt, T.), 381:e3
Nykjær, A. *See* Gliemann, J.

Oberkofler, H.
——; Schraml, E.; Krempler, F.; Patsch, W.
Restoration of sterol-regulatory-element-binding protein-1c gene expression in HepG2 cells by peroxisome-proliferator-activated receptor-γ co-activator-1α, 381:357
Oberle, V. *See* Rejman, J.
Ochi, A. *See* Cook-Mills, J. M.
O'Connell, B.
——; Nguyen, L. T.; Stephenson, G. M. M.
A single-fibre study of the relationship between MHC and TnC isoform composition in rat skeletal muscle, 378:269
Oddi, S. *See* Candi, E.
Ogawa, H. *See* Ueda, H.
Ogawa, K.
——; Chen, F.; Kuang, C.; Chen, Y.
Suppression of matrix metalloproteinase-9 transcription by transforming growth factor-β is mediated by a nuclear factor-κB site, 381:413
Ogbi, M.
——; Chew, C. S.; Pohl, J.; Stuchlik, O.; Ogbi, S.; Johnson, J. A.
Cytochrome *c* oxidase subunit IV as a marker of protein kinase Cε function in neonatal cardiac myocytes: implications for cytochrome *c* oxidase activity, 382:923
Ogbi, S. *See* Ogbi, M.
Oger, F. *See* Bertin, B.
Oh, B.-H. *See* Jang, D. S.
Oh, E.-S. *See* Keum, E.
Oh, H.-R. *See* Martínez, A.
O'Hara, M. *See* Blackburn, P. E.
Ohara, N. *See* Kimura, T.
Ohara, O. *See* Miyazaki, K.
Ohara-Imaizumi, M.
——; Nishiwaki, C.; Kikuta, T.; Nagai, S.; Nakamichi, Y.; Nagamatsu, S.
TIRF imaging of docking and fusion of single insulin granule motion in primary rat pancreatic β-cells: different behaviour of granule motion between normal and Goto–Kakizaki diabetic rat β-cells, 381:13
Ohkido, I. *See* Ito, M.
Ohlendieck, K. *See* Dowling, P.
Ohno, H. *See* Ito, M.
Ohnuma, N. *See* Terui, K.
Ohsawa, T.
——; Nishijima, M.; Kuge, O.
Functional analysis of Chinese hamster phosphatidylserine synthase 1 through systematic alanine mutagenesis, 381:853
Ohtake, S. *See* Yamada, T.
Ohtani, N.
——; Yanagawa, H.; Tomita, M.; Itaya, M.
Identification of the first archaeal Type 1 RNase H gene from *Halobacterium* sp. NRC-1: archaeal RNase HI can cleave an RNA–DNA junction, 381:795
Oinonen, C. *See* Saarela, J.
Oka, C. *See* Murwantoko
Okada, T. *See* Fujita, T.
Okamoto, Y. *See* Sun, Y.-X.
Okayama, M. *See* Akita, K.
Okkeri, J.
——; Laakkonen, L.; Haltia, T.
The nucleotide-binding domain of the Zn^{2+}-transporting P-type ATPase from *Escherichia coli* carries a glycine motif that may be involved in binding of ATP, 377:95
Okumura, H.
——; Kohno, Y.; Iwata, Y.; Mori, H.; Aoki, N.; Sato, C.; Kitajima, K.; Nadano, D.; Matsuda, T.
A newly identified zona pellucida glycoprotein, ZPD, and dimeric ZP1 of chicken egg envelope are involved in sperm activation on sperm–egg interaction, 384:191
Oliveira, V. *See* Damiano, J. S.
Olivera, B. M. *See* Chi, S.-W.
Olsen, O. H. *See* Persson, E.
Olthaar, A. J. *See* Bosch, R. R.
Omae, F.
——; Miyazaki, M.; Enomoto, A.; Suzuki, M.; Suzuki, Y.; Suzuki, A.
DES2 protein is responsible for phytoceramide biosynthesis in the mouse small intestine, 379:687
Omatsu-Kanbe, M.
——; Shibata, M.; Yamamoto, T.; Isono, T.; Matsuura, H.
Actin filaments play a permissive role in the inhibition of store-operated Ca^{2+} entry by extracellular ATP in rat brown adipocytes, 381:389
Omkumar, R. V. *See* Praseeda, M.
O'Neill, L. A. J. *See* Hardy, M. P.
Ong, C. N. *See* Lin, H.-S.
Ong, H. *See* Demers, A.
Oohira, A. *See* Akita, K.
Opassiri, R.
——; Hua, Y.; Wara-Aswapati, O.; Akiyama, T.; Svasti, J.; Esen, A.; Ketudat Cairns, J. R.
β-Glucosidase, exo-β-glucanase and pyridoxine transglucosylase activities of rice BGlu1, 379:125
Oppenheimer, N. J. *See* Gerth, A.
Oren-Young, L. *See* Cohen, J.
Orr, W. C. *See* Rebrin, I.
Orrenius, S. *See* Gogvadze, V.
Orsatti, R. *See* Stellacci, E.
Orso, F.
——; Cottone, E.; Hasleton, M. D.; Ibbitt, J. C.; Sismondi, P.; Hurst, H. C.; De Bortoli, M.
Activator protein-2γ (AP-2γ) expression is specifically induced by oestrogens through binding of the oestrogen receptor to a canonical element within the 5′-untranslated region, 377:429
Ortar, G. *See* Ligresti, A.
Ortega, Á. D. *See* Isidoro, A.
Ortiz, J.-M. *See* Llorian, M.
Ortiz-Vega, S. *See* Praskova, M.
Ory, J. J. *See* Bar-Peled, M.
Orzáez, D. *See* Wieland, W. H.
Osborne, S. *See* Rickman, C.
Oshige, M. *See* Takeuchi, R.
Oshita, H.
——; Sandy, J. D.; Suzuki, K.; Akaike, A.; Bai, Y.; Sasaki, T.; Shimizu, K.
Mature bovine articular cartilage contains abundant aggrecan that is C-terminally truncated at Ala^{719}-Ala^{720}, a site which is readily cleaved by m-calpain, 382:253
Osinaga, E. *See* Freire, T.
Oskolkova, O. V. *See* Gauster, M.
Østergaard, A. *See* Persson, E.
Ostler, E. L. *See* Sonkaria, S.
Östlund, P. *See* Nielsen, D.
Ostrow, J. D. *See* Rigato, I.
Oteiza, P. I. *See* Verstraeten, S. V.
Othman, T. *See* Lu, D.
Otsu, K.
——; Ikeda, Y.; Fujii, J.
Accumulation of manganese superoxide dismutase under metal-depleted conditions: proposed role for zinc ions in cellular redox balance, 377:241
Ouadid-Ahidouch, H. *See* Van Coppenolle, F.
Ouellet, M.
——; Falgueyret, J.-P.; Percival, M. D.
Detergents profoundly affect inhibitor potencies against both cyclo-oxygenase isoforms, 377:675
Ovaa, H. *See* Evans, P. C.
Overall, C. M.
——; Dilating the degradome: matrix metalloproteinase 2 (MMP-2) cuts to the heart of the matter (online-only commentary on Martínez, A.), 383:e5
Owen, J. S. *See* Mulcahy, J. V.
Oxombre, B.
——; Kouach, M.; Moerman, E.; Formstecher, P.; Laine, B.
The G115S mutation associated with maturity-onset diabetes of the young impairs hepatocyte nuclear factor 4α activities and introduces a PKA phosphorylation site in its DNA-binding domain, 383:573
Ozaki, M. *See* Terui, K.
Ozaki, N. *See* Endo, H.; Suzuki, M.

© 2005 Biochemical Society

Paal, K.
——; Ito, M.; Withers, S. G.
Paenibacillus sp. TS12 glucosylceramidase: kinetic studies of a novel sub-family of family 3 glycosidases and identification of the catalytic residues, 378:141
Pacchione, S. *See* Wang, X.
Paces-Fessy, M.
——; Boucher, D.; Petit, E.; Paute-Briand, S.; Blanchet-Tournier, M.-F.
The negative regulator of Gli, Suppressor of fused (Sufu), interacts with SAP18, Galectin3 and other nuclear proteins, 378:353
Packer, J. C. L. *See* Pereira, S. L.
Packman, L. *See* Billington, R. A.
Paclet, M.-H.
——; Davis, C.; Kotsonis, P.; Godovac-Zimmermann, J.; Segal, A. W.; Dekker, L. V.
N-Formyl peptide receptor subtypes in human neutrophils activate L-plastin phosphorylation through different signal transduction intermediates, 377:469
——; Henderson, L. M.; Campion, Y.; Morel, F.; Dagher, M.-C.
Localization of Nox2 N-terminus using polyclonal antipeptide antibodies, 382:981
Padmanaban, G. *See* Varadharajan, S.
Pageaux, J.-F. *See* Laulagnier, K.
Pagès, J.-M. *See* Goulhen, F.
Pain, D. *See* Amutha, B.
Paine, M. J. I. *See* Flanagan, J. U.
Pakula, R. *See* Vanpouille, C.
Pal, A. *See* Ghosh, K.
Palacín, M. *See* Pineda, M.
Paldanius, T. *See* Hytönen, V. P.
Paleček, E. *See* Pospíšilová, Š.
Pallini, V. *See* Poliseno, L.
Pallotti, F.
——; Baracca, A.; Hernandez-Rosa, E.; Walker, W. F.; Solaini, G.; Lenaz, G.; Melzi d'Eril, G. V.; DiMauro, S.; Schon, E. A.; Davidson, M. M.
Biochemical analysis of respiratory function in cybrid cell lines harbouring mitochondrial DNA mutations, 384:287
Palmer, L. A. *See* Zaman, K.
Palmieri, F. *See* Agrimi, G.; Lasorsa, F. M.
Palmieri, L. *See* Lasorsa, F. M.
Palmiter, R. D. *See* Bi, Y.
Palumaa, P.
——; Kangur, L.; Voronova, A.; Sillard, R.
Metal-binding mechanism of Cox17, a copper chaperone for cytochrome *c* oxidase, 382:307
Palumbo, A. *See* Fiore, G.
Pampena, D. A.
——; Robertson, K. A.; Litvinova, O.; Lajoie, G.; Goldberg, H. A.; Hunter, G. K.
Inhibition of hydroxyapatite formation by osteopontin phosphopeptides, 378:1083
Pan, G. *See* Xu, D.
Pan, H. *See* Zhao, X.
Pan, X.-M. *See* Xu, S.
Pan, Y. *See* Leung-Pineda, V.
Pan, Z. *See* Zhou, F.
Pandey, K. C. *See* Na, B.-K.
Panfili, E. *See* Tramer, F.
Panteleev, M. A.
——; Saenko, E. L.; Ananyeva, N. M.; Ataullakhanov, F. I.
Kinetics of Factor X activation by the membrane-bound complex of Factor IXa and Factor VIIIa, 381:779
Papaconstantinou, J. *See* Garg, N.
Papo, N. *See* Mangoni, M. L.
Paradisi, A. *See* Candi, E.
Parekh, A. B. *See* Straube, S.
Parent, A. *See* Bougie, I.
Park, E.-J. *See* Lee, J.-W.
Park, H. B.
——; Golubovskaya, V.; Xu, L.; Yang, X.; Lee, J. W.; Scully, II, S.; Craven, R. J.; Cance, W. G.
Activated Src increases adhesion, survival and α2-integrin expression in human breast cancer cells, 378:559
Park, J.-A. *See* Kim, H.-P.
Park, J.-S. *See* Kim, Y.-H.
Park, S. Y. *See* Choi, T.-Y.
Park, Y.-H. *See* Bong, Y.-S.; Kim, Y.-H.
Parks, W. T. *See* Piek, E.
Parmentier, H. K. *See* Wieland, W. H.
Parness, J. *See* Kobayashi, S.
Paron, I.
——; D'Elia, A.; D'Ambrosio, C.; Scaloni, A.; D'Aurizio, F.; Prescott, A.; Damante, G.; Tell, G.
A proteomic approach to identify early molecular targets of oxidative stress in human epithelial lens cells, 378:929
Paroni, F. *See* Tramer, F.
Parsons-Mair, H. N. *See* Winterbourn, C. C.
Parton, L. *See* Diraison, F.
Parys, J. B. *See* Bultynck, G.
Paschalidou, K.
——; Neumann, U.; Gerhartz, B.; Tzougraki, C.
Highly sensitive intramolecularly quenched fluorogenic substrates for renin based on the combination of L-2-amino-3-(7-methoxy-4-coumaryl)propionic acid with 2,4-dinitrophenyl groups at various positions, 382:1031
Paschinger, K. *See* Mucha, J.
Pascolo, L. *See* Rigato, I.
Pase, L.
——; Voskoboinik, I.; Greenough, M.; Camakaris, J.
Copper stimulates trafficking of a distinct pool of the Menkes copper ATPase (ATP7A) to the plasma membrane and diverts it into a rapid recycling pool, 378:1031
Passarella, S. *See* de Bari, L.
Passmore, L. A.
——; Barford, D.
Getting into position: the catalytic mechanisms of protein ubiquitylation, 379:513
Pasternack, M. *See* Törnquist, K.
Patel, A. P. *See* Joët, T.
Patel, M. A. *See* Wu, J.
Patel, R. P. *See* Shiva, S.
Patel, S. *See* Churamani, D.
Pati, N. *See* Negi, S.
Pati, U. *See* Negi, S.
Patsch, W. *See* Oberkofler, H.
Patterson, J. H. *See* Morita, Y. S.
Pattnaik, P. *See* Akhouri, R. R.
Paul, S. *See* Nika, K.
Paulsson, M. *See* Spitznagel, L.
Paute-Briand, S. *See* Paces-Fessy, M.
Pavone, L. *See* Esposito, G.
Payne, J. *See* Wright, L. C.
Payton, S. G. *See* Liu, M.
Pearce, A. C.
——; Wonerow, P.; Marshall, S. J.; Frampton, J.; Gartner, T. K.; Watson, S. P.
The heptapeptide LSARLAF mediates platelet activation through phospholipase Cγ2 independently of glycoprotein IIb-IIIa, 378:193
Pearce, F. G. *See* Dobson, R. C. J.
Pearce, S. T. *See* Andrade, J.
Peč, P. *See* Frébortová, J.
Pecce, R. *See* Piccardoni, P.
Pecina, P. *See* Ješina, P.
Peck, J. W.
——; Bowden, E. T.; Burbelo, P. D.
Structure and function of human Vps20 and Snf7 proteins, 377:693
Pedersen, A. K.
——; Guo, X.-L.; Møller, K. B.; Peters, G. H.; Andersen, H. S.; Kastrup, J. S.; Mortensen, S. B.; Iversen, L. F.; Zhang, Z.-Y.; Møller, N. P. H.
Residue 182 influences the second step of protein-tyrosine phosphatase-mediated catalysis, 378:421
Peersen, O. B. *See* Nyborg, J. K.
Pegg, A. E. *See* Coleman, C. S.; Ikeguchi, Y.
Peggie, M. *See* Murray, J. T.
Pejler, G. *See* Kolset, S. O.
Pèlegrin, A. *See* Salhi, I.
Pelkonen, O. *See* Ulvila, J.
Pelosi, P. *See* Cappiello, M.
Peltonen, L. *See* Saarela, J.
Peñalver, M. J. *See* Fenoll, L. G.
Pennati, A. *See* Roncone, R.
Peppiatt, C. M.
——; Holmes, A. M.; Seo, J. T.; Bootman, M. D.; Collins, T. J.; McDonald, F.; Roderick, H. L.
Calmidazolium and arachidonate activate a calcium entry pathway that is distinct from store-operated calcium influx in HeLa cells, 381:929
Percival, M. D. *See* Ouellet, M.
Pereira, A. C. T. C. *See* Andrade, A. A.
Pereira, J. *See* Nevitt, T.
Pereira, S. L.
——; Huang, Y.-S.; Bobik, E. G.; Kinney, A. J.; Stecca, K. L.; Packer, J. C. L.; Mukerji, P.
A novel ω3-fatty acid desaturase involved in the biosynthesis of eicosapentaenoic acid, 378:665
——; Leonard, A. E.; Huang, Y.-S.; Chuang, L.-T.; Mukerji, P.
Identification of two novel microalgal enzymes involved in the conversion of the ω-3-fatty acid, eicosapentaenoic acid, into docosahexaenoic acid, 384:357
Perera, N. M. *See* Walker, S. M.
Perestenko, P. V. *See* Mee, C. J.
Pérez, M. *See* Rauch, M. C.
Pérez-Gil, J. *See* Plasencia, I.
Perides, G. *See* Westling, J.
Perl, A. *See* Grossman, C. E.
Perović-Ottstadt, S. *See* Schröder, H.-C.
Perrais, M. *See* Mariette, C.
Perret, B. *See* Laulagnier, K.
Perrino, F. W. *See* Lehtinen, D. A.
Persson, E.
——; Bak, H.; Østergaard, A.; Olsen, O. H.
Augmented intrinsic activity of Factor VIIa by replacement of residues 305, 314, 337 and 374: evidence of two unique mutational mechanisms of activity enhancement, 379:497
Peschle, C. *See* Calzolari, A.
Peter, M. E.
——: The flip side of FLIP (online-only commentary on Boatright, K. M.), 382:e1
Peters, G. H. *See* Pedersen, A. K.
Petersen, C. M. *See* Gliemann, J.
Petersen, O. H. *See* Yano, K.
Peterson, P. *See* Aapola, U.

© 2005 Biochemical Society

Petit, E. *See* Paces-Fessy, M.
Petrova, V. Y.
——; Drescher, D.; Kujumdzieva, A. V.; Schmitt, M. J.
Dual targeting of yeast catalase A to peroxisomes and mitochondria, 380:393
Petrovic, N. *See* Lindgren, E. M.
Petrucci, E. *See* Calzolari, A.; Stellacci, E.
Pfeiler, D. *See* Fernández-Montalván, A.
Pfister, G. *See* Hutter, E.
Phelan, A. *See* Vitari, A. C.
Phylactides, M. *See* Mouchel, N.
Picard, J.-Y. *See* Salhi, I.
Piccardoni, P.
——; Manarini, S.; Federico, L.; Bagoly, Z.; Pecce, R.; Martelli, N.; Piccoli, A.; Totani, L.; Cerletti, C.; Evangelista, V.
SRC-dependent outside-in signalling is a key step in the process of autoregulation of $\beta 2$ integrins in polymorphonuclear cells, 380:57
Piccoli, A. *See* Piccardoni, P.
Pick, E. *See* Rinaldi, T.
Picton, R. *See* Smith, C.
Piek, E.
——; van Dinther, M.; Parks, W. T.; Sallee, J. M.; Böttinger, E. P.; Roberts, A. B.; ten Dijke, P.
RLP, a novel Ras-like protein, is an immediate-early transforming growth factor-β (TGF-β) target gene that negatively regulates transcriptional activity induced by TGF-β, 383:187
Pierce, R. J. *See* Bertin, B.
Pietroni, V. *See* Candi, E.
Pigny, P. *See* Jonckheere, N.; Mariette, C.
Pihlajaniemi, T. *See* Väisänen, M.-R.
Pike, L. J.
——; Lipid rafts: heterogeneity on the high seas, 378:281
Pimenta, D. C. *See* Fogaça, S. E.
Pineda, M.
——; Wagner, C. A.; Bröer, A.; Stehberger, P. A.; Kaltenbach, S.; Gelpí, J. Ll.; Martín del Río, R.; Zorzano, A.; Palacín, M.; Lang, F.; Bröer, S.
Cystinuria-specific rBAT(R365W) mutation reveals two translocation pathways in the amino acid transporter rBAT-$b^{0,+}$AT, 377:665
Pinna, L. A. *See* Lopreiato, R.
Pinnen, F. *See* Abo-Dalo, B.
Pirson, I. *See* Arsenijevic, T.
Pisani, F. M. *See* De Felice, M.
Piston, D. W. *See* McIntyre, J. O.
Piszczek, G.
——; D'Auria, S.; Staiano, M.; Rossi, M.; Ginsburg, A.
Conformational stability and domain coupling in D-glucose/D-galactose-binding protein from *Escherichia coli*, 381:97
Pitts, L. *See* Sundaram, A. K.
Piuz, I. *See* Ryser, S.
Planas, A. *See* Almeida, M. R.; Faijes, M.
Plasencia, I.
——; Rivas, L.; Keough, K. M. W.; Marsh, D.; Pérez-Gil, J.
The N-terminal segment of pulmonary surfactant lipopeptide SP-C has intrinsic propensity to interact with and perturb phospholipid bilayers, 377:183
Platt, F. M. *See* Mellor, H. R.
Platta, H. W.
——; Girzalsky, W.; Erdmann, R.
Ubiquitination of the peroxisomal import receptor Pex5p, 384:37
Plawinski, L. *See* Docagne, F.
Plaxton, W. C. *See* Bozzo, G. G.
Ploegh, H. L. *See* Evans, P. C.
Ploug, M. *See* Hansen, L. V.
Podlesek, Z. *See* Gutiérrez-Aguirre, I.
Podsiadlowski, L. *See* Clermont, A.
Pogribny, I. *See* Schwahn, B. C.
Pohl, J. *See* Ogbi, M.; Tseung, C.-W.
Poli, A. *See* Fiore, G.
Poliseno, L.
——; Bianchi, L.; Citti, L.; Liberatori, S.; Mariani, L.; Salvetti, A.; Evangelista, M.; Bini, L.; Pallini, V.; Rainaldi, G.
Bcl2-low-expressing MCF7 cells undergo necrosis rather than apoptosis upon staurosporine treatment, 379:823
Pollock, S. V. *See* Yang, Wenyu
Poon, R. Y. C. *See* Cheung, N.
Pop, C. *See* Feeney, B.
Popoff, J.-F. *See* White, J. K.
Porkka, E. J. *See* Hytönen, V. P.
Portoukalian, J. *See* Bionda, C.
Pospíšilová, Š.
——; Brázda, V.; Kuchaříková, K.; Luciani, M. G.; Hupp, T. R.; Skládal, P.; Paleček, E.; Vojtěšek, B.
Activation of the DNA-binding ability of latent p53 protein by protein kinase C is abolished by protein kinase CK2, 378:939
Postle, A. D. *See* Rodway, H. A.
Potter, B. V. L. *See* Gregory, R. B.
Potter, J. L. *See* Harris, L. R.
Poulos, J. *See* Blackburn, P. E.
Pourquier, D. *See* Salhi, I.
Poussard, S. *See* Dulong, S.
Pouyssegur, J. *See* Chauvet, C.
Powell, D. J. *See* Gul, S.
——; Turban, S.; Gray, A.; Hajduch, E.; Hundal, H. S.
Intracellular ceramide synthesis and protein kinase Cζ activation play an essential role in palmitate-induced insulin resistance in rat L6 skeletal muscle cells, 382:619
Pozuelo Rubio, M.
——; Geraghty, K. M.; Wong, B. H. C.; Wood, N. T.; Campbell, D. G.; Morrice, N.; Mackintosh, C.
14-3-3-affinity purification of over 200 human phosphoproteins reveals new links to regulation of cellular metabolism, proliferation and trafficking, 379:395 (*See* Yaffe, M. B. for online-only commentary)
Prabhakaran, K. *See* Shou, Y.
Pradeep, K. K. *See* Praseeda, M.
Prag, S.
——; Collett, G. D. M.; Adams, J. C.
Molecular analysis of muskelin identifies a conserved discoidin-like domain that contributes to protein self-association, 381:547
Praseeda, M.
——; Pradeep, K. K.; Krupa, A.; Krishna, S. S.; Leena, S.; Kumar, R. R.; Cheriyan, J.; Mayadevi, M.; Srinivasan, N.; Omkumar, R. V.
Influence of a mutation in the ATP-binding region of Ca^{2+}/calmodulin-dependent protein kinase II on its interaction with peptide substrates, 378:391
Praskova, M.
——; Khoklatchev, A.; Ortiz-Vega, S.; Avruch, J.
Regulation of the MST1 kinase by autophosphorylation, by the growth inhibitory proteins, RASSF1 and NORE1, and by Ras, 381:453
Prescott, A. *See* Paron, I.
Prescott, A. R. *See* Fleming, I. N.; Vitari, A. C.
Prestwich, G. D. *See* Schneiter, R.
Prevarskaya, N. *See* Van Coppenolle, F.
Prinz, H. *See* Siritapetawee, J.
Prior, C. *See* Torres, R. J.
Prosper, F. *See* Sanz, C.
Prydz, K. *See* Kolset, S. O.
Pryzdial, E. L. G. *See* Zeibdawi, A. R.
Publicover, S. J. *See* Kirkman-Brown, J. C.
Pucci, B. *See* De Felice, M.
Pueyo, C. *See* Monje-Casas, F.
Pugh, C. W. *See* Lancaster, D. E.
Pugnière, M. *See* Salhi, I.
Puig, J. G. *See* Torres, R. J.
Püschel, G. P. *See* Neuschäfer-Rube, F.
Puthalakath, H. *See* Day, C. L.
Puzon-McLaughlin, W. *See* Kamata, T.

Qadri, I.
——; Iwahashi, M.; Capasso, J. M.; Hopken, M. W.; Flores, S.; Schaack, J.; Simon, F. R.
Induced oxidative stress and activated expression of manganese superoxide dismutase during hepatitis C virus replication: role of JNK, p38 MAPK and AP-1, 378:919; 381:951 (Correction)
Qian, Q. *See* da Silva Xavier, G.
Qin, S. *See* Xu, S.
Qin, X. *See* Sivanandam, A. S.
Qiu, P. *See* Grill, C.
Quijada, L. *See* Soto, M.
Quinn, C. M.
——; Kågedal, K.; Terman, A.; Stroikin, U.; Brunk, U. T.; Jessup, W.; Garner, B.
Induction of fibroblast apolipoprotein E expression during apoptosis, starvation-induced growth arrest and mitosis, 378:753

Rachel, R. *See* Urich, T.
Radaeva, S.
——; Jaruga, B.; Kim, W.-H.; Heller, T.; Liang, T. J.; Gao, B.
Interferon-γ inhibits interferon-α signalling in hepatic cells: evidence for the involvement of STAT1 induction and hyperexpression of STAT1 in chronic hepatitis C, 379:199
Radeva, G.
——; Sharom, F. J.
Isolation and characterization of lipid rafts with different properties from RBL-2H3 (rat basophilic leukaemia) cells, 380:219
Rafiq, I. *See* Guillemain, G.
Raghothama, K. G. *See* Bozzo, G. G.
Rahier, A. *See* Darnet, S.
Rahmouni, S.
——; Aandahl, E. M.; Nayjib, B.; Zeddou, M.; Giannini, S.; Verlaet, M.; Greimers, R.; Boniver, J.; Tasken, K.; Moutschen, M.
Cyclo-oxygenase type 2-dependent prostaglandin E_2 secretion is involved in retrovirus-induced T-cell dysfunction in mice, 384:469
Rahnama, F.
——; Toftgård, R.; Zaphiropoulos, P. G.
Distinct roles of PTCH2 splice variants in Hedgehog signalling, 378:325
Raikwar, N. S. *See* Mann, K. J.
Rainaldi, G. *See* Poliseno, L.
Rainbow, R. D.
——; James, M.; Hudman, D.; Al Johi, M.; Singh, H.; Watson, P. J.; Ashmole, I.; Davies, N. W.; Lodwick, D.; Norman, R. I.

© 2005 Biochemical Society

Proximal C-terminal domain of sulphonylurea receptor 2A interacts with pore-forming Kir6 subunits in K_{ATP} channels, 379:173
Raj, M. L. S. *See* Rangarajan, S.
Rajapakshe, S. *See* Athauda, S. B. P.
Rallière, C. *See* Combaret, L.
Ramachandran, A. *See* Levonen, A.-L.; Shiva, S.
Ramakrishna, T. *See* Chowdary, T. K.
Raman, B. *See* Chowdary, T. K.
Ramasamy, S. *See* Jia, Y.
Ramirez, B. C. *See* Charpenteau, M.
Ramotar, D. *See* Aouida, M.
Ramus, C. *See* Bourges, I.
Ramya, T. N. C. *See* Surolia, A.
Ramya, V. *See* Surolia, A.
Randak, C. *See* Howell, L. D.
Randall, J. D. *See* Kojima, R.
Rangarajan, P. N. *See* Varadharajan, S.
Rangarajan, S.
——; Raj, M. L. S.; Hernandez, J. M.; Grotewold, E.; Gopalan, V.
RNase P as a tool for disruption of gene expression in maize cells, 380:611
Ranjeva, R. *See* Charpenteau, M.
Ranty, B. *See* Charpenteau, M.
Rao, C. M. *See* Chowdary, T. K.
Rao, Z. *See* Wang, Guozheng
Rappaport, H. P.
——; The fidelity of replication of the three-base-pair set adenine/thymine, hypoxanthine/cytosine and 6-thiopurine/5-methyl-2-pyrimidinone with T7 DNA polymerase, 381:709
Rasmusson, A. G. *See* Johansson, F. I.
Rasoloson, D.
——; Shi, L.; Chong, C. R.; Kafsack, B. F.; Sullivan, Jr, D. J.
Copper pathways in *Plasmodium falciparum* infected erythrocytes indicate an efflux role for the copper P-ATPase, 381:803
Ratcliffe, P. J. *See* Lancaster, D. E.
Rauch, M. C.
——; Brito, M.; Zambrano, A.; Espinoza, M.; Pérez, M.; Yañez, A.; Rivas, C. I.; Slebe, J. C.; Vera, J. C.; Concha, I. I.
Differential signalling for enhanced hexose uptake by interleukin (IL)-3 and IL-5 in male germ cells, 381:495
Raussens, V. *See* Scheirlinckx, F.
Rawlings, N. D.
——; Tolle, D. P.; Barrett, A. J.
Evolutionary families of peptidase inhibitors, 378:705
Rawlinson, L. *See* Sully, G.
Rayner, B. S.
——; Stocker, R.; Lay, P. A.; Witting, P. K.
Regio- and stereo-chemical oxidation of linoleic acid by human myoglobin and hydrogen peroxide: Tyr^{103} affects rate and product distribution, 381:365
Real, F. X. *See* Skoudy, A.
Ream, A. *See* Simmons, C. Q.
Rebrin, I.
——; Bayne, A.-C. V.; Mockett, R. J.; Orr, W. C.; Sohal, R. S.
Free aminothiols, glutathione redox state and protein mixed disulphides in aging *Drosophila melanogaster*, 382:131
Recklies, A. D. *See* Ling, H.
Record, M. *See* Laulagnier, K.
Reddy, C. C. *See* Kapoor, M.
Reddy, G. B. *See* Kumar, M. S.
Reddy, P. Y. *See* Kumar, M. S.
Reddy, V. K. *See* Mitchell, J. L. A.
Redfern, C. P. F.
——; Enhancing enhancers: new complexities in the retinoid regulation of gene expression (online-only commentary on Harris, L. R.), 383:e1
Reece, J. M. *See* D'Angelo, M. A.
Reed, J. C. *See* Damiano, J. S.; Heimlich, G.; Isidoro, A.
Rees, H. H. *See* Lai, R.; Takeuchi, H.
Rees, M. D.
——; Hawkins, C. L.; Davies, M. J.
Hypochlorite and superoxide radicals can act synergistically to induce fragmentation of hyaluronan and chondroitin sulphates, 381:175
Régnacq, M. *See* Alimardani, P.; Ferreira, T.
Rehbein, M. *See* Brendel, C.
Rehwald, M. *See* Neuschäfer-Rube, F.
Reid, J. D.
——; Hussain, S.; Bailey, T. S. F.; Sonkaria, S.; Sreedharan, S. K.; Thomas, E. W.; Resmini, M.; Brocklehurst, K.
Isomerization of the uncomplexed actinidin molecule: kinetic accessibility of additional steps in enzyme catalysis provided by solvent perturbation, 378:699
Reinhold, V. N. *See* Zhu, S.
Reis, C. A. *See* Serpa, J.
Reiser, G. *See* Schönfeld, P.
Reithmeier, R. A. F. *See* Cheung, J. C.
Rejman, J.
——; Oberle, V.; Zuhorn, I. S.; Hoekstra, D.
Size-dependent internalization of particles via the pathways of clathrin- and caveolae-mediated endocytosis, 377:159
Rek, A. *See* Halden, Y.
Reks, S. E. *See* Kelley, G. G.
Remacle, C. *See* Bourges, I.
Ren, Y. *See* Li, S.
Renault, F. *See* Rochu, D.
Rendić, D. *See* Mucha, J.
Rendu, F. *See* Millanvoye-Van Brussel, E.
Renes, J. *See* Schoneveld, O. J. L. M.
Renner, K. *See* Hutter, E.
Requena, J. M. *See* Soto, M.
Resmini, M. *See* Reid, J. D.; Sonkaria, S.
Reutter, W. *See* Blume, A.
Reuver, S. *See* Sabio, G.
Rhee, S. G. *See* Suzuki-Inoue, K.
Rhodes, C. J. *See* Wäsle, B.
Rice, G. I.
——; Thomas, D. A.; Grant, P. J.; Turner, A. J.; Hooper, N. M.
Evaluation of angiotensin-converting enzyme (ACE), its homologue ACE2 and neprilysin in angiotensin peptide metabolism, 383:45
Richard, C. *See* Sanz, C.
Richard, S. *See* Boulanger, M.-C.
Richardson, D. J. *See* Brondijk, T. H. C.
Richter, D. *See* Brendel, C.
Richter, G. *See* Bonin, I.
Ricken, A. *See* Napirei, M.
Rickman, C. *See* Hu, K.
——; Craxton, M.; Osborne, S.; Davletov, B.
Comparative analysis of tandem C2 domains from the mammalian synaptotagmin family, 378:681
Ricono, J. M. *See* Gorin, Y.
Ridd, K. *See* Budd, D. C.
Riddell, D. R. *See* Mulcahy, J. V.
Rider, M. H. *See* Achouri, Y.
——; Bertrand, L.; Vertommen, D.; Michels, P. A.; Rousseau, G. G.; Hue, L.
6-Phosphofructo-2-kinase/fructose-2,6-bisphosphatase: head-to-head with a bifunctional enzyme that controls glycolysis, 381:561
Ridgway, N. D. *See* Yu, A.
Rifkind, J. M. *See* Jia, Y.
Rigato, I.
——; Pascolo, L.; Fernetti, C.; Ostrow, J. D.; Tiribelli, C.
The human multidrug-resistance-associated protein MRP1 mediates ATP-dependent transport of unconjugated bilirubin, 383:335
Rigden, D. J. *See* Axarli, I. A.
Rigo, A. *See* Di Paolo, M. L.
Riise Stensland, H. M. F. *See* Hansen, G.
Riley, A. M. *See* Gregory, R. B.
Rinaldi, A. C. *See* Mangoni, M. L.
Rinaldi, T.
——; Pick, E.; Gambadoro, A.; Zilli, S.; Maytal-Kivity, V.; Frontali, L.; Glickman, M. H.
Participation of the proteasomal lid subunit Rpn11 in mitochondrial morphology and function is mapped to a distinct C-terminal domain, 381:275
Ritz, P. *See* Roussel, D.
Rivas, C. I. *See* Rauch, M. C.
Rivas, L. *See* Plasencia, I.
Rivett, A. J. *See* Bose, S.
Rivière, G.
——; Michaud, A.; Deloffre, L.; Vandenbulcke, F.; Levoye, A.; Breton, C.; Corvol, P.; Salzet, M.; Vieau, D.
Characterization of the first non-insect invertebrate functional angiotensin-converting enzyme (ACE): leech *Tr*ACE resembles the N-domain of mammalian ACE, 382:565
Rivkees, S. A. *See* Lu, D.
Robbe, C.
——; Capon, C.; Coddeville, B.; Michalski, J.-C.
Structural diversity and specific distribution of O-glycans in normal human mucins along the intestinal tract, 384:307 (*See* Brockhausen, I. for online-only commentary)
Robelek, R. *See* Bonin, I.
Robello, C. *See* Freire, T.
Roberts, A. B. *See* Piek, E.
Roberts, G. C. K. *See* Flanagan, J. U.
Roberts, L. M. *See* Spooner, R. A.
Roberts, M. *See* Woloszynek, J. C.
Roberts, S. G. E. *See* Ghosh, M.
Roberts, S. J.
——; Stewart, A. J.; Sadler, P. J.; Farquharson, C.
Human PHOSPHO1 exhibits high specific phosphoethanolamine and phosphocholine phosphatase activities, 382:59
Robertson, J. D. *See* Gogvadze, V.
Robertson, K. A. *See* Pampena, D. A.
Robijn, M. L. M. *See* Wuhrer, M.
Robinson, A.
——; Huttley, G. A.; Booth, H. S.; Board, P. G.
Modelling and bioinformatics studies of the human Kappa-class glutathione transferase predict a novel third glutathione transferase family with similarity to prokaryotic 2-hydroxychromene-2-carboxylate isomerases, 379:541
Robinson, B. H. *See* Xu, F.
Robinson, N. J. *See* Borrelly, G. P. M.
Robinson, P. J. *See* Graham, M. E.; Xue, J.
Rochat, H. *See* Jouirou, B.

© 2005 Biochemical Society

Rochu, D.
——; Viguié, N.; Renault, F.; Crouzier, D.; Froment, M.-T.; Masson, P.
Contribution of the active-site metal cation to the catalytic activity and to the conformational stability of phosphotriesterase: temperature- and pH-dependence, 380:627
Roderick, H. L. *See* Peppiatt, C. M.
Rodrigues-Pousada, C. *See* Nevitt, T.
Rodriguez-Lafrasse, C. *See* Bionda, C.
Rodríguez-López, J. N. *See* Fenoll, L. G.
Rodway, H. A.
——; Hunt, A. N.; Kohler, J. A.; Postle, A. D.; Lillycrop, K. A.
Lysophosphatidic acid attenuates the cytotoxic effects and degree of peroxisome proliferator-activated receptor γ activation induced by 15-deoxy$\Delta^{12,14}$-prostaglandin J_2 in neuroblastoma cells, 382:83
Roepstorff, P. *See* Færgeman, N. J.
Roger, P. P. *See* Arsenijevic, T.
Rokeach, L. A. *See* Maréchal, A.
Rolland, N. *See* van der Rest, B.
Rollet-Labelle, E.
——; Marois, S.; Barbeau, K.; Malawista, S. E.; Naccache, P. H.
Recruitment of the cross-linked opsonic receptor CD32A (FcγRIIA) to high-density detergent-resistant membrane domains in human neutrophils, 381:919
Roman, J. *See* Walia, B.
Roncone, R.
——; Monzani, E.; Murtas, M.; Battaini, G.; Pennati, A.; Sanangelantoni, A. M.; Zuccotti, S.; Bolognesi, M.; Casella, L.
Engineering peroxidase activity in myoglobin: the haem cavity structure and peroxide activation in the T67R/S92D mutant and its derivative reconstituted with protohaemin-L-histidine, 377:717
Rondelez, E. *See* Longin, S.
Rönnstrand, L. *See* Neuschäfer-Rube, F.
Root, P.
——; Sliskovic, I.; Mutus, B.
Platelet cell-surface protein disulphide-isomerase mediated *S*-nitrosoglutathione consumption, 382:575
Ropert, C. *See* Andrade, A. A.
Rosa, J. C. *See* Sá, J. M.
Rosenthal, P. J. *See* Na, B.-K.
Ross, M. F.
——; Filipovska, A.; Smith, R. A. J.; Gait, M. J.; Murphy, M. P.
Cell-penetrating peptides do not cross mitochondrial membranes even when conjugated to a lipophilic cation: evidence against direct passage through phospholipid bilayers, 383:457
Rossetti, L. *See* VanPatten, S.
Rossi, M. *See* Ausili, A.; De Felice, M.; Guagliardi, A.; Piszczek, G.; Marabotti, A.
Rossignol, T. *See* Alimardani, P.
Rostas, J. A. P. *See* Xue, J.
Roth, R. A. *See* Greene, M. W.
Rothenberger, M. *See* Schröder, H.-C.
Rotstein, O. D. *See* Fan, L.
Rottensteiner, H. *See* Lasorsa, F. M.
Rotter, B.
——; Kroviarski, Y.; Nicolas, G.; Dhermy, D.; Lecomte, M.-C.
αII-Spectrin is an *in vitro* target for caspase-2, and its cleavage is regulated by calmodulin binding, 378:161
Roudbaraki, M. *See* Van Coppenolle, F.
Rousseau, G. G. *See* Rider, M. H.
Roussel, D.
——; Dumas, J.-F.; Simard, G.; Malthièry, Y.; Ritz, P.
Kinetics and control of oxidative phosphorylation in rat liver mitochondria after dexamethasone treatment, 382:491
Rouvinen, J. *See* Saarela, J.
Rovira, M. *See* Skoudy, A.
Rowlett, R. S. *See* Clark, D.
Roy, S. *See* Laulagnier, K.
Roza, M. *See* Schantl, J. A.
Rozen, R. *See* Schwahn, B. C.
Rudland, P. S. *See* Wang, Guozheng
Ruff, J. *See* Mampel, J.
Ruijter, G. J. G. *See* vanKuyk, P. A.
Ruijter, J. M. *See* Schoneveld, O. J. L. M.
Ruike, T. *See* Takeuchi, R.
Ruller, R. *See* Sá, J. M.
Ruma-Haynes, P. *See* Graham, M. E.
Rundell, C. J. *See* Magiera, M. M.
Rutledge, P. J. *See* Grummitt, A. R.
Rutter, G. A. *See* da Silva Xavier, G.; Diraison, F.; Guillemain, G.
Ruysschaert, J.-M. *See* Scheirlinckx, F.
Ruzzene, M. *See* Lopreiato, R.
Ryan, A. J.
——; Fisher, K.; Thomas, C. P.; Mallampalli, R. K.
Transcriptional repression of the CTP:phosphocholine cytidylyltransferase gene by sphingosine, 382:741
Ryser, S.
——; Massiha, A.; Piuz, I.; Schlegel, W.
Stimulated initiation of mitogen-activated protein kinase phosphatase-1 (MKP-1) gene transcription involves the synergistic action of multiple *cis*-acting elements in the proximal promoter, 378:473

Sá, J. M.
——; Chioato, L.; Ferreira, T. L.; de Oliveira, A. H. C.; Ruller, R.; Rosa, J. C.; Greene, L. J.; Ward, R. J.
Topology of the substrate-binding site of a Lys^{49}-phospholipase A_2 influences Ca^{2+}-independent membrane-damaging activity, 382:191
Saadat, A. *See* Doran, J. D.
Saarela, J.
——; Oinonen, C.; Jalanko, A.; Rouvinen, J.; Peltonen, L.
Autoproteolytic activation of human aspartylglucosaminidase, 378:363
Saavedra, J. M. *See* Martínez, A.
Sabari, S. *See* Stanton, L.-A.
Sabater, B. *See* Casano, L. M.
Sabatier, J.-M. *See* Jouirou, B.; Mouhat, S.
Sabio, G.
——; Reuver, S.; Feijoo, C.; Hasegawa, M.; Thomas, G. M.; Centeno, F.; Kuhlendahl, S.; Leal-Ortiz, S.; Goedert, M.; Garner, C.; Cuenda, A.
Stress- and mitogen-induced phosphorylation of the synapse-associated protein SAP90/PSD-95 by activation of SAPK3/p38γ and ERK1/ERK2, 380:19
Sadir, R. *See* Vanhaverbeke, C.
Sadler, P. J. *See* Borrelly, G. P. M.; Roberts, S. J.
Saenko, E. L. *See* Panteleev, M. A.
Saez, J. M. *See* Allegra, S.
Saftig, P. *See* Godat, E.
Sagar, B. K. C. *See* Varadharajan, S.
Saghir, A. N. *See* Tuxworth, Jr, W. J.
Said, B. *See* Sonkaria, S.
Saito, H. *See* Asano, H.
Saito, Y.
——; Sato, N.; Hirashima, M.; Takebe, G.; Nagasawa, S.; Takahashi, K.
Domain structure of bi-functional selenoprotein P, 381:841
Saitta, B. *See* Cicchillitti, L.
Sakaguchi, K. *See* Takeuchi, R.
Sakai, M. *See* Ikeda, H.
Sakai, S. *See* Akiyama, H.
Sakai, T. *See* Liu, L.
Sakane, F. *See* Imai, S.-i.
Saklatvala, J. *See* Sully, G.
Sakowska, M. *See* Dulhunty, A. F.
Sala, A. *See* Cicchillitti, L.
Salahbey Hocini, K. *See* Fassy, F.
Salas, V. *See* Li, H.
Salhi, I.
——; Cambon-Roques, S.; Lamarre, I.; Laune, D.; Molina, F.; Pugnière, M.; Pourquier, D.; Gutowski, M.; Picard, J.-Y.; Xavier, F.; Pèlegrin, A.; Navarro-Teulon, I.
The anti-Müllerian hormone type II receptor: insights into the binding domains recognized by a monoclonal antibody and the natural ligand, 379:785
Salih, M. *See* Guzzo, R. M.
Sallee, J. M. *See* Piek, E.
Salles, J.-P. *See* Laulagnier, K.
Salminen, T. A. *See* Hytönen, V. P.
Salvatore, F. *See* Esposito, G.
Salvesen, G. S. *See* Boatright, K. M.; Fuentes-Prior, P.
Salvetti, A. *See* Poliseno, L.
Salzet, M. *See* Lefebvre, C.; Rivière, G.
Samaja, M. *See* Vandegriff, K. D.
Samosornsuk, W. *See* Siritapetawee, J.
Sampaio, A. V. *See* Stanton, L.-A.
Sampaleanu, L. M.
——; Codding, P. W.; Lobsanov, Y. D.; Tsai, M.; Smith, G. D.; Horvatin, C.; Howell, P. L.
Structural studies of duck δ2 crystallin mutants provide insight into the role of Thr^{161} and the 280s loop in catalysis, 384:437
Sanangelantoni, A. M. *See* Roncone, R.
Sánchez-Jiménez, F. *See* Fleming, J. V.
Sánchez-Martínez, C. *See* Martínez-Costa, O. H.
Sánchez-Torres, J. *See* Li, H.
Sandhoff, K. *See* Gopalakrishnan, M. M.
Sandonà, D.
——; Gastaldello, S.; Martinello, T.; Betto, R.
Characterization of the ATP-hydrolysing activity of α-sarcoglycan, 381:105
Sandqvist, A. *See* Schachtrup, C.
Sandri, G. *See* Tramer, F.
Sands, M. S. *See* Woloszynek, J. C.
Sandy, J. D. *See* Oshita, H.; Westling, J.
Sang, Q.-X. A. *See* Hurst, D. R.
Sanguineti, S. *See* D'Angelo, M. A.
Sanjuan, M. A. *See* Martínez, C.
Sano, N. *See* Liu, L.
Santalucia, T. *See* Sully, G.
Santamaría, B. *See* Martínez-Costa, O. H.
Santamaría, G. *See* Isidoro, A.
Santangelo, R. T. *See* Wright, L. C.
Santodomingo, J. *See* Montero, M.
Santos, N. C. *See* Veiga, S.
Santoso, C. B. *See* Corgan, A. M.
Santos Silva, L. F. *See* Serpa, J.
Sanz, C.
——; Calasanz, M. J.; Andreu, E.; Richard, C.; Prosper, F.; Fernandez-Luna, J. L.

© 2005 Biochemical Society

NALP1 is a transcriptional target for cAMP-response-element-binding protein (CREB) in myeloid leukaemia cells, 384:281
Sára, M. *See* Ilk, N.
Saraiva, M. J. *See* Almeida, M. R.
Saras, J. *See* Aspenström, P.
Sarcevic, B. *See* Bukczynska, P.
Sarkadi, B. *See* Kern, A.
Sartori, G. *See* Lopreiato, R.
Sasaki, S. *See* Nakano, K.
Sasaki, T. *See* Oshita, H.
Sasorith, S. *See* Bertin, B.
Satake, H. *See* Kawada, T.
Satish, N. *See* Magiera, M. M.
Sato, C. *See* Okumura, H.
Sato, K. *See* Crowley, P. B.; Lee, C. W.
Sato, M. *See* Yamada, T.
Sato, N. *See* Saito, Y.
Satoh, T. *See* Furihata, T.; Takagaki, K.
Savatier, P. *See* Skoudy, A.
Sayed, Y. *See* Kolobe, D.
Scaloni, A. *See* Cappiello, M.; Paron, I.
——; Dalla Serra, M.; Amodeo, P.; Mannina, L.; Vitale, R. M.; Segre, A. L.; Cruciani, O.; Lodovichetti, F.; Greco, M. L.; Fiore, A.; Gallo, M.; D'Ambrosio, C.; Coraiola, M.; Menestrina, G.; Graniti, A.; Fogliano, V.
Structure, conformation and biological activity of a novel lipodepsipeptide from *Pseudomonas corrugata*: cormycin A, 384:25
Scaltriti, M. *See* Caccamo, A. E.
Scarcia, P. *See* Lasorsa, F. M.
Scarpa, M. *See* Di Paolo, M. L.
Schaack, J. *See* Qadri, I.
Schachter, H. *See* Zhu, S.
Schachtrup, C.
——; Emmler, T.; Bleck, B.; Sandqvist, A.; Spener, F.
Functional analysis of peroxisome-proliferator-responsive element motifs in genes of fatty acid-binding proteins, 382:239
Schád, E. *See* Farkas, A.
Schantl, J. A.
——; Roza, M.; van Kerkhof, P.; Strous, G. J.
The growth hormone receptor interacts with its sheddase, the tumour necrosis factor-α-converting enzyme (TACE), 377:379
Schaper, F. *See* Fischer, P.
Schaschke, N. *See* Štern, I.
Scheirlinckx, F.
——; Raussens, V.; Ruysschaert, J.-M.; Goormaghtigh, E.
Conformational changes in gastric H^+/K^+-ATPase monitored by difference Fourier-transform infrared spectroscopy and hydrogen/deuterium exchange, 382:121
Schertzer, J. W. *See* Allali-Hassani, A.
Scheurer, S. *See* Lauer, I.
Schiöth, H. B. *See* Haitina, T.
Schippers, E. *See* Wong, H. Y.
Schlattner, U. *See* Bergman, T.
Schlegel, W. *See* Ryser, S.
Schmid, R. *See* Borrelly, G. P. M.
Schmid, T.
——; Zhou, J.; Köhl, R.; Brüne, B.
p300 relieves p53-evoked transcriptional repression of hypoxia-inducible factor-1 (HIF-1), 380:289
Schmitt, D. *See* Bionda, C.
Schmitt, M. J. *See* Petrova, V. Y.
Schmitz, J. *See* Fischer, P.
Schmitz, J. C. *See* Tai, N.
Schmoll, D. *See* Grempler, R.
Schneider, H.
——; Glatt, H.
Sulpho-conjugation of ethanol in humans *in vivo* and by individual sulphotransferase forms *in vitro*, 383:543
Schneiter, R. *See* Færgeman, N. J.
——; Brügger, B.; Amann, C. M.; Prestwich, G. D.; Epand, R. F.; Zellnig, G.; Wieland, F. T.; Epand, R. M.
Identification and biophysical characterization of a very-long-chain-fatty-acid-substituted phosphatidylinositol in yeast subcellular membranes, 381:941
Schnyder, A.
——; Krähenbühl, S.; Török, M.; Drewe, J.; Huwyler, J.
Targeting of skeletal muscle *in vitro* using biotinylated immunoliposomes, 377:61
Schofield, C. J. *See* Lancaster, D. E.
Scholes, D. T. *See* Laplaza, J. M.
Scholz, C. *See* Urich, T.
Schomburg, L. *See* Schweizer, U.
Schon, E. A. *See* Pallotti, F.
Schöneich, C. *See* Dremina, E. S.
Schoneveld, O. J. L. M.
——; Gaemers, I. C.; Das, A. T.; Hoogenkamp, M.; Renes, J.; Ruijter, J. M.; Lamers, W. H.
Structural requirements of the glucocorticoid-response unit of the carbamoyl-phosphate synthase gene, 382:463
Schönfeld, P.
——; Kahlert, S.; Reiser, G.
In brain mitochondria the branched-chain fatty acid phytanic acid impairs energy transduction and sensitizes for permeability transition, 383:121
Schots, A. *See* Wieland, W. H.
Schraml, E. *See* Oberkofler, H.
Schreiber, I. *See* Brehm, M. A.
Schröder, H.-C.
——; Perović-Ottstadt, S.; Rothenberger, M.; Wiens, M.; Schwertner, H.; Batel, R.; Korzhev, M.; Müller, I. M.; Müller, W. E. G.
Silica transport in the demosponge *Suberites domuncula*: fluorescence emission analysis using the PDMPO probe and cloning of a potential transporter, 381:665
Schroeder, F. *See* Gallegos, A. M.; Huang, H.
Schülein, R. *See* Neuschäfer-Rube, F.
Schut, G. J. *See* Verhees, C. H.
Schüttler, A. *See* Shojaee-Moradie, F.
Schwahn, B. C.
——; Laryea, M. D.; Chen, Z.; Melnyk, S.; Pogribny, I.; Garrow, T.; James, S. J.; Rozen, R.
Betaine rescue of an animal model with methylenetetrahydrofolate reductase deficiency, 382:831
Schwartz, M. A. *See* Hurst, D. R.
Schweizer, U.
——; Michaelis, M.; Köhrle, J.; Schomburg, L.
Efficient selenium transfer from mother to offspring in selenoprotein-P-deficient mice enables dose-dependent rescue of phenotypes associated with selenium deficiency, 378:21
Schwertner, H. *See* Schröder, H.-C.
Ścieglińska, D.
——; Vydra, N.; Krawczyk, Z.; Widłak, W.
Location of promoter elements necessary and sufficient to direct testis-specific expression of the *Hst70/Hsp70.2* gene, 379:739
Scirè, A. *See* Ausili, A.
Scolnik, P. A. *See* Kalifa, Y.
Scorcioni, F. *See* Caccamo, A. E.
Scott, J. D. *See* Carlisle Michel, J. J.
Scully, II, S. *See* Park, H. B.
Šebela, M. *See* Frébortová, J.
Sedor, J. R. *See* Gandhi, P. N.
Seedorf, M. *See* Baum, S.
Segal, A. W. *See* Paclet, M.-H.
Segawa, H. *See* Ito, M.
Segre, A. L. *See* Scaloni, A.
Seitz, V. *See* Clermont, A.
Sekiya, F. *See* Suzuki-Inoue, K.
Selkoe, D. J. *See* Leissring, M. A.
Semenkovich, C. F. *See* Woloszynek, J. C.
Seneca, S. H. *See* Chrzanowska-Lightowlers, Z. M. A.
Sengupta, A.
——; Tyagi, R. K.; Datta, K.
Truncated variants of hyaluronan-binding protein 1 bind hyaluronan and induce identical morphological aberrations in COS-1 cells, 380:837
Sengupta, D. J. *See* Endres, C. J.
Seo, J. T. *See* Peppiatt, C. M.
Seo, Y. S.
——; Yoo, A.; Jung, J.; Sung, S.-K.; Yang, D. R.; Kim, W. T.; Lee, W.
The active site and substrate-binding mode of 1-aminocyclopropane-1-carboxylate oxidase determined by site-directed mutagenesis and comparative modelling studies, 380:339
Serpa, J.
——; Mendes, N.; Reis, C. A.; Santos Silva, L. F.; Almeida, R.; Le Pendu, J.; David, L.
Two new *FUT2* (fucosyltransferase 2 gene) missense polymorphisms, 739G → A and 839T → C, are partly responsible for non-secretor status in a Caucasian population from Northern Portugal, 383:469
Serra, D. *See* Morillas, M.
Servant, M. *See* Demers, A.
Sethi, J. K. *See* Hagen, T.
Sevakivi, M. *See* Harris, L. R.
Severance, S.
——; Chakraborty, S.; Kosman, D. J.
The Ftr1p iron permease in the yeast plasma membrane: orientation, topology and structure–function relationships, 380:487
Sevlever, D. *See* Mann, K. J.
Seydel, U. *See* Triantafilou, M.
Shafferman, A. *See* Cohen, O.
Shan, L.
——; Marti, T.; Sollid, L. M.; Gray, G. M.; Khosla, C.
Comparative biochemical analysis of three bacterial prolyl endopeptidases: implications for coeliac sprue, 383:311
Shantz, L. M. *See* Ikeguchi, Y.
——; Transcriptional and translational control of ornithine decarboxylase during Ras transformation, 377:257
Shao, J. *See* Li, S.
Shapiro, P. *See* Cha, H.
Shariatmadari, R. *See* Törnquist, K.
Sharma, A. *See* Akhouri, R. R.
Sharom, F. J. *See* Radeva, G.
Sharov, V. S. *See* Dremina, E. S.
Sharp, S. J. *See* Millard, T. H.
Sharrocks, A. D. *See* Barsyte-Lovejoy, D.
Shears, S. B.
——; How versatile are inositol phosphate kinases?, 377:265
Shen, S.-H. *See* Doehn, U.
Shenai, B. R. *See* Na, B.-K.

© 2005 Biochemical Society

Shepherd, M.
——; Secrets of insulin and IGF-1 regulation of insulin secretion revealed (online-only commentary on da Silva Xavier, G.), 377:e1
——; Hunter, C. N.
Transient kinetics of the reaction catalysed by magnesium protoporphyrin IX methyltransferase, 382:1009
Shi, L. *See* Rasoloson, D.
Shi, Z. *See* Xu, D.
Shibata, C. *See* Athauda, S. P. B.
Shibata, M. *See* Omatsu-Kanbe, M.
Shigemoto-Mogami, Y. *See* Koizumi, S.
Shima, H. *See* Takagaki, K.
Shimada, I. *See* Lee, C. W.
Shimanouchi, K. *See* Takeuchi, R.
Shimizu, K. *See* Oshita, H.
Shin, S. Y. *See* Lee, C. W.
Shiraki, T. *See* Kanaya, E.
Shiva, S.
——; Crawford, J. H.; Ramachandran, A.; Ceaser, E. K.; Hillson, T.; Brookes, P. S.; Patel, R. P.; Darley-Usmar, V. M.
Mechanisms of the interaction of nitroxyl with mitochondria, 379:359
Shojaee-Moradie, F.
——; Chan, M. P. Y.; Telfer, M. A.; Brandenburg, D.; Sundermann, E.; Eckey, H.; Kleinjung, J.; Schüttler, A.; Jones, R. H.
Effect of thyroid hormone binding proteins on insulin receptor binding of B1-thyronine-insulin analogues, 381:51
Shoshan-Barmatz, V. *See* Azoulay-Zohar, H.
Shou, Y.
——; Li, L.; Prabhakaran, K.; Borowitz, J. L.; Isom, G. E.
Calcineurin-mediated Bad translocation regulates cyanide-induced neuronal apoptosis, 379:805
Shpiro, N. *See* Murray, J. T.
Shu, J.-C.
——; Clarkson, J.; Yudkin, M. D.
Studies of SpoIIAB mutant proteins elucidate the mechanisms that regulate the developmental transcription factor σ^F in *Bacillus subtilis*, 384:169
Shumway, S. D.
——; Miyamoto, S.
A mechanistic insight into a proteasome-independent constitutive inhibitory $\kappa B\alpha$ ($I\kappa B\alpha$) degradation and nuclear factor κB (NF-κB) activation pathway in WEHI-231 B-cells, 380:173
Shupliakov, O. *See* Szymkiewicz, I.
Siderovski, D. P. *See* Kimple, R. J.
Sijwali, P. S. *See* Na, B.-K.
Sikorski, A. F. *See* Hryniewicz-Jankowska, A.
Silamut, K. *See* Joët, T.
Sillard, R. *See* Palumaa, P.
Silva, P. N. G. *See* Andrade, A. A.
Silver, J. *See* Smalley, J. W.
Silverstein, R. *See* Demers, A.
Simard, G. *See* Roussel, D.
Šimkovič, M.
——; Frerman, F. E.
Alternative quinone substrates and inhibitors of human electron-transfer flavoprotein-ubiquinone oxidoreductase, 378:633
Simkus, C. L. *See* Mitchell, J. L. A.
Simmaco, M. *See* Mangoni, M. L.
Simmons, A. J. *See* Simmons, C. Q.
Simmons, C. Q.
——; Simmons, A. J.; Haubner, A.; Ream, A.; Davidson, J. N.
Substitutions in hamster CAD carbamoyl-phosphate synthetase alter allosteric response to 5-phosphoribosyl-α-pyrophosphate (PRPP) and UTP, 378:991
Simon, F. R. *See* Qadri, I.
Simorre, J.-P. *See* Vanhaverbeke, C.; Vreuls, C.
Simpanya, M. F. *See* Wright, L. C.
Simpson, C. V. *See* Blackburn, P. E.
Sindelar, P. *See* Staines, A. G.
Singh, A. *See* Na, B.-K.
Singh, B.
——; Gupta, R. S.
Genomic organization and linkage via a bidirectional promoter of the AP-3 (adaptor protein-3) μ3A and AK (adenosine kinase) genes: deletion mutants of AK in Chinese hamster cells extend into the AP-3 μ3A gene, 378:519
Singh, H. *See* Rainbow, R. D.
Singh, R. R.
——; Chang, J.-Y.
Investigating conformational stability of bovine pancreatic phospholipase A_2: a novel concept in evaluating the contribution of 'native-framework' of disulphides to the global conformational stability of proteins, 377:685
Singh, S. K. *See* Negi, S.
Singleton, C. *See* Corgan, A. M.
Sinka, R. *See* Farkas, A.
Siraganian, R. P. *See* Suzuki-Inoue, K.
Siritapetawee, J.
——; Prinz, H.; Krittanai, C.; Suginta, W.
Expression and refolding of Omp38 from *Burkholderia pseudomallei* and *Burkholderia thailandensis*, and its function as a diffusion porin, 384:609
——; Prinz, H.; Samosornsuk, W.; Ashley, R. H.; Suginta, W.
Functional reconstitution, gene isolation and topology modelling of porins from *Burkholderia pseudomallei* and *Burkholderia thailandensis*, 377:579
Sismondi, P. *See* Orso, F.
Sitaraman, S. V. *See* Walia, B.
Sivanandam, A. S.
——; Mohan, S.; Kita, H.; Kapur, S.; Chen, S.-T.; Linkhart, T. A.; Bagi, G.; Baylink, D. J.; Qin, X.
Studies on regulation of IGF (insulin-like growth factor)-binding protein (IGFBP) 4 proteolysis by pregnancy-associated plasma protein-A (PAPP-A) in cells treated with phorbol ester, 379:57
Skea, G. *See* Day, C. L.
Skjåk-Bræk, G. *See* Bjerkan, T. M.; Campa, C.
Skládal, P. *See* Pospíšilová, Š.
Skoudy, A.
——; Rovira, M.; Savatier, P.; Martin, F.; León-Quinto, T.; Soria, B.; Real, F. X.
Transforming growth factor (TGF)β, fibroblast growth factor (FGF) and retinoid signalling pathways promote pancreatic exocrine gene expression in mouse embryonic stem cells, 379:749
Skryma, R. *See* Van Coppenolle, F.
Slebe, J. C. *See* Rauch, M. C.
Slepkov, E. R.
——; Chow, S.; Lemieux, M. J.; Fliegel, L.
Proline residues in transmembrane segment IV are critical for activity, expression and targeting of the Na^+/H^+ exchanger isoform 1, 379:31
Sleytr, U. B. *See* Ilk, N.
Sliskovic, I. *See* Root, P.
Slomianny, C. *See* Van Coppenolle, F.
Sluse, F. E. *See* Douette, P.
Sluse-Goffart, C. *See* Douette, P.
Sly, W. *See* Woloszynek, J. C.
Smalley, J. W.
——; Thomas, M. F.; Birss, A. J.; Withnall, R.; Silver, J.
A combination of both arginine- and lysine-specific gingipain activity of *Porphyromonas gingivalis* is necessary for the generation of the μ-oxo bishaem-containing pigment from haemoglobin, 379:833
Smidt, M. P. *See* van der Heide, L. P.
Smith, C.
——; Zhu, K.; Merritt, A.; Picton, R.; Youngs, D.; Garrod, D.; Chidgey, M.
Regulation of desmocollin gene expression in the epidermis: CCAAT/enhancer-binding proteins modulate early and late events in keratinocyte differentiation, 380:757
Smith, D. *See* Wang, Y.
Smith, D. C. *See* Spooner, R. A.
Smith, G. D. *See* Sampaleanu, L. M.
Smith, G. L. *See* Currie, S.
Smith, P. M. *See* Chrzanowska-Lightowlers, Z. M. A.
Smith, P. W. *See* Guy, M. R.
Smith, R. A. J. *See* Ross, M. F.
Smith, T. S. *See* Evans, P. C.
Smolenová, E. *See* Gopalakrishnan, M. M.
Smrcka, A. V. *See* Kelley, G. G.
Smulczyk-Krawczyszyn, A. *See* Zawilak, A.
Smyth, M. G. *See* Gul, S.
So, C. K. C. *See* Cheung, N.
So, C. W. *See* Cheung, N.
Soave, S. *See* Coquil, J.-F.
Sobel, A. *See* Jourdain, I.
Sobota, R. M. *See* Fischer, P.
Sohal, R. S. *See* Rebrin, I.
Sohma, H. *See* Tomsig, J. L.
Solaini, G. *See* Pallotti, F.
Sol-Church, K. *See* Mason, R. W.
Sollid, L. M. *See* Shan, L.
Song, X. *See* Li, Y.
Sonkaria, S. *See* Reid, J. D.
——; Boucher, G.; Flórez-Álvarez, J.; Said, B.; Hussain, S.; Ostler, E. L.; Gul, S.; Thomas, E. W.; Resmini, M.; Gallacher, G.; Brocklehurst, K.
Evidence for 'lock and key' character in an anti-phosphonate hydrolytic antibody catalytic site augmented by non-reaction centre recognition: variation in substrate selectivity between an anti-phosphonate antibody, an anti-phosphate antibody and two hydrolytic enzymes, 381:125
Soria, B. *See* Skoudy, A.
Sorrell, T. C. *See* Wright, L. C.
Soto, M.
——; Iborra, S.; Quijada, L.; Folgueira, C.; Alonso, C.; Requena, J. M.
Cell-cycle-dependent translation of histone mRNAs is the key control point for regulation of histone biosynthesis in *Leishmania infantum*, 379:617
Southon, A.
——; Burke, R.; Norgate, M.; Batterham, P.; Camakaris, J.
Copper homoeostasis in *Drosophila melanogaster* S2 cells, 383:303
Spadari, S. *See* Cancio, R.
Span, P. N. *See* Bosch, R. R.
Sparks, D. L. *See* Breznan, D.
Spence, A. M. *See* Zhu, S.

© 2005 Biochemical Society

Spener, F. *See* Schachtrup, C.
Spiller, D. *See* Wang, Guozheng
Spillmann, D. *See* Vogt, A. M.
Spitznagel, L.
——; Nitsche, D. P.; Paulsson, M.; Maurer, P.; Zaucke, F.
Characterization of a pseudoachondroplasia-associated mutation ($His^{587} \rightarrow Arg$) in the C-terminal, collagen-binding domain of cartilage oligomeric matrix protein (COMP), 377:479
Splingard, A. *See* Traver, S.
Spooner, R. A.
——; Watson, P. D.; Marsden, C. J.; Smith, D. C.; Moore, K. A. H.; Cook, J. P.; Lord, J. M.; Roberts, L. M.
Protein disulphide-isomerase reduces ricin to its A and B chains in the endoplasmic reticulum, 383:285
Sposi, N. M. *See* Calzolari, A.
Spragg, E. J. *See* Budd, D. C.
Spruill, L. S. *See* Tuxworth, Jr, W. J.
Sreedharan, S. K. *See* Reid, J. D.
Srinivasan, N. *See* Praseeda, M.
Stafsnes, M. *See* Stellacci, E.
Staiano, M. *See* Piszczek, G.
Staines, A. G.
——; Sindelar, P.; Coughtrie, M. W. H.; Burchell, B.
Farnesol is glucuronidated in human liver, kidney and intestine *in vitro*, and is a novel substrate for UGT2B7 and UGT1A1, 384:637
Stalmans, W. *See* Cimpean, A.
Stamatoyannopoulos, G. *See* Asano, H.
Stancato, C. *See* Grossman, C. E.
Stanley, B. A. *See* Coleman, C. S.
Stanton, L.-A.
——; Sabari, S.; Sampaio, A. V.; Underhill, T. M.; Beier, F.
p38 MAP kinase signalling is required for hypertrophic chondrocyte differentiation, 378:53
Stanton, M. *See* McLean, J. E.
Starr, C. M. *See* Christianson, T. M.
St. Clair, D. K. *See* Kiningham, K. K.
Stecca, K. L. *See* Pereira, S. L.
Steensma, H. Y. *See* Bruckmann, A.
Stefan, C. *See* Cimpean, A.
Stehberger, P. A. *See* Pineda, M.
Steinberg, S. F.
——: Distinctive activation mechanisms and functions for protein kinase Cδ, 384:449
Steiner-Mosonyi, M.
——; Mangroo, D.
The nuclear tRNA aminoacylation-dependent pathway may be the principal route used to export tRNA from the nucleus in *Saccharomyces cerevisiae*, 378:809
Stellacci, E.
——; Testa, U.; Petrucci, E.; Benedetti, E.; Orsatti, R.; Feccia, T.; Stafsnes, M.; Coccia, E. M.; Marziali, G.; Battistini, A.
Interferon regulatory factor-2 drives megakaryocytic differentiation, 377:367
Stelzl, U. *See* Blume, A.
Stengel, P. *See* Marxsen, J. H.
Stephenson, G. M. M. *See* O'Connell, B.
Sterchi, E. E. *See* Kruse, M.-N.
Štern, I.
——; Schaschke, N.; Moroder, L.; Turk, D.
Crystal structure of NS-134 in complex with bovine cathepsin B: a two-headed epoxysuccinyl inhibitor extends along the entire active-site cleft, 381:511
Stetler-Stevenson, W. G. *See* Martínez, A.
Stevens, I. *See* Longin, S.
Stewart, A. *See* White, J. K.
Stewart, A. J. *See* Roberts, S. J.
Stewart, G. W. *See* Barnes, K.
Stewart, H. *See* Fleming, I. N.
Stocker, R. *See* Rayner, B. S.
Stöcker, W. *See* Kruse, M.-N.
Stöckl, P. *See* Hutter, E.
Stokke, B. T. *See* Campa, C.
Strålfors, P. *See* Aboulaich, N.
Strand, W. I. *See* Bjerkan, T. M.
Strasser, A. *See* Day, C. L.
Stratford, F. L. L. *See* Bose, S.
Straube, S.
——; Parekh, A. B.
Arf-1 (ADP-ribosylation factor-1) is involved in the activation of a mammalian Na^+-selective current, 377:539
Strödicke, M. *See* Mund, C.
Stroikin, U. *See* Quinn, C. M.
Stroomer, A. E. M. *See* van Kuilenburg, A. B. P.
Strous, G. J. *See* Schantl, J. A.
Stubbs, S. A. *See* Fox, E. J.
Stuchlik, O. *See* Ogbi, M.
Stuermer, C. A. O. *See* Neumann-Giesen, C.
Stuppard, R. *See* Hornberger, T. A.
Stürzl, M. *See* Naschberger, E.
Su, J.-Y. *See* Liu, W.-K.
Su, Y.-H. *See* Kuhn, M.
Suazo, M. *See* Tapia, L.
Sueda, S. *See* Kondo, H.
Suetsugu, S.
——; Tezuka, T.; Morimura, T.; Hattori, M.; Mikoshiba, K.; Yamamoto, T.; Takenawa, T.
Regulation of actin cytoskeleton by mDab1 through N-WASP and ubiquitination of mDab1, 384:1 (*See* Winder, S. J. for online-only commentary)
Sueyoshi, T. *See* Ulvila, J.
Suga, K.
——; Tomiyama, T.; Mori, H.; Akagawa, K.
Syntaxin 5 interacts with presenilin holoproteins, but not with their N- or C-terminal fragments, and affects β-amyloid peptide production, 381:619
Sugawara, T.
——; Fujimoto, S.
The potential function of steroid sulphatase activity in steroid production and steroidogenic acute regulatory protein expression, 380:153
Suginta, W. *See* Siritapetawee, J.
Sugita, M. *See* Aoki, K.
Suguna, K. *See* Kapoor, M.
Sukdeo, N.
——; Clugston, S. L.; Daub, E.; Honek, J. F.
Distinct classes of glyoxalase I: metal specificity of the *Yersinia pestis*, *Pseudomonas aeruginosa* and *Neisseria meningitidis* enzymes, 384:111
Sullivan, Jr, D. J. *See* Rasoloson, D.
Sullivan, Jr, W. J.
——; Narasimhan, J.; Bhatti, M. M.; Wek, R. C.
Parasite-specific eIF2 (eukaryotic initiation factor-2) kinase required for stress-induced translation control, 380:523
Sullivan, M. *See* Johnston, L. A.
Sully, G.
——; Dean, J. L. E.; Wait, R.; Rawlinson, L.; Santalucia, T.; Saklatvala, J.; Clark, A. R.
Structural and functional dissection of a conserved destabilizing element of cyclo-oxygenase-2 mRNA: evidence against the involvement of AUF-1 [AU-rich element/poly(U)-binding/degradation factor-1], AUF-2, tristetraprolin, HuR (Hu antigen R) or FBP1 (far-upstream-sequence element-binding protein 1), 377:629
Sun, Y. *See* Momoi, M.
Sun, Y.-X.
——; Tsuboi, K.; Okamoto, Y.; Tonai, T.; Murakami, M.; Kudo, I.; Ueda, N.
Biosynthesis of anandamide and *N*-palmitoylethanolamine by sequential actions of phospholipase A_2 and lysophospholipase D, 380:749
Sundaram, A. K. *See* Wu, J.
——; Pitts, L.; Muhammad, K.; Wu, J.; Betenbaugh, M.; Woodard, R. W.; Vann, W. F.
Characterization of *N*-acetylneuraminic acid synthase isoenzyme 1 from *Campylobacter jejuni*, 383:83
Sundermann, E. *See* Shojaee-Moradie, F.
Sung, S.-K. *See* Seo, Y. S.
Surjit, M.
——; Liu, B.; Jameel, S.; Chow, V. T. K.; Lal, S. K.
The SARS coronavirus nucleocapsid protein induces actin reorganization and apoptosis in COS-1 cells in the absence of growth factors, 383:13
Surolia, A. *See* Bajaj, K.; Kapoor, M.; Narayanan, S.
——; Ramya, T. N. C.; Ramya, V.; Surolia, N.
'FAS't inhibition of malaria, 383:401; 384:655 (Correction)
Surolia, I. *See* Kumar, M. S.
Surolia, N. *See* Kapoor, M.; Surolia, A.
Sutcliffe, M. J. *See* Flanagan, J. U.
Suter, B. *See* Boulanger, M.-C.
Sutherland, C. *See* Grempler, R.
Sutherlin, D. P. *See* Boatright, K. M.
Sutmuller, M. *See* Jonckheere, N.
Suzuki, A. *See* Momoi, M.; Omae, F.
Suzuki, K. *See* Oshita, H.
Suzuki, M. *See* Hirabayashi, K.; Momoi, M.; Omae, F.
——; Murayama, E.; Inoue, H.; Ozaki, N.; Tohse, H.; Kogure, T.; Nagasawa, H.
Characterization of Prismalin-14, a novel matrix protein from the prismatic layer of the Japanese pearl oyster (*Pinctada fucata*), 382:205
Suzuki, Y. *See* Kojima, R.; Momoi, M.; Omae, F.
Suzuki-Inoue, K.
——; Wilde, J. I.; Andrews, R. K.; Auger, J. M.; Siraganian, R. P.; Sekiya, F.; Rhee, S. G.; Watson, S. P.
Glycoproteins VI and Ib-IX-V stimulate tyrosine phosphorylation of tyrosine kinase Syk and phospholipase Cγ2 at distinct sites, 378:1023
Svasti, J. *See* Opassiri, R.
Svensson, B. *See* Maeda, K.
Swedmark, S. *See* Tsoi, C.
Sweep, C. G. J. *See* Bosch, R. R.
Swiezewska, E. *See* Forsgren, M.
Szentpétery, Z. *See* Kern, A.
Szilak, L. *See* Halden, Y.
Szlufcik, K. *See* Bultynck, G.
Szymkiewicz, I.
——; Shupliakov, O.; Dikic, I.
Cargo- and compartment-selective endocytic scaffold proteins, 383:1

Tack, C. J. *See* Bosch, R. R.
Tai, N.
——; Schmitz, J. C.; Chen, T.-m.; Chu, E.

© 2005 Biochemical Society

Characterization of a *cis*-acting regulatory element in the protein-coding region of human dihydrofolate reductase mRNA, 378:999
Taillandier, D. *See* Combaret, L.
Taira, K. *See* Hasan, M. K.
Takada, Y. *See* Kamata, T.
Takagaki, K.
——; Satoh, T.; Tanuma, N.; Masuda, K.; Takekawa, M.; Shima, H.; Kikuchi, K.
Characterization of a novel low-molecular-mass dual-specificity phosphatase-3 (LDP-3) that enhances activation of JNK and p38, 383:447
Takagi, Y. *See* Endo, H.
Takahashi, H. *See* Lee, C. W.
Takahashi, K. *See* Athauda, S. P. B.; Ito, T.; Saito, Y.
Takai, Y. *See* Gandhi, P. N.
Takata, K.-i. *See* Takeuchi, R.
Takatani, T. *See* Ito, T.
Takebe, G. *See* Saito, Y.
Takeda, N. *See* Hamaguchi, H.
Takeda, T. *See* Aoki, K.
Takekawa, M. *See* Takagaki, K.
Takematsu, H. *See* Momoi, M.
Takenaka, K.
——; Nakagawa, H.; Miyamoto, S.; Miki, H.
The pre-mRNA-splicing factor SF3a66 functions as a microtubule-binding and -bundling protein, 382:223
Takenawa, T. *See* Suetsugu, S.
Takeuchi, H.
——; Chen, J.-H.; Jenkins, J. R.; Bun-Ya, M.; Turner, P. C.; Rees, H. H.
Characterization of a sterol carrier protein 2/3-oxoacyl-CoA thiolase from the cotton leafworm (*Spodoptera littoralis*): a lepidopteran mechanism closer to that in mammals than that in dipterans, 382:93
Takeuchi, K. *See* Lee, C. W.
Takeuchi, R.
——; Oshige, M.; Uchida, M.; Ishikawa, G.; Takata, K.-i.; Shimanouchi, K.; Kanai, Y.; Ruike, T.; Morioka, H.; Sakaguchi, K.
Purification of *Drosophila* DNA polymerase ζ by REV1 protein-affinity chromatography, 382:535
Takuwa, Y. *See* Yamada, M.
Tamarit-Rodríguez, J. *See* Fernández-Pascual, S.
Tamura, T. *See* Yamanouchi, J.
Tan, T. C. *See* Graham, M. E.
Tan, Y.-J. *See* Khu, Y.-L.
Tanaka, K.
——; Zhou, F.; Kuze, K.; You, G.
Cysteine residues in the organic anion transporter mOAT1, 380:283
Tanfani, F. *See* Ausili, A.
Tanguay, P.-L. *See* Maréchal, A.
Tanimura, A. *See* Morita, T.
Tanioka, T. *See* Kobayashi, T.
Tanoue, D. *See* Momoi, M.
Tanuma, N. *See* Takagaki, K.
Tao, J. *See* Malbon, C. C.
Tapia, L.
——; González-Agüero, M.; Cisternas, M. F.; Suazo, M.; Cambiazo, V.; Uauy, R.; González, M.
Metallothionein is crucial for safe intracellular copper storage and cell survival at normal and supra-physiological exposure levels, 378:617
Taskén, K. *See* Nika, K.; Rahmouni, S.
Taslimi, P. *See* Doran, J. D.
Tateishi, Y. *See* Nakayama, T.
Tateno, H.
——; Winter, H. C.; Goldstein, I. J.
Cloning, expression in *Escherichia coli* and characterization of the recombinant Neu5Acα2,6Galβ1,4GlcNAc-specific high-affinity lectin and its mutants from the mushroom *Polyporus squamosus*, 382:667
Tatu, U. *See* Ghanekar, Y.
Tawa, G. *See* Wang, Y.
Taylor, K. M.
——; Morgan, H. E.; Johnson, A.; Nicholson, R. I.
Structure–function analysis of HKE4, a member of the new LIV-1 subfamily of zinc transporters, 377:131
Teeri, T. T. *See* Henriksson, H.
Teixeira, M. *See* Urich, T.
Teixeira de Mattos, M. J. *See* Bruckmann, A.
Telfer, M. A. *See* Shojaee-Moradie, F.
Tell, G. *See* Paron, I.
Temperley, R. J. *See* Chrzanowska-Lightowlers, Z. M. A.
Temple, B. *See* Gidwitz, S.
Templeton, D. J. *See* Cross, J. V.
ten Dijke, P. *See* Piek, E.
Tepikin, A. V. *See* Yano, K.
Terman, A. *See* Quinn, C. M.
Terrinoni, A. *See* Candi, E.
Terui, K.
——; Haga, S.; Enosawa, S.; Ohnuma, N.; Ozaki, M.
Hypoxia/re-oxygenation-induced, redox-dependent activation of STAT1 (signal transducer and activator of transcription 1) confers resistance to apoptotic cell death via *hsp70* induction, 380:203
Tesařová, M. *See* Ješina, P.
Testa, U. *See* Calzolari, A.; Stellacci, E.
Tezuka, T. *See* Suetsugu, S.
Thackray, A. M. *See* Wong, E.
——; Yang, S.; Wong, E.; Fitzmaurice, T. J.; Morgan-Warren, R. J.; Bujdoso, R.
Conformational variation between allelic variants of cell-surface ovine prion protein, 381:221
Thane, T. K. *See* Mitchell, J. L. A.
Thathiah, A.
——; Carson, D. D.
MT1-MMP mediates MUC1 shedding independent of TACE/ADAM17, 382:363
Thomas, C. P. *See* Ryan, A. J.
Thomas, D. A. *See* Rice, G. I.
Thomas, E. W. *See* Reid, J. D.; Sonkaria, S.
Thomas, G. M. *See* Sabio, G.
Thomas, M. F. *See* Smalley, J. W.
Thompson, V. P. *See* Westling, J.
Thornhill, W. B. *See* Zhu, J.
Thouvenot, B.
——; Charpentier, B.; Branlant, C.
The strong efficiency of the *Escherichia coli gapA* P1 promoter depends on a complex combination of functional determinants, 383:371
Thuring, J. W. *See* Billington, R. A.
Tieu, K. K. *See* Kamata, T.
Tiganis, T. *See* Bukczynska, P.
Tikkanen, R. *See* Neumann-Giesen, C.
Tiribelli, C. *See* Rigato, I.
Tirrell, M. V. *See* Lockwood, N. A.
Tobin, A. B. *See* Budd, D. C.; Vial, C.
Toda, M. *See* Akita, K.
Toftgård, R. *See* Rahnama, F.
Tohse, H. *See* Suzuki, M.
Toida, T. *See* Akiyama, H.
Tojyo, Y. *See* Morita, T.
Tokarz, P. *See* Mitchell, J. L. A.
Tolle, D. P. *See* Rawlings, N. D.
Tollersrud, O. K. *See* Hansen, G.
Tomita, M. *See* Ohtani, N.
Tomiyama, T. *See* Suga, K.
Tomlinson, S. R. *See* Mee, C. J.
Tompa, P. *See* Farkas, A.
Tomsig, J. L.
——; Sohma, H.; Creutz, C. E.
Calcium-dependent regulation of tumour necrosis factor-α receptor signalling by copine, 378:1089
Tonai, T. *See* Sun, Y.-X.
Tong, X. *See* Gandhi, P. N.
Tonks, N. K. *See* Bukczynska, P.
Topal, G. *See* Millanvoye-Van Brussel, E.
Töpolt, K. *See* Naschberger, E.
Törnquist, K.
——; Blom, T.; Shariatmadari, R.; Pasternack, M.
Ceramide 1-phosphate enhances calcium entry through voltage-operated calcium channels by a protein kinase C-dependent mechanism in GH_4C_1 rat pituitary cells, 380:661
Török, M. *See* Schnyder, A.
Torres, H. N. *See* D'Angelo, M. A.
Torres, R. J.
——; DeAntonio, I.; Prior, C.; Puig, J. G.
Adenosine transport in peripheral blood lymphocytes from Lesch–Nyhan patients, 377:733
Totani, L. *See* Piccardoni, P.
Tralau, T. *See* Mampel, J.
Tramer, F.
——; Vetere, A.; Martinelli, M.; Paroni, F.; Marsich, E.; Boitani, C.; Sandri, G.; Panfili, E.
cAMP-response element modulator-τ activates a distinct promoter element for the expression of the phospholipid hydroperoxide/sperm nucleus glutathione peroxidase gene, 383:179
Tran, N. Q.
——; Crowe, D. L.
Regulation of the human involucrin gene promoter by co-activator proteins, 381:267
Trapman, J. *See* Berrevoets, C. A.; Wong, H. Y.
Traub, M. *See* Wormit, A.
Traver, S.
——; Splingard, A.; Gaudriault, G.; de Gunzburg, J.
The RGS (regulator of G-protein signalling) and GoLoco domains of RGS14 co-operate to regulate G_i-mediated signalling, 379:627
Travis, M. A. *See* Barton, S. J.
Tréhin, R.
——; Nielsen, H. M.; Jahnke, H.-G.; Krauss, U.; Beck-Sickinger, A. G.; Merkle, H. P.
Metabolic cleavage of cell-penetrating peptides in contact with epithelial models: human calcitonin (hCT)-derived peptides, Tat(47–57) and penetratin(43–58), 382:945
Tretyn, A. *See* Charpenteau, M.
Triantafilou, K. *See* Triantafilou, M.
Triantafilou, M.
——; Brandenburg, K.; Kusumoto, S.; Fukase, K.; Mackie, A.; Seydel, U.; Triantafilou, K.
Combinational clustering of receptors following stimulation by bacterial products determines lipopolysaccharide responses, 381:527
Triboulet, J.-P. *See* Mariette, C.
Tripathy, A. *See* Feeney, B.
Troncoso, J. *See* Liu, Q.-R.

© 2005 Biochemical Society

Trugnan, G. *See* Bailleux, A.
Tsai, I.-H. *See* Chen, Y.-H.
Tsai, I.-H.
——; Wang, Y.-M.; Chen, Y.-H.; Tsai, T.-S.; Tu, M.-C.
Venom phospholipases A_2 of bamboo viper (*Trimeresurus stejnegeri*): molecular characterization, geographic variations and evidence of multiple ancestries, 377:215
Tsai, M. *See* Sampaleanu, L. M.
Tsai, T.-S. *See* Tsai, I.-H.
Tsao, W.-C. *See* Wu, W.-T.
Tschesche, H. *See* Hurst, D. R.
Tserng, K.-Y.
——; Griffin, R. L.
Ceramide metabolite, not intact ceramide molecule, may be responsible for cellular toxicity, 380:715
Tseung, C.-W.
——; McMahon, L. G.; Vázquez, J.; Pohl, J.; Gregory, III, J. F.
Partial amino acid sequence and mRNA analysis of cytosolic pyridoxine-β-D-glucoside hydrolase from porcine intestinal mucosa: proposed derivation from the lactase–phlorizin hydrolase gene, 380:211
Tsivkovskii, R. *See* Efremov, R. G.
Tsoi, C.
——; Widersten, M.; Morgenstern, R.; Swedmark, S.
Amino acid residue 247 in canine sulphotransferase SULT1D1: a new determinant of substrate selectivity, 378:687
Tsuboi, K. *See* Sun, Y.-X.
——; Hilligsmann, C.; Vandevoorde, S.; Lambert, D. M.; Ueda, N.
N-Cyclohexanecarbonylpentadecylamine: a selective inhibitor of the acid amidase hydrolysing *N*-acylethanolamines, as a tool to distinguish acid amidase from fatty acid amide hydrolase, 379:99
Tsuda, M. *See* Koizumi, S.
Tsujimoto, M. *See* Kobayashi, T.
Tsumuraya, Y. *See* Kotake, T.
Tsurugi, K. *See* Xu, Z.
Tu, M.-C. *See* Tsai, I.-H.
Tuana, B. S. *See* Guzzo, R. M.
Tudela, J. *See* Fenoll, L. G.
Tuininga, J. E. *See* Verhees, C. H.
Turban, S. *See* Powell, D. J.
Turk, D. *See* Štern, I.
Turner, A. J. *See* Rice, G. I.
Turner, C. P. *See* Lu, D.
Turner, P. C. *See* Lai, R.; Takeuchi, H.
Tuxworth, Jr, W. J.
——; Saghir, A. N.; Spruill, L. S.; Menick, D. R.; McDermott, P. J.
Regulation of protein synthesis by eIF4E phosphorylation in adult cardiocytes: the consequence of secondary structure in the 5′-untranslated region of mRNA, 378:73
Tyagi, R. K. *See* Sengupta, A.
Tytgat, J. *See* Huys, I.
Tzougraki, C. *See* Paschalidou, K.

Uauy, R. *See* Tapia, L.
Uchida, K. *See* Nakayama, T.
Uchida, M. *See* Takeuchi, R.
Uchiyama, R. *See* Aoki, K.
Udomsinprasert, R.
——; Bogoyevitch, M. A.; Ketterman, A. J.
Reciprocal regulation of glutathione S-transferase spliceforms and the *Drosophila* c-Jun N-terminal kinase pathway components, 383:483
Ueda, H.
——; Fukushima, H.; Hatanaka, Y.; Ogawa, H.
Solubility–insolubility interconversion of sophoragrin, a mannose/glucose-specific lectin in *Sophora japonica* (Japanese pagoda tree) bark, regulated by the sugar-specific interaction, 382:821
Ueda, N. *See* Sun, Y.-X.; Tsuboi, K.
Ueta, Y. *See* Murwantoko
Uhl, G. R. *See* Liu, Q.-R.
Uhlén, P. *See* Johenning, F. W.
Ulvila, J.
——; Arpiainen, S.; Pelkonen, O.; Aida, K.; Sueyoshi, T.; Negishi, M.; Hakkola, J.
Regulation of *Cyp2a5* transcription in mouse primary hepatocytes: roles of hepatocyte nuclear factor 4 and nuclear factor I, 381:887
Umar, A. *See* Berrevoets, C. A.
Unadkat, J. D. *See* Endres, C. J.
Underhill, T. M. *See* Stanton, L.-A.
Ungermann, C. *See* Færgeman, N. J.
Unsworth, E. J. *See* Martínez, A.
Unterman, T. G. *See* Zhao, X.
Urich, T.
——; Bandeiras, T. M.; Leal, S. S.; Rachel, R.; Albrecht, T.; Zimmermann, P.; Scholz, C.; Teixeira, M.; Gomes, C. M.; Kletzin, A.
The sulphur oxygenase reductase from *Acidianus ambivalens* is a multimeric protein containing a low-potential mononuclear non-haem iron centre, 381:137
Urlaub, H. *See* Bonin, I.
Usherwood, P. N. R. *See* Mee, C. J.

Vaandrager, A. B. *See* Bleijerveld, O. B.
Vacher, H. *See* Huys, I.
Vainonen, J. P. *See* Aboulaich, N.
Väisänen, M.-R.
——; Väisänen, T.; Pihlajaniemi, T.
The shed ectodomain of type XIII collagen affects cell behaviour in a matrix-dependent manner, 380:685
Väisänen, T. *See* Väisänen, M.-R.
Vajda, S. *See* Grossman, C. E.
Valasinas, A. L. *See* Mitchell, J. L. A.
Valencia, A. *See* Morillas, M.
Valencia, G. *See* Almeida, M. R.
Valenti, D. *See* de Bari, L.
Valla, S. *See* Bjerkan, T. M.
Valle, G. *See* Nori, A.
Valova, V. A. *See* Graham, M. E.
Van Beeumen, J. *See* Généreux, C.
Vance, D. E. *See* Dolinsky, V. W.
Van Coppenolle, F.
——; Skryma, R.; Ouadid-Ahidouch, H.; Slomianny, C.; Roudbaraki, M.; Delcourt, P.; Dewailly, E.; Humez, S.; Crépin, A.; Gourdou, I.; Djiane, J.; Bonnal, J.-L.; Mauroy, B.; Prevarskaya, N.
Prolactin stimulates cell proliferation through a long form of prolactin receptor and K^+ channel activation, 377:569
Vandegriff, K. D.
——; Bellelli, A.; Samaja, M.; Malavalli, A.; Brunori, M.; Winslow, R. M.
Kinetics of NO and O_2 binding to a maleimide poly(ethylene glycol)-conjugated human haemoglobin, 382:183
Vandenbulcke, F. *See* Lefebvre, C.; Rivière, G.

van der Heide, L. P.
——; Hoekman, M. F. M.; Smidt, M. P.
The ins and outs of FoxO shuttling: mechanisms of FoxO translocation and transcriptional regulation, 380:297
van der Knaap, M. S. *See* Grossman, C. E.
van der Oost, J. *See* Verhees, C. H.
van der Rest, B.
——; Rolland, N.; Boisson, A.-M.; Ferro, M.; Bligny, R.; Douce, R.
Identification and characterization of plant glycerophosphodiester phosphodiesterase, 379:601
van der Sluis, M. *See* Jonckheere, N.
van der Stelt, M. *See* Ligresti, A.
Vandevoorde, S. *See* Tsuboi, K.
Vandier, C. *See* Godat, E.
van Dinther, M. *See* Piek, E.
van Gennip, A. H. *See* van Kuilenburg, A. B. P.
Vanhaverbeke, C.
——; Simorre, J.-P.; Sadir, R.; Gans, P.; Lortat-Jacob, H.
NMR characterization of the interaction between the C-terminal domain of interferon-γ and heparin-derived oligosaccharides, 384:93
Van Heeke, G. *See* Johnston, L. A.
van Heusden, G. P. H. *See* Bruckmann, A.
Van Hoof, C. *See* Longin, S.
van Kerkhof, P. *See* Schantl, J. A.
van Kuilenburg, A. B. P.
——; Stroomer, A. E. M.; van Lenthe, H.; Abeling, N. G. G. M.; van Gennip, A. H.
New insights in dihydropyrimidine dehydrogenase deficiency: a pivotal role for β-aminoisobutyric acid?, 379:119
vanKuyk, P. A.
——; Diderich, J. A.; MacCabe, A. P.; Hererro, O.; Ruijter, G. J. G.; Visser, J.
Aspergillus niger mstA encodes a high-affinity sugar/H^+ symporter which is regulated in response to extracellular pH, 379:375
van Leeuwen, M. *See* Wong, H. Y.
van Lenthe, H. *See* van Kuilenburg, A. B. P.
Van Melckebeke, H. *See* Vreuls, C.
Vann, W. F. *See* Sundaram, A. K.
VanPatten, S.
——; Karkanias, G. B.; Rossetti, L.; Cohen, D. E.
Intracerebroventricular leptin regulates hepatic cholesterol metabolism, 379:229
Vanpouille, C.
——; Denys, A.; Carpentier, M.; Pakula, R.; Mazurier, J.; Allain, F.
Octasaccharide is the minimal length unit required for efficient binding of cyclophilin B to heparin and cell surface heparan sulphate, 382:733
van Rennes, H. *See* Bosch, R. R.
Van Rietschoten, J. *See* Jouirou, B.
van Schaftingen, E. *See* Achouri, Y.
Van Schaftingen, E. *See* Collard, F.; Wiame, E.
Van Scoy, M. *See* Wang, X.
Van Seuningen, I. *See* Jonckheere, N.; Mariette, C.
Vanstapel, F. *See* Collard, F.
van't Hof, W. *See* Veerman, E. C. I.; den Hertog, A. L.
Varadarajan, R. *See* Bajaj, K.
Varadharajan, S.
——; Sagar, B. K. C.; Rangarajan, P. N.; Padmanaban, G.
Localization of ferrochelatase in *Plasmodium falciparum*, 384:429
Váradi, A. *See* Kern, A.

© 2005 Biochemical Society

Vargas, M. A. *See* Benoit, A.
Varro, A. *See* Ashcroft, F. J.
Vay, L. *See* Montero, M.
Vázquez, J. *See* Tseung, C.-W.
Veeraprame, H. *See* Liang, Z.
Veereswaran, V. *See* Breznan, D.
Veerman, E. C. I. *See* den Hertog, A. L.; Ligtenberg, A. J. M.
——; Nazmi, K.; van't Hof, W.; Bolscher, J. G. M.; den Hertog, A. L.; Nieuw Amerongen, A. V.
Reactive oxygen species play no role in the candidacidal activity of the salivary antimicrobial peptide histatin 5, 381:447
Veiga, S.
——; Henriques, S.; Santos, N. C.; Castanho, M.
Putative role of membranes in the HIV fusion inhibitor enfuvirtide mode of action at the molecular level, 377:107
Veiga-Da-Cunha, M. *See* Achouri, Y.
Veit, M.
——; The human SNARE protein Ykt6 mediates its own palmitoylation at C-terminal cysteine residues, 384:233
Veitch, N. J.
——; Maugeri, D. A.; Cazzulo, J. J.; Lindqvist, Y.; Barrett, M. P.
Transketolase from *Leishmania mexicana* has a dual subcellular localization, 382:759
Velan, B. *See* Cohen, O.
Velasco, G. *See* Carracedo, A.
Velghe, A. *See* Jonckheere, N.
Venäläinen, J. I.
——; Juvonen, R. O.; Garcia-Horsman, J. A.; Wallén, E. A. A.; Christiaans, J. A. M.; Jarho, E. M.; Gynther, J.; Männistö, P. T.
Slow-binding inhibitors of prolyl oligopeptidase with different functional groups at the P1 site, 382:1003
Venekei, I. *See* Marokházi, J.
Vener, A. V. *See* Aboulaich, N.
Vera, J. C. *See* Rauch, M. C.
Vercoutère, B.
——; Durozard, D.; Baverel, G.; Martin, G.
Complexity of glutamine metabolism in kidney tubules from fed and fasted rats, 378:485
Verhees, C. H.
——; Kengen, S. W. M.; Tuininga, J. E.; Schut, G. J.; Adams, M. W. W.; de Vos, W. M.; van der Oost, J.
The unique features of glycolytic pathways in Archaea, 377:819 (Correction)
Verhoeven, N. M. *See* Grossman, C. E.
Verlaet, M. *See* Rahmouni, S.
Verma, A. *See* Dalgard, C. L.
Vermot-Desroches, C. *See* Arnaud, M.
Verstegen, M. W. A. *See* Wieland, W. H.
Verstraeten, S. V.
——; Zago, M. P.; Mackenzie, G. G.; Keen, C. L.; Oteiza, P. I.
Influence of zinc deficiency on cell-membrane fluidity in Jurkat, 3T3 and IMR-32 cells, 378:579
Vertommen, D. *See* Achouri, Y.; Collard, F.; Rider, M. H.
Vetere, A. *See* Tramer, F.
Vial, C.
——; Tobin, A. B.; Evans, R. J.
G-protein-coupled receptor regulation of $P2X_1$ receptors does not involve direct channel phosphorylation, 382:101
Viau, F. J. *See* Breznan, D.
Vicente, A. B. *See* Naschberger, E.
Vidal-Puig, A. *See* Hagen, T.
Vieau, D. *See* Rivière, G.
Vieths, S. *See* Lauer, I.
Viguié, N. *See* Rochu, D.
Vilas, G. L.
——; Berthiaume, L. G.
A role for palmitoylation in the quality control, assembly and secretion of apolipoprotein B, 377:121
Vilcinskas, A. *See* Clermont, A.
Villalobo, A. *See* Li, H.
Visan, V. *See* Jouirou, B.; Mouhat, S.
Visser, J. *See* vanKuyk, P. A.
Visweswariah, S. S. *See* Ghanekar, Y.
Vitagliano, L. *See* Esposito, G.
Vitale, R. M. *See* Scaloni, A.
Vitari, A. C.
——; Deak, M.; Collins, B. J.; Morrice, N.; Prescott, A. R.; Phelan, A.; Humphreys, S.; Alessi, D. R.
WNK1, the kinase mutated in an inherited high-blood-pressure syndrome, is a novel PKB (protein kinase B)/Akt substrate, 378:257
Vivien, D. *See* Docagne, F.
Vogler, C. *See* Woloszynek, J. C.
Vogt, A. M.
——; Winter, G.; Wahlgren, M.; Spillmann, D.
Heparan sulphate identified on human erythrocytes: a *Plasmodium falciparum* receptor, 381:593
Vojtěšek, B. *See* Pospíšilová, Š.
Vojtíšková, A. *See* Ješina, P.
Volpe, P. *See* Nori, A.
Volrath, S. L. *See* Weatherly, S. C.
von Zglinicki, T. *See* Kurz, T.
Voronova, A. *See* Palumaa, P.
Voskoboinik, I. *See* Pase, L.
Voss, S. H. *See* Whalen, R.
Vreuls, C.
——; Filée, P.; Van Melckebeke, H.; Aerts, T.; De Deyn, P.; Llabrès, G.; Matagne, A.; Simorre, J.-P.; Frère, J.-M.; Joris, B.
Guanidinium chloride denaturation of the dimeric *Bacillus licheniformis* BlaI repressor highlights an independent domain unfolding pathway, 384:179
Vuillier-Devillers, K. *See* Dulong, S.
Vuong, P. *See* Epand, R. M.
Vydra, N. *See* Ścieglińska, D.

Wabnig, A. *See* Halden, Y.
Wadhwa, R. *See* Hasan, M. K.
Waelkens, E. *See* Longin, S.
Wagner, B. *See* Gorin, Y.
Wagner, C. A. *See* Pineda, M.
Wagner, T. *See* Marxsen, J. H.
Wahl, M. C. *See* Bonin, I.
Wahlgren, M. *See* Vogt, A. M.
Wait, R. *See* Sully, G.
Walia, B.
——; Castaneda, F. E.; Wang, L.; Kolachala, V. L.; Bajaj, R.; Roman, J.; Merlin, D.; Gewirtz, A. T.; Sitaraman, S. V.
Polarized fibronectin secretion induced by adenosine regulates bacterial–epithelial interaction in human intestinal epithelial cells, 382:589
Walker, S. M.
——; Leslie, N. R.; Perera, N. M.; Batty, I. H.; Downes, C. P.
The tumour-suppressor function of PTEN requires an N-terminal lipid-binding motif, 379:301
Walker, W. F. *See* Pallotti, F.
Wallén, E. A. A. *See* Venäläinen, J. I.
Walsh, A. P. *See* Abelian, A.
Walter, R. D. *See* Birkholtz, L.-M.
Walther, R. *See* Grempler, R.
Wang, A. H.-J. *See* Huang, K.-F.
Wang, C.-Z. *See* Huys, I.
Wang, Gan *See* Chen, Z.
Wang, Guannan *See* Long, J.
Wang, Guozheng
——; Zhang, S.; Fernig, D. G.; Spiller, D.; Martin-Fernandez, M.; Zhang, Hongmei; Ding, Y.; Rao, Z.; Rudland, P. S.; Barraclough, R.
Heterodimeric interaction and interfaces of S100A1 and S100P, 382:375
Wang, H. *See* Aouida, M.
Wang, H.-B. *See* Zhang, D.-Q.
Wang, H.-H.
——; Chiang, A.-N.
Cloning and characterization of the human β_2-glycoprotein I (β_2-GPI) gene promoter: roles of the atypical TATA box and hepatic nuclear factor-1α in regulating β_2-GPI promoter activity, 380:455
Wang, H.-y. *See* Malbon, C. C.
Wang, J. *See* Li, S.
Wang, J.-F. *See* Zhang, D.-Q.
Wang, L. *See* Cook-Mills, J. M.; Grill, C.; Walia, B.
Wang, N. *See* Li, S.
Wang, P.
——; Zhang, J.; Bian, H.; Wu, P.; Kuvelkar, R.; Kung, T. T.; Crawley, Y.; Egan, R. W.; Billah, M. M.
Induction of lysosomal and plasma membrane-bound sialidases in human T-cells via T-cell receptor, 380:425
Wang, R. *See* Khatri, I. A.
Wang, S.-Q. *See* Zhang, D.-Q.
Wang, T. C. *See* Fleming, J. V.
Wang, X. *See* Ikeguchi, Y.
——; Nagl, Jr, N. G.; Wilsker, D.; Van Scoy, M.; Pacchione, S.; Yaciuk, P.; Dallas, P. B.; Moran, E.
Two related ARID family proteins are alternative subunits of human SWI/SNF complexes, 383:319
Wang, Y.
——; Liang, S.; Xie, Q.-G.; Lu, Y.-T.
Characterization of a calmodulin-regulated Ca^{2+}-dependent-protein-kinase-related protein kinase, AtCRK1, from *Arabidopsis*, 383:73
——; Tawa, G.; Smith, D.; Krishnamurthy, G.; Young, K. H.
Mutation of cysteine 214 in G_{i1} α subunit abolishes its endogenous GTPase activity, 379:673
Wang, Y.-M. *See* Chen, Y.-H.; Tsai, I.-H.
Wang, Z.-X. *See* Liu, J.-H.
Wanker, E. E. *See* Blume, A.
Wara-Aswapati, O. *See* Opassiri, R.
Ward, R. *See* Flanagan, J. U.
Ward, R. J. *See* Sá, J. M.
Ware, J. *See* Martínez, C.
Washida, H. *See* Wu, X.
Wäsle, B.
——; Hays, L. B.; Rhodes, C. J.; Edwardson, J. M.
Syncollin inhibits regulated corticotropin secretion from AtT-20 cells through a reduction in the secretory vesicle population, 380:897
Watanabe, I. *See* Zhu, J.
Watanabe, T. *See* Endo, H.
Watson, P. D. *See* Spooner, R. A.

© 2005 Biochemical Society

Watson, P. J. *See* Rainbow, R. D.
Watson, S. P. *See* Jarvis, G. E.; Pearce, A. C.; Suzuki-Inoue, K.
Watt, S. A.
——; Kimber, W. A.; Fleming, I. N.; Leslie, N. R.; Downes, C. P.; Lucocq, J. M.
Detection of novel intracellular agonist responsive pools of phosphatidylinositol 3,4-bisphosphate using the TAPP1 pleckstrin homology domain in immunoelectron microscopy, 377:653
Watts, A. G.
——; Withers, S. G.
Glycosynthase-catalysed formation of modified polysaccharide microstructures (online-only commentary on Faijes, M.), 380:e9
Weatherly, S. C.
——; Volrath, S. L.; Elich, T. D.
Expression and characterization of recombinant fungal acetyl-CoA carboxylase and isolation of a soraphen-binding domain, 380:105
Weaver, T. E. *See* Markart, P.
Webb, M. R.
——; Ebeler, S. E.
Comparative analysis of topoisomerase IB inhibition and DNA intercalation by flavonoids and similar compounds: structural determinates of activity, 384:527
Wedde, M. *See* Clermont, A.
Weed, S. A. *See* McWilliams, R. R.; Fan, L.
Wegner, A. *See* Brehm, M. A.
Wei, G.-H.
——; Liu, D.-P.; Liang, C.-C.
Charting gene regulatory networks: strategies, challenges and perspectives, 381:1
Wei, J.
——; Guo, H.; Gao, C.; Kuo, P. C.
Peroxide-mediated chromatin remodelling of an nuclear factor κB site in the mouse inducible nitric oxide synthase promoter, 377:809
Weidauer, E. *See* Godat, E.
Weidemann, W. *See* Blume, A.
Weiner, H. *See* Mukhopadhyay, A.
Wek, R. C. *See* Sullivan, Jr, W. J.
Wells, G. A. *See* Birkholtz, L.-M.
Wells, K. S. *See* McIntyre, J. O.
Welsh, C. *See* Welsh, M.
Welsh, K. *See* Damiano, J. S.
Welsh, M.
——; Welsh, C.; Ekman, M.; Dixelius, J.; Hägerkvist, R.; Annerén, C.; Åkerblom, B.; Mahboobi, S.; Chandrasekharan, S.; Liu, E. T.
The tyrosine kinase FRK/RAK participates in cytokine-induced islet cell cytotoxicity, 382:261
Wendum, D. *See* Bailleux, A.
Wenk, M. R. *See* Johenning, F. W.
Werner, T. *See* Grempler, R.; Naschberger, E.
Wernstedt, C. *See* Neuschäfer-Rube, F.
Werth, N. *See* Gopalakrishnan, M. M.
West, M. B. *See* Li, S.
Westling, J.
——; Gottschall, P. E.; Thompson, V. P.; Cockburn, A.; Perides, G.; Zimmermann, D. R.; Sandy, J. D.
ADAMTS4 (aggrecanase-1) cleaves human brain versican V2 at Glu^{405}–Gln^{406} to generate glial hyaluronate binding protein, 377:787
Whalen, R.
——; Voss, S. H.; Boyer, T. D.
Decreased expression levels of rat liver glutathione S-transferase A2 and albumin during the acute phase response are mediated by HNF1 (hepatic nuclear factor 1) and IL6DEX-NP, 377:763
Whetstine, J. R. *See* Liu, M.
White, II, G. C. *See* Gidwitz, S.
White, J. K.
——; Stewart, A.; Popoff, J.-F.; Wilson, S.; Blackwell, J. M.
Incomplete glycosylation and defective intracellular targeting of mutant solute carrier family 11 member 1 (Slc11a1), 382:811
Whiteman, M. *See* Lin, H.-S.
Whitty, G. A. *See* Cross, M.
Wiame, E. *See* Collard, F.
——; Van Schaftingen, E.
Fructoselysine 3-epimerase, an enzyme involved in the metabolism of the unusual Amadori compound psicoselysine in *Escherichia coli*, 378:1047
Widersten, M. *See* Tsoi, C.
Widlak, W. *See* Ścieglińska, D.
Widmer, F. *See* Wright, L. C.
Wieland, F. T. *See* Schneiter, R.
Wieland, W. H.
——; Orzáez, D.; Lammers, A.; Parmentier, H. K.; Verstegen, M. W. A.; Schots, A.
A functional polymeric immunoglobulin receptor in chicken (*Gallus gallus*) indicates ancient role of secretory IgA in mucosal immunity, 380:669
Wiens, M. *See* Schröder, H.-C.
Wigle, J. *See* Guzzo, R. M.
Wigneshweraraj, S. R. *See* Bordes, P.
Wijdenes, J. *See* Arnaud, M.
Wilcox, R. A. *See* Gregory, R. B.
Wilde, J. I. *See* Suzuki-Inoue, K.
Willard, F. S. *See* Kimple, R. J.
Willems, P. H. G. M. *See* Bosch, R. R.
Williams, S. *See* Nika, K.
Williams, S. H. *See* Mouchel, N.
Wilsker, D. *See* Wang, X.
Wilson, I. B. H. *See* Mucha, J.
Wilson, N. J. *See* Cross, M.
Wilson, S. *See* White, J. K.
Wilson-Delfosse, A. L. *See* Gandhi, P. N.
Winayanuwattikun, P.
——; Ketterman, A. J.
Catalytic and structural contributions for glutathione-binding residues in a Delta class glutathione S-transferase, 382:751
Winder, S. J.
——; Filopodia formation and Disabled degradation downstream of Reelin (online-only commentary on Suetsugu, S.), 384:e1
Winslow, R. M. *See* Vandegriff, K. D.
Winter, G. *See* Vogt, A. M.
Winter, H. C. *See* Tateno, H.
Winter, J. *See* Fassy, F.
Winterbourn, C. C.
——; Parsons-Mair, H. N.; Gebicki, S.; Gebicki, J. M.; Davies, M. J.
Requirements for superoxide-dependent tyrosine hydroperoxide formation in peptides, 381:241
Winzor, D. J. *See* Nixon, P. F.
Withers, S. G. *See* Paal, K.; Watts, A. G.
Withnall, R. *See* Smalley, J. W.
Witting, P. K. *See* Rayner, B. S.
Wolf, C. R. *See* Flanagan, J. U.
Wolf, H. *See* Kzhyshkowska, J.
Woloszynek, J. C.
——; Roberts, M.; Coleman, T.; Vogler, C.; Sly, W.; Semenkovich, C. F.; Sands, M. S.
Numerous transcriptional alterations in liver persist after short-term enzyme-replacement therapy in a murine model of mucopolysaccharidosis type VII, 379:461
Wonerow, P. *See* Pearce, A. C.
Wong, B. H. C. *See* Pozuelo Rubio, M.
Wong, C. S. S. *See* Ho, M. K. C.
Wong, E. *See* Thackray, A. M.
——; Thackray, A. M.; Bujdoso, R.
Copper induces increased β-sheet content in the scrapie-susceptible ovine prion protein PrP^{VRQ} compared with the resistant allelic variant PrP^{ARR}, 380:273
Wong, H. Y.
——; Burghoorn, J. A.; van Leeuwen, M.; de Ruiter, P. E.; Schippers, E.; Blok, L. J.; Li, K. W.; Dekker, H. L.; de Jong, L.; Trapman, J.; Grootegoed, J. A.; Brinkmann, A. O.
Phosphorylation of androgen receptor isoforms, 383:267
Wong, W. *See* Carlisle Michel, J. J.
Wong, Y. H. *See* Ho, M. K. C.
Wong Fong Sang, H. W. *See* den Hertog, A. L.
Wood, F. *See* Jia, Y.
Wood, K. M. *See* Bi, Y.
Wood, N. T. *See* Pozuelo Rubio, M.
Woodard, R. W. *See* Sundaram, A. K.; Wu, J.
Woodcock, S. A.
——; Hughes, D. A.
p120 Ras GTPase-activating protein associates with fibroblast growth factor receptors in *Drosophila*, 380:767
Woods, A. S. *See* Liu, Q.-R.
Woolf, T. *See* Lu, D.
Wordeman, L. *See* Moore, A.
Wormit, A.
——; Traub, M.; Flörchinger, M.; Neuhaus, H. E.; Möhlmann, T.
Characterization of three novel members of the *Arabidopsis thaliana* equilibrative nucleoside transporter (ENT) family, 383:19
Wrenger, C. *See* Birkholtz, L.-M.
Wright, J. *See* Barker, C. J.
Wright, L. C.
——; Payne, J.; Santangelo, R. T.; Simpanya, M. F.; Chen, S. C. A.;Widmer, F.; Sorrell, T. C.
Cryptococcal phospholipases: a novel lysophospholipase discovered in the pathogenic fungus *Cryptococcus gattii*, 384:377
Wright, P. E. *See* Matt, T.
Wright, S. C. *See* Fox, E. J.
Wu, C.-C.
——; Chen, M.-C.; Chang, Y.-R.; Hsu, T.-Y.; Chen, J.-Y.
Identification and characterization of the conserved nucleoside-binding sites in the Epstein–Barr virus thymidine kinase, 379:795
Wu, C.-M.
——; Chang, H.-T.; Chang, M. D.-T.
Membrane-bound carboxypeptidase E facilitates the entry of eosinophil cationic protein into neuroendocrine cells, 382:841
Wu, C. P. Y. *See* Ho, Y.
Wu, J. *See* Sundaram, A. K.
——; Patel, M. A.; Sundaram, A. K.; Woodard, R. W.
Functional and biochemical characterization of a recombinant *Arabidopsis thaliana*

© 2005 Biochemical Society

3-deoxy-D-*manno*-octulosonate 8-phosphate synthase, 381:185
Wu, P. *See* Wang, P.
Wu, W.-T.
——; Chi, K.-H.; Ho, F.-M.; Tsao, W.-C.; Lin, W.-W.
Proteasome inhibitors upregulate haem oxygenase-1 gene expression: requirement of p38 MAPK (mitogen-activated protein kinase) activation but not of NF-κB (nuclear factor κB) inhibition, 379:587
Wu, X. *See* Leissring, M. A.
——; Yano, M.; Washida, H.; Kido, H.
The second metal-binding site of 70 kDa heat-shock protein is essential for ADP binding, ATP hydrolysis and ATP synthesis, 378:793
Wuhrer, M.
——; Robijn, M. L. M.; Koeleman, C. A. M.; Balog, C. I. A.; Geyer, R.; Deelder, A. M.; Hokke, C. H.
A novel Gal(β1-4)Gal(β1-4)Fuc(α1-6)-core modification attached to the proximal *N*-acetylglucosamine of keyhole limpet haemocyanin (KLH) N-glycans, 378:625
Wulff, H. *See* Mouhat, S.
Wulff, P. *See* Murray, J. T.
Wurtz, J.-M. *See* Bertin, B.

Xavier, F. *See* Salhi, I.
Xi, J. *See* Liu, R.
Xiao, S. *See* Yalowitz, J. A.
Xie, Q.-G. *See* Wang, Y.
Xu, A.
——; Jao, D. L.-E.; Chen, K. Y.
Identification of mRNA that binds to eukaryotic initiation factor 5A by affinity co-purification and differential display, 384:585
Xu, C.-Q. *See* Huys, I.
Xu, D.
——; Shi, Z.; McDonald, J.; Pan, G.; Cao, X.; Yu, X.; Feng, X.
Development of a chimaeric receptor approach to study signalling by tumour necrosis factor receptor family members, 383:219
Xu, F.
——; Morin, C.; Mitchell, G.; Ackerley, C.; Robinson, B. H.
The role of the *LRPPRC* (leucine-rich pentatricopeptide repeat cassette) gene in cytochrome oxidase assembly: mutation causes lowered levels of COX (cytochrome *c* oxidase) I and COX III mRNA, 382:331
Xu, L. *See* Park, H. B.
Xu, N. *See* Li, S.
Xu, S.
——; Qin, S.; Pan, X.-M.
Thermal and conformational stability of Ssh10b protein from archaeon *Sulfolobus shibattae*, 382:433
Xu, W.-H. *See* Zhang, T.-Y.
Xu, X. S. *See* Chen, Z.
Xu, Z.
——; Yaguchi, S.-i.; Tsurugi, K.
Gts1p stabilizes oscillations in energy metabolism by activating the transcription of *TPS1* encoding trehalose-6-phosphate synthase 1 in the yeast *Saccharomyces cerevisiae*, 383:171
Xue, J.
——; Milburn, P. J.; Hanna, B. T.; Graham, M. E.; Rostas, J. A. P.; Robinson, P. J.
Phosphorylation of septin 3 on Ser-91 by cGMP-dependent protein kinase-I in nerve terminals, 381:753

Yaciuk, P. *See* Wang, X.
Yaffe, M. B.
——; Master of all things phosphorylated (online-only commentary on Pozuelo Rubio, M.), 379:e1
Yaguchi, S.-i. *See* Xu, Z.
Yaguchi, T. *See* Hasan, M. K.
Yajima, R. *See* Clugston, S. L.
Yalowitz, J. A.
——; Xiao, S.; Biju, M. P.; Antony, A. C.; Cummings, O. W.; Deeg, M. A.; Jayaram, H. N.
Characterization of human brain nicotinamide 5′-mononucleotide adenylyltransferase-2 and expression in human pancreas, 377:317
Yam, J. W. P. *See* Cheung, N.
Yamada, K. *See* Imai, S.-i.
Yamada, M.
——; Banno, Y.; Takuwa, Y.; Koda, M.; Hara, A.; Nozawa, Y.
Overexpression of phospholipase D prevents actinomycin D-induced apoptosis through potentiation of phosphoinositide 3-kinase signalling pathways in Chinese-hamster ovary cells, 378:649
Yamada, T.
——; Ohtake, S.; Sato, M.; Habuchi, O.
Chondroitin 4-sulphotransferase-1 and chondroitin 6-sulphotransferase-1 are affected differently by uronic acid residues neighbouring the acceptor GalNAc residues, 384:567
Yamagishi, D. *See* Kimura, T.
Yamaguchi, M. *See* Choi, T.-Y.
Yamamoto, K. *See* Aoki, K.; Kobayashi, S.; Omatsu-Kanbe, M.; Suetsugu, S.
Yamanouchi, J.
——; Hato, T.; Tamura, T.; Fujita, S.
Suppression of integrin activation by the membrane-distal sequence of the integrin αIIb cytoplasmic tail, 379:317
Yamanouchi, K. *See* Hirabayashi, K.
Yamashina, I. *See* Akita, K.
Yamashita, H.
——; Goto, A.; Kadowaki, T.; Kitagawa, Y.
Mammalian and *Drosophila* cells adhere to the laminin α4 LG4 domain through syndecans, but not glypicans, 382:933
Yan, B. *See* Li, Y.
Yan, H. *See* Lu, D.
Yanagawa, H. *See* Ohtani, N.
Yañez, A. *See* Rauch, M. C.
Yang, D. *See* Li, Y.
Yang, D. R. *See* Seo, Y. S.
Yang, J. *See* Liu, R.
Yang, R.-B. *See* Kuhn, M.
Yang, S. *See* Thackray, A. M.
Yang, Wannian
——; Jansen, J. M.; Lin, Q.; Canova, S.; Cerione, R. A.; Childress, C.
Interaction of activated Cdc42-associated tyrosine kinase ACK2 with HSP90, 382:199
Yang, Wenyu
——; Mason, C. B.; Pollock, S. V.; Lavezzi, T.; Moroney, J. V.; Moore, T. S.
Membrane lipid biosynthesis in *Chlamydomonas reinhardtii*: expression and characterization of CTP: phosphoethanolamine cytidylyltransferase, 382:51
Yang, X. *See* Kovalenko, O. V.; Park, H. B.

Yang, Y.-L.
——; Chuang, L.-Y.; Guh, J.-Y.; Liu, S.-F.; Hung, M.-Y.; Liao, T.-N.; Huang, Y.-L.
Thrombospondin-1 mediates distal tubule hypertrophy induced by glycated albumin, 379:89
Yano, K.
——; Petersen, O. H.; Tepikin, A. V.
Dual sensitivity of sarcoplasmic/endoplasmic Ca^{2+}-ATPase to cytosolic and endoplasmic reticulum Ca^{2+} as a mechanism of modulating cytosolic Ca^{2+} oscillations, 383:353
Yano, M. *See* Murwantoko; Wu, X.
Yarwood, S. J. *See* Magiera, M. M.
Yates, S. P.
——; Merrill, A. R.
Elucidation of eukaryotic elongation factor-2 contact sites within the catalytic domain of *Pseudomonas aeruginosa* exotoxin A, 379:563
Yeaman, S. J.
——; Hormone-sensitive lipase – new roles for an old enzyme, 379:11
Yen, P.-F. *See* Liu, W.-K.
Yeung, F. *See* Cinar, B.
Yiallouros, I. *See* Kruse, M.-N.
Yin, J. *See* Li, S.
Yip, C. M. *See* Epand, R. M.
Ylä-Herttuala, S. *See* Hytönen, V. P.
Yoo, A. *See* Seo, Y. S.
Yoo, M.-A. *See* Choi, T.-Y.
Yoon, M.-Y. *See* Jung, S.-M.; Kim, J.
Yoon, S.-S. *See* Jung, S.-M.
Yoshimura, A. *See* Fischer, P.
You, G. *See* Tanaka, K.; Zhou, F.
Young, K. H. *See* Wang, Y.
Youngs, D. *See* Smith, C.
Yu, A.
——; McMaster, C. R.; Byers, D. M.; Ridgway, N. D.; Cook, H. W.
Resistance to UV-induced apoptosis in Chinese-hamster ovary cells overexpressing phosphatidylserine synthases, 381:609
Yu, J. *See* Kim, H.-P.
Yu, X. *See* Xu, D.
Yu, X.-N. *See* Ishii, I.
Yu, Y. *See* Li, M.
Yudkin, M. D. *See* Shu, J.-C.

Zaccai, M. *See* Kalifa, Y.
Zagari, A. *See* Esposito, G.
Zago, M. P. *See* Verstraeten, S. V.
Zaidi, A. *See* Dremina, E. S.
Zakrzewska-Czerwińska, J. *See* Zawilak, A.
Zaman, K.
——; Palmer, L. A.; Doctor, A.; Hunt, J. F.; Gaston, B.
Concentration-dependent effects of endogenous *S*-nitrosoglutathione on gene regulation by specificity proteins Sp3 and Sp1, 380:67
Zambrano, A. *See* Rauch, M. C.
Zankel, T. C. *See* Christianson, T. M.
Zannini, M. *See* Nitsch, R.
Zanoni, G. *See* Levonen, A.-L.
Zaphiropoulos, P. G. *See* Rahnama, F.
Zaucke, F. *See* Spitznagel, L.
Zawilak, A.
——; Kois, A.; Konopa, G.; Smulczyk-Krawczyszyn, A.; Zakrzewska-Czerwińska, J.
Mycobacterium tuberculosis DnaA initiator protein: purification and DNA-binding requirements, 382:247

© 2005 Biochemical Society

Zeddou, M. *See* Rahmouni, S.
Zeibdawi, A. R.
——; Grundy, J. E.; Lasia, B.; Pryzdial, E. L. G.
Coagulation factor Va Glu-96–Asp-111: a chelator-sensitive site involved in function and subunit association, 377:141
Zellnig, G. *See* Schneiter, R.
Zeman, J. *See* Ješina, P.
Zhang, B. B. *See* Jiang, G.
Zhang, D.-Q.
——; Liu, B.; Feng, D.-R.; He, Y.-M.; Wang, S.-Q.; Wang, H.-B.; Wang, J.-F.
Significance of conservative asparagine residues in the thermal hysteresis activity of carrot antifreeze protein, 377:589
Zhang, Hao *See* Andrekopoulos, C.
Zhang, Hongmei *See* Wang, Guozheng
Zhang, J. *See* Wang, P.
Zhang, P.-W. *See* Liu, Q.-R.
Zhang, S. *See* Wang, Guozheng
Zhang, T.-Y.
——; Kang, L.; Zhang, Z.-F.; Xu, W.-H.
Identification of a POU factor involved in regulating the neuron-specific expression of the gene encoding diapause hormone and pheromone biosynthesis-activating neuropeptide in *Bombyx mori*, 380:255
Zhang, W.
——; Hayashizaki, Y.; Kone, B. C.
Structure and regulation of the mDot1 gene, a mouse histone H3 methyltransferase, 377:641
Zhang, X. *See* Bordes, P.; Li, S.
Zhang, Z.-F. *See* Zhang, T.-Y.
Zhang, Z.-Y. *See* Pedersen, A. K.
Zhao, C. *See* Li, S.
Zhao, H. *See* Andrade, J.
——; Hardy, R. W.
Long-chain saturated fatty acids induce annexin II translocation to detergent-resistant membranes, 381:463
Zhao, K. *See* Li, S.
Zhao, X.
——; Gan, L.; Pan, H.; Kan, D.; Majeski, M.; Adam, S. A.; Unterman, T. G.
Multiple elements regulate nuclear/cytoplasmic shuttling of FOXO1: characterization of phosphorylation- and 14-3-3-dependent and -independent mechanisms, 378:839
Zhao, Z.-S. *See* Lee, G. Y.
Zhau, H. E. *See* Cinar, B.
Zheng, S.
——; Chen, A.
Activation of PPARγ is required for curcumin to induce apoptosis and to inhibit the expression of extracellular matrix genes in hepatic stellate cells *in vitro*, 384:149
Zheng, Y. *See* Cook-Mills, J. M.
Zhivotovsky, B. *See* Gogvadze, V.
Zhou, F. *See* Tanaka, K.
——; Pan, Z.; Ma, J.; You, G.
Mutational analysis of histidine residues in human organic anion transporter 4 (hOAT4), 384:87
Zhou, J. *See* Schmid, T.
Zhu, J.
——; Watanabe, I.; Gomez, B.; Thornhill, W. B.
Trafficking of Kv1.4 potassium channels: interdependence of a pore region determinant and a cytoplasmic C-terminal VXXSL determinant in regulating cell-surface trafficking (Correction), 378:1095
Zhu, K. *See* Smith, C.
Zhu, S.
——; Hanneman, A.; Reinhold, V. N.; Spence, A. M.; Schachter, H.
Caenorhabditis elegans triple null mutant lacking UDP-*N*-acetyl-D-glucosamine:α-3-D-mannoside β1,2-*N*-acetylglucosaminyltransferase I, 382:995
Zhuang, L. *See* Fei, Y.-J.; Inoue, K.
Zidar, A. *See* Bacher, I.
Ziegler, M.
——; Niere, M.
NAD^+ surfaces again (online-only commentary on Gerth, A.), 382:e5
Zigman, M. *See* Fraisl, P.
Zilli, S. *See* Rinaldi, T.
Zimmermann, D. R. *See* Westling, J.
Zimmermann, P. *See* Urich, T.
Zoladz, J. A. *See* Korzeniewski, B.
Zorzano, A. *See* Pineda, M.
Zuccotti, S. *See* Roncone, R.
Zuhorn, I. S. *See* Rejman, J.
Zurita, A. R. *See* Crespo, P. M.

© 2005 Biochemical Society

Keyword Index

VOLUMES 377–384 (2004)

αIIb, 379:317
α6A, 379:317
A20, 378:727
AAA protein, 378:735
abasic site, 383:475
A20 binding inhibitor of nuclear factor-κB 2 (ABIN-2), 378:867
abiotic stress, 381:373
Abl, 384:449
abrin, 377:233
absolute mRNA level, 383:139
absorption, 380:211
acceptor self-association, 382:215
acetohydroxyacid synthase (AHAS), 383:53, 384:59
acetylation, 384:139
acetylcholinesterase, 378:117
N-acetyl-3-fluoroneuraminic acid, 383:83
α1,4-*N*-acetylgalactosaminyltransferase, 382:67
N-acetylglucosaminyltransferase, 379:653
N-acetylglucosaminyltransferase I, 382:995
N-acetylneuraminic acid synthase, 383:83
N-acetyltransferase, 381:321
acetyl-CoA, 384:139
acetyl-CoA carboxylase, 380:105
acid amidase, 379:99
acidic loop, 382:607
acid phosphatase (purple), 377:419
acinar pancreas, 379:749
acridinium ester label, 383:551
acrosome reaction, 384:191
acrylamide quenching, 379:563
actin, 377:327, 380:1
actin-binding domain, 382:353
actin bundling, 378:1067
actin cytoskeleton, 378:509, 380:e7, 380:181, 380:581, 381:389, 382:1015
actinidin, 378:699
α-actinin, 378:1, 378:1067
actinomycin D, 378:649
actinoporin, 384:421
actin polymerization, 380:e7, 380:581, 384:e1
actin-related protein 2/3 complex (Arp2/3 complex), 382:13, 384:1
actin reorganization, 383:13
activated Cdc42-associated tyrosine kinase 2 (ACK2), 382:199
activation energy, 377:775
activation mechanism, 378:363
activator protein-1 (AP-1), 378:919
activator protein 2α, 382:323
activator protein-2 transcription factor, 377:429
active site, 380:339, 382:751, 384:515
active-site titration, 383:45
acylcarnitine hydrolase, 384:101
acyl-CoA-binding protein (ACBP), 380:907
acyl-CoA dehydrogenase, 378:633
acyl-CoA synthetase, 377:85
N-acylethanolamine (NAE), 379:99, 380:749
N-acylphosphatidylethanolamine, 380:749
ADAMTS, 377:787
adaptor molecule, 377:553
adaptor protein, 377:1
adaptor protein μ chain, 378:519
adenine nucleotide transport, 381:581
adenosine, 377:733, 382:589
adenosine kinase, 378:519
S-adenosylmethionine carrier, 379:183
adenoviral vector, 382:75
adenovirus, 383:259
adhesion, 380:57
adipocyte, 382:619, 383:237, 384:349
a disintegrin and metalloproteinase-like 17 (ADAM17), 377:379
a disintegrin and metalloproteinase-like protein, 380:505
A domain, 379:815, 380:401
ADP/ATP carrier, 383:121
ADP binding, 384:577
ADP-ribose, 382:e4, 382:849
ADP-ribosylation factor (ARF), 377:539, 382:441
ADP-ribosyl cyclase, 381:147
β-adrenergic receptor, 379:1
adrenocorticotropic hormone (ACTH), 380:475
adrenomedullin, 383:413, 383:e5
advanced glycation, 379:89
advanced glycation end-product (AGE), 379:273
aerobic growth, 379:609
affinity chromatography, 379:e1, 379:395, 380:147, 382:481
affinity modulation, 379:317
AGC kinase, 382:425
aggrecanase, 377:787, 382:253
aggregation, 379:273, 384:527
aging, 377:489, 380:919, 382:131
Agkistrodon halys, 384:119
agmatine, 379:849
AIDS, 377:107, 383:475
A-kinase anchoring protein (AKAP), 379:1, 381:587
alamethicin, 380:193
β-alanine, 379:119
alcohol, 383:543
alcohol dehydrogenase (ADH), 383:295
aldolase A, 380:51
aldolase A gene mutation, 380:51
aldolase A mutant expression, 380:51
ALG-2 (apoptosis-linked gene 2) interacting protein 1 (AIP1/ALIX), 377:693
alginate, 381:813
alginate epimerization, 381:155
alkaline extraction, 377:769
alkyl chain, 381:861, 381:867
allergen, 383:327
allosteric, 378:991
allosteric regulation, 377:77
allosteric transition, 377:77
altered conformational state, 382:183
alternative reading frame protein (ARF), 380:605
alternative splicing, 377:641, 380:939, 381:343, 384:647
alternative splicing factor/splicing factor 2 (ASF/SF2), 381:343
Alzheimer's disease, 381:619, 382:987, 383:393, 383:439
AMH type II receptor (AMHR-II), 379:785
amine oxidase, 384:551
p-aminohippurate (PAH), 380:283
L-amino acid decarboxylase, 379:253
amino acid starvation, 379:79
γ-aminobutyric acid (GABA), 379:119, 379:721
1-aminocyclopropane-1-carboxylate oxidase, 380:339
aminoglycoside, 383:201
S-(2-aminoethyl)-L-cysteine (thialysine), 384:129, 384:139
5-aminoimidazole-4-carboxamide ribonucleoside (AICAR), 378:769, 384:295
β-aminoisobutyrate, 379:119
aminopropyltransferase, 381:701
aminothiol, 382:131
ammoniagenesis, 378:485
AMP-activated protein kinase (AMPK), 378:769, 384:295, 384:629
AmpD, 377:111
amphibian skin, 380:859
amphipathic helix, 384:421
amyloid, 381:351
β-amyloid, 381:619
amyloid fibril, 377:709
amyloid precursor protein, 382:987
analytical ultracentrifugation, 384:255
anandamide, 379:99, 380:265, 380:749
androgen receptor, 379:421, 383:267
androgen receptor (AR) mutation, 379:731
Angeli's salt, 379:359
angiotensin II, 381:231
angiotensin-converting enzyme (ACE), 382:565, 383:45
animal toxin, 378:717
anion exchanger 1 (AE1), 378:1015
anionic antibacterial peptide, 379:681
antibacterial protein, 380:385
ankyrin-binding domain, 382:677
annetocin receptor, 382:231
annexin II, 378:307, 381:463
anoikis, 380:31, 382:157
Anopheles dirus, 382:751
anosmin-1, 384:495
anthrax lethal factor protease, 378:569
antiandrogen, 379:731
anti-apoptosis, 378:649
antibacterial peptide, 378:93
antibacterial protein, 380:385
anti-*bcl2* hammerhead ribozyme, 379:823
antibiotic, 383:201
antibody, 380:669
antifreeze protein, 377:589
antimalarial drug, 381:725
antimicrobial peptide, 379:665, 380:859, 381:79, 384:25
antimonial, 381:405
anti-Müllerian hormone (AMH), 379:785
antioxidant, 380:695
antioxidant defence, 378:373
antioxidant response element (ARE), 377:205
anti-peptide antibody, 382:981
antiporter, 377:665, 380:231
antitumour activity, 380:311
antizyme, 384:271
antizyme inhibitor, 384:271
apical domain, 380:181
Apicomplexa, 380:523
apicoplast, 383:401, 384:429
apolipoprotein(a), 379:151
apolipoprotein A-I, 379:343
apolipoprotein B, 377:121, 378:967
apolipoprotein E (ApoE), 378:753, 382:987

© 2005 Biochemical Society

apoptosis (*see also* anti-apoptosis), 377:233, 377:347, 377:509, 377:597, 378:161, 378:213, 378:247, 378:559, 378:579, 378:727, 378:753, 378:867, 379:805, 379:823, 380:31, 380:203, 380:435, 381:43, 381:313, 381:609, 382:641, 382:e1, 382:83, 382:157, 382:651, 382:725, 383:63, 383:101, 383:361, 384:149, 384:201, 384:461, 384:515
apoptosis signal-regulating kinase 1 (ASK1), 381:675
Arabidopsis thaliana, 378:889, 379:601, 381:185, 383:19, 383:73
arabinogalactan protein, 377:749
arachidonic acid, 378:665, 381:59, 381:231, 381:929
2-arachidonoylglycerol (2-AG), 380:265
Archaea, 381:645, 381:795
archaeon, 381:249
architecture, 382:463
Arg-gingipain, 379:833
arginine, 379:849
arginine decarboxylase, 379:849
arginine methylation, 379:283
argininosuccinate lyase, 384:437
ARID1B, 383:319
ARID family, 383:319
arogenate dehydrogenase, 382:279
Arp 2/3 complex, 380:1, 380:e7
arsenite, 382:641
aryl hydrocarbon receptor (AhR), 377:205
ascorbic acid, 378:959
ASCT2, 382:27
Asn-49 variant, 377:215
aspartate semialdehyde, 377:757
aspartic proteinase, 381:295
aspartylglucosaminidase, 378:363
aspartylglucosaminuria, 378:363
Aspergillus niger, 379:375
astacin, 378:383
astrocyte, 380:435
atherosclerosis, 382:417
Atlantic white shrimp (*Litopenaeus setiferus*), 381:79
atomic force microscopy, 381:911
ATP6, 383:561
ATP, 380:329, 382:849
ATP/AMP ratio, 384:295
ATPase, 378:151, 384:577
ATPase activity, 383:227
ATPase catalytic cycle, 380:549
ATP7B, 380:805, 382:293
ATP-binding-cassette protein (ABC) protein, 383:335
ATP-binding cassette sub-family D (ABCD1), 377:85
ATP-binding cassette transporter A1 (ABCA1), 377:545
ATP-binding-cassette transporter (ABC transporter), 380:549, 381:195
ATP-binding site, 382:293
ATP-sensitive potassium channel (K_{ATP} channel), 379:173
ATP hydrolysis, 378:793
ATP synthase, 378:793, 381:19, 383:561
ATP synthesis, 384:287
AtT-20 cell, 380:897
Atx1, 378:293
AU-rich element (ARE), 377:629
AUS1/YOR011W, 381:195
autocatalytic activation, 378:363
autocrine regulatory loop, 381:429
autolysis, 378:299
autophagy, 380:837, 382:83
autophosphorylation, 379:697, 380:831, 383:73
autotaxin, 381:71
avidin–biotin technology, 384:385
azide effect, 378:141
Azotobacter vinelandii, 381:813

Bacillus licheniformis BlaI, 384:179
Bacillus subtilis, 384:169
backbone dynamics, 379:235
bacterial chromatin, 383:343
bacterial toxin, 379:563, 384:507
bacterial transport, 383:91
baculovirus expression vector system, 382:695
barley seed proteome, 378:497
β-barrel, 378:851
basic helix–loop–helix transcription factor, 382:43
basic loop, 382:607
Bax, 377:509, 378:247
B-cell, 380:173
Bcl-2, 378:247, 381:43, 383:361
Bcl-2/Bcl-X_L-**a**ntagonis causing cell **d**eath (Bad), 379:805
Bcl-2 homology 3-only protein (BH3-only protein), 377:597
(1 → 3,1 → 4)-β-D-glucan, 380:e9, 380:635
benzophenone, 382:905
benzyl oxycabonyl-prolylprolinal, 382:1003
betaine supplementation, 382:831
Biacore, 377:449
bicarbonate, 379:609
bi-functional protein, 381:841
bile acid, 377:701, 382:913
bile salt, 379:229
bilirubin transport, 383:335
binding energetics, 382:703
binding force, 380:147
binding inhibition, 382:1003
bioavailability, 380:211
bioenergetics, 381:581
bioinformatics, 381:1
biomarker, 383:543
biomineralization, 382:205, 384:159
biosynthesis, 378:1015
biotin, 377:61, 384:385
biotin carboxylase, 380:105
biotin carboxylase inhibitor, 380:105
bis(ethyl)polyamine, 384:271
bisphosphonate, 384:591
black widow spider (*see Latrodectus mactans tredecimguttatus*)
blast cell, 384:281
bleomycin, 384:47
blood coagulation, 381:779
blood platelet, 378:1023
blood pressure, 383:413
blood substitute, 384:367
Bmal1, 382:895
BMH2, 382:867
body size, 379:191
Bombyx mori, 380:255
bone, 382:59
bone sialoprotein, 384:591
bothropstoxin-I, 382:191
bovine milk, 382:215
bovine pancreatic phospholipase A_2, 377:685
bradykinin, 380:775
brain development, 378:169, 382:831, 383:129
branched-chain fatty acid, 383:121
Brassica juncea, 383:517
breast cancer, 377:429
breast cancer resistance protein (BCRP), 382:711
breathless (Btl), 380:767
BRG1, 383:319
Brij-96, 380:219
bromosulphophthalein, 382:703
brown adipocyte, 381:389, 382:597
bubblegum, 377:85
Burkholderia, 377:579, 384:609
Buthus martensi Karsch, 378:745

Ca^{2+}-ATPase, 383:361
CaCo-2 cells, 377:545
calcification, 378:1083, 382:205, 384:159
calcium-dependent protein-kinase (CDPK)-related protein kinase (CRK), 383:73
Caenorhabditis elegans, 378:185, 379:191, 382:995
calcineurin, 379:805
calcitonin, 382:945
calcium, 377:141, 377:299, 377:357, 377:479, 378:681, 380:449, 381:929, 382:e4, 382:849, 382:1015, 383:361
calcium-ATPase, 379:235
calcium-binding domain, 379:449
calcium-binding protein, 384:159
calcium/calmodulin-dependent protein kinase II (CaMKII), 377:357, 378:1, 378:391
calcium carbonate, 384:159
calcium channel, 378:539, 378:827, 378:975, 380:561, 381:423
calcium channel gating, 380:e1
calcium-dependent calcium release, 382:557
calcium-dependent proteolysis, 382:253
calcium entry, 380:661, 382:793
calcium handling, 379:479
calcium homoeostasis, 380:661
calcium imaging, 382:793
calcium-induced stability, 377:685
calcium-/magnesium-binding site, 378:793
calcium release, 382:793
calcium requirement, 382:607
calcium sensor, 380:875
calcium signalling, 378:275, 381:87, 381:423, 382:687, 383:353
calcium transient, 382:687
calcium uniporter, 384:19
calcium wave, 380:329
calmidazolium, 381:929
calmodulin, 378:161, 379:841, 381:257, 381:929, 383:73
calmodulin-binding protein, 381:257
calnexin, 380:441
μ-calpain, 382:607
calpain, 378:299, 382:1015, 382:253
calpain activator, 383:165
calsequestrin, 379:505
cAMP, 377:539, 378:63, 382:597, 384:469
cAMP accumulation, 377:51
cAMP-binding domain, 382:803
cAMP/Ca^{2+}-responsive-element-binding protein (CREB), 378:473
cAMP-dependent protein kinase (PKA), 381:587
cAMP-guanine nucleotide exchange factor (cAMP-GEF), 382:803
cAMP-response element modulator (CREM), 383:179
cAMP-response-element-binding protein (CREB), 384:281
cAMP-response-element-binding-protein-binding protein (CBP), 381:685, 382:111
cAMP-response-element-binding protein (CREB)-binding protein, 381:267
cAMP-specific phosphodiesterase (PDE4A7), 380:371
Campylobacter jejuni, 383:83
cancer, 378:17, 378:559, 381:329
Candida, 381:447
cannabinoid, 380:265, 380:435

© 2005 Biochemical Society

capillary electrophoresis, 380:627, 383:73
capsule, 381:131
carbamoyl-phosphate synthase, 382:463
carbamoyl-phosphate synthetase II (CPSase), 378:991
carbohydrate, 380:e9, 380:635
carbohydrate-binding module (CBM), 382:769, 384:247
carbonic anhydrase, 379:609
carboxylesterase, 384:101
carboxypeptidase E, 382:841
cardiac myocyte, 377:357, 382:923
cardiac ryanodine receptor activity, 379:161
cardiocyte, 378:73
cardiomyocyte, 382:411
cardiovascular disease, 383:45
cardiovascular system, 383:e5
carnitine acetyltransferase, 379:777
carnitine palmitoyltransferase I, 379:777
carnivorous plant, 381:295
carrier protein, 378:599
carrot, 379:601
carrot (*see Daucus carota*)
casein kinase Iε, 380:95
caspase, 377:299, 381:43, 382:157, 383:13, 384:201, 384:515
caspase-1, 381:213
caspase-2, 378:161
caspase-3, 378:161, 383:63
caspase-8, 382:651, 382:e1
catalase A, 380:393
catalysis, 381:561, 382:631, 384:437
catalytically inactive isoform, 380:371
catalytic domain, 377:775
catalytic mechanism, 381:795
catalytic site rigidity, 381:125
cataract, 379:273
β-catenin, 379:471
δ-catenin, 382:717
cathepsin, 378:657, 383:501, 383:507
cathepsin B, 381:511
cation transport, 379:31
$^{45}Ca^{2+}$ uptake and release, 382:557
caveola, 377:159, 377:741, 378:281, 382:451, 383:237
caveolin, 381:463
Cbl, 384:1
CCAAT-binding factor/nuclear factor-Y (CBF/NF-Y), 384:317
CCAAT box, 384:317
CCAAT/enhancer-binding protein (C/EBP), 380:757
CcdB (controller of cell division or death B protein), 380:409
CD9, 377:407
CD36, 382:417
CD38, 381:147, 382:849
CDC2, 382:411
Cdc42, 377:327, 378:539, 382:199
CD32A signalling, 381:919
cdk2/cyclin A, 378:939
cDNA cloning, 382:667
cDNA microarray, 380:617
β-cell, 379:11, 382:261
cell adhesion, 379:141, 382:733
cell cycle, 378:817, 378:857, 379:79, 379:283, 379:617, 380:465, 380:939, 382:411, 383:27, 384:317
cell death, 378:247, 378:461, 382:877
cell division, 382:411
cell entry, 382:841
cell growth, 378:83
cell–matrix interaction, 379:351
cell migration, 384:e1
cell motility, 382:13, 382:717
cell proliferation, 378:169, 379:395
cell signalling, 377:171, 383:13
cell transformation, 378:83
cell wall, 378:589, 379:601
cellobiose phosphorylase, 377:225
cell-penetrating peptide, 377:69, 382:945, 383:457
cell signalling, 381:329
cell-surface protein disulphide-isomerase, 382:575
cellular localization, 380:881
cellular retinol-binding protein (CRBP), 383:295
cellulase, 384:247
cellulose-binding domain, 382:769
central core disease, 382:557
ceramide, 378:335, 380:435, 380:715, 380:907, 382:527
ceramide C-4 hydroxylase, 379:687
ceramide 1-phosphate, 380:661, 382:527
cerebellar granule cell, 379:489
cerebellum, 381:423
c-*fos*, 382:545
cGMP, 379:385, 381:753
cGMP-dependent protein kinase (PKG), 381:753
chagasic cardiomyopathy, 381:743
chain-length specificity, 383:311
channel, 378:827, 378:851
chaperone, 378:793, 379:e1, 381:249, 381:803, 383:165, 383:491, 383:589, 384:461
chaperone-like activity, 381:379
characterization, 381:295
charged multivesicular body protein (CHMP4), 377:693
charge-state distribution analysis, 382:307
charge-to-substrate ratio, 378:949
chelation, 381:e3
chelator, 381:803
chemical synthesis, 377:37
chemiluminescent hybridization protection assay, 383:551
chemokine, 377:533, 379:263
chemotherapy, 381:405
chicken avidin, 384:385
chimaeric receptor, 383:219
Chinese-hamster ovary cell, 378:649
chitobiose phosphorylase, 377:225
Chlamydomonas reinhardtii, 382:51
chloramide, 381:175
chloride-binding site, 380:889
chlorophyll biosynthesis, 382:1009
chloroplast, 382:145
chlororespiration, 382:145
cholesterol, 377:545, 378:281, 378:343, 379:229, 379:331, 379:527, 382:93, 382:451
cholesterol efflux, 382:75
cholesterol metabolism, 379:11
cholesterol sulphate (CS), 380:153
cholesteryl ester, 377:741, 379:343
chondrocyte, 378:53, 380:651, 383:e1
chondrocyte-specific enhancer element, 383:37
chondroitin sulphate–dermatan sulphate hybrid, 384:567
chondroitin sulphate, 382:253, 382:269
chondroitin 4-sulphotransferase-1 (C4ST-1), 384:567
chondroitin 6-sulphotransferase-1 (C6ST-1), 384:567
chromaffin granule, 377:781
chromatin, 377:641, 377:809, 383:249, 383:343
chromatin immunoprecipitation, 383:209
chromatin immunoprecipitation (ChIP), 383:529
C-4 hydroxylase, 379:687
chymotrypsin, 378:1059
Cibacron Blue 3GA, 382:885
cinnamomin A-chain, 377:17
circadian rhythm, 380:95, 382:43, 382:895
circular dichroism (CD), 378:93, 378:1059, 380:139, 380:723, 381:97
circular dichroism spectroscopy (CD spectroscopy), 377:479
cis-regulatory code, 381:1
citrate transport, 378:949
c-Jun N-terminal kinase (JNK), 383:447, 383:483
clan, 378:705
CLAN, 381:213
clathrin, 377:1
cleavage, 379:39
cleavage assay, 379:823
cleavage complex stabilization, 384:527
cleavage specificity, 380:505
cloning, 377:579, 381:25, 384:609
clusterin, 382:157
cmk, 384:619
^{13}C NMR, 378:485
co-activator, 381:267, 381:357, 382:111, 382:323
coated pit, 377:1
cobatoxin 1, 377:37
coeliac sprue, 383:311
cofactor binding, 384:59
Col11a2, 383:37
collaborator of ARF (CARF), 380:605
collagen, 378:1023, 378:609, 380:685, 381:895, 383:581
collagen lattice, 379:351
collagen peptidase, 379:633
colon, 384:e3
colony-stimulating factor-1 receptor, 380:243
colorectal cancer, 379:209
Comamonas testosteroni, 383:91
compact denatured state, 382:433
comparative modelling, 380:339
compatible solute, 383:277
competitive inhibitor, 384:551
complementation analysis, 380:593
complement factor H, 383:413
complex I, 380:193, 382:877
complex I assembly, 383:491
compound inhibitor, 378:705
computational model, 383:353
condensation domain, 381:321
confluence, 378:307
confocal laser-scanning microscopy, 379:441
confocal microscopy, 382:981
conformation, 382:121
conformational change, 380:273, 380:401
conformational stability, 377:685
connexin, 383:111
α-conotoxin, 380:347
conserved amino acid, 383:53
Conus geographus (cone snail), 380:347
co-operativity, 381:489
co-operative metal binding, 382:307
copine dominant negative, 378:1089
copper, 377:95, 377:241, 378:617, 378:1031, 380:273, 380:805, 381:803, 383:303
copper cluster, 382:307
copper homoeostasis, 383:303
copper metallochaperone, 378:293
CoQ biosynthesis, 382:519
Cor a 11, 383:327
cormycin, 384:25
cortactin, 380:581, 382:13
cortactin binding protein 1 (CortBP1), 380:181
corticotropin, 380:897
COS-7 cell, 384:87
co-translational import, 382:385
coupling ATR–FTIR (attenuated total reflection–Fourier-transform infrared), 382:121
coupling energy, 382:967

© 2005 Biochemical Society

coupling state, 380:919
CTP:phosphoethanolamine cytidylyltransferase, 382:51
covalent modification by inhibitor, 379:325
COX3, 383:561
C-propeptide, 381:895
CreA, 379:375
CREB-binding protein (CBP), 378:473, 381:e3
cross-linking, 377:407
cross-talk, 380:329, 379:641
cross-reactive carbohydrate determinant, 383:327
crotonoyl-CoA, 381:719
Cryptococcus gattii, 384:377
Cryptococcus neoformans, 381:131, 384:377
crystallin, 379:595
α-crystallin, 379:273
δ crystallin, 384:437
α-crystallin domain, 381:379
CTP:phosphoethanolamine cytidylyltransferase, 379:711
c-Src, 379:141
C-terminus, 378:207
c-type cytochrome, 383:537
Cul3, 377:459
cullin, 377:459
curcumin, 384:149
custom-designed microarray, 381:743
Cu,Zn-superoxide dismutase (SOD1), 378:435
CXXC motif, 382:169
Cy5 maleimide labelling, 378:497
cyanide, 379:805
cyanobacteria, 383:277
cybrid, 384:287
cyclic ADP-ribose, 381:147
cyclin, 379:79
cyclin B, 382:411
cyclin D, 378:673
cyclin-dependent kinase 4 (CDK4), 378:673
cyclin-dependent kinase 5 (cdk5), 381:471
cyclin-dependent kinase 11, 384:461
cyclin-dependent kinase inhibitor, 379:79
cyclin-dependent protein kinase (CDK), 380:939
cycloheximide, 382:597, 384:543
N-cyclohexanecarbonylpentadecylamine, 379:99
cyclo-oxygenase, 377:675
cyclo-oxygenase-2, 377:629
cyclo-oxygenase type 2, 384:469
cyclophilin B, 382:733
cyclophilin D, 383:101
CYP4A subfamily, 378:1053
CYP4A21, 378:1053
CYP4A24, 378:1053
cystathionase, 381:113
cystathione β-synthase domain (CBS domain), 379:243
cystathioninaemia, 381:113
cystathionine γ-lyase, 381:113
cystatin B, 380:617
cysteine, 377:407, 378:1015, 379:673, 381:113, 382:631
cysteine- and proline-rich domains, 381:79
cysteine desulphurase, 379:433
cysteine protease, 378:529, 383:501
cysteine proteinase mechanism, 378:699
cysteine protease, 381:511
cysteine residue, 378:833, 380:283
cysteinylglycine, 378:35
cysteinylglycine hydrolase, 378:35
cystic fibrosis transmembrane conductance regulator (CFTR), 378:151, 378:909, 380:67
cystic fibrosis, 380:67
cystinuria, 377:665
cytidylyltransferase, 382:741
cytochrome *c*, 378:213, 378:247, 379:805, 381:19
cytochrome *c* biogenesis, 383:537
cytochrome *c* oxidase, 382:923, 383:561
cytochrome *c* oxidase copper chaperone (Cox17), 382:307
cytochrome *c* oxidase I (COX I) and COX III mRNA, 382:331
cytochrome *f*, 378:45
cytochrome P450, 380:353, 381:887
cytochrome P450 2D6 (CYP2D6), 380:353
cytochrome oxidase, 382:331
cytokine, 377:763, 380:425, 380:651, 381:503, 382:261, 383:393
cytokinin, 380:121
cytokinin dehydrogenase (cytokinin oxidase), 380:121
cytoplasmic domain, 378:1007, 379:317
cytoprotection, 384:629
cytoskeleton, 377:539, 378:409, 378:1067, 384:489
cytosolic phospholipase A_2, 380:533
cytotoxicity, 378:959, 382:261, 383:335

DAN1, 381:195
data processing, 381:1
Dancus carota, 379:601
D6 chemokine receptor, 379:263
deacylation, 382:441
deadenylation, 377:17
death-inducing signalling complex (DISC), 382:e1
DEC1, 382:895
Dec2, 382:43
decarboxylase, 381:701
decarboxylated *S*-adenosylmethionine, 381:701
defensin, 379:681
dehydrogenase, 378:275, 380:231, 381:35
deletion mutant, 378:519, 384:59, 384:599
deletion mutation, 377:17
denaturation, 381:e3
denitrosation, 382:575
densin-180, 378:1
3-deoxy-D-*manno*-octulosonate, 381:185
3-deoxy-D-*manno*-octulosonate 8-phosphate synthase, 381:185
deoxynojirimycin, 381:861, 381:867
deoxyribonuclease 1 (DNase1), 380:929
dephosphorylation, 378:229
dermatan sulphate, 384:567
DES2, 379:687
desaturase, 378:665, 379:687
desensitization, 379:573
Desert Hedgehog, 378:325
desiccation, 383:277
desmocollin (Dsc), 380:757
desmosome, 380:757
desulphated dermatan sulphate, 384:567
detergent, 377:675, 378:281
detergent-resistant membrane (DRM), 377:561, 380:219, 381:463
detergent-resistant membrane domain, 381:919
deubiquitination, 378:727, 381:275
deuterium isotope effect, 380:643
dexamethasone, 378:239
dextromethorphan, 380:353
DGAT, 378:899
diabetes, 377:e1, 377:149, 377:709, 378:693, 382:471
diabetes mellitus, 381:13, 383:439
diabetic nephropathy, 379:89
di-acidic motif, 380:43
diacylglycerol, 379:711
diacylglycerol acyltransferase, 378:967
diacylglycerol kinase, 382:957
diapause hormone, 380:255
diapause hormone-modulator-binding protein, 380:255
diastereomeric MMP inhibitors, 377:775
Dictyostelium, 382:441
1,2-dielaidoyl-*sn*-glycero-3-phosphoethanolamine, 381:941
diethyl pyrocarbonate (DEPC), 384:87
differential display reverse transcriptase–PCR, 380:617
differential gene expression, 379:351, 384:169
differential proteomic, 378:929
differential scanning calorimetry (DSC), 380:409, 381:97
differential splicing, 381:831
differentiation, 378:817
differentiation pathway, 379:749
diffusion pore, 377:579, 384:609
diflunisal, 381:351
dihydrodipicolinate synthase, 377:757
dihydroethidium, 381:447
dihydrofolate reductase, 378:999
dihydropyridine receptor, 379:161
dihydropyrimidine dehydrogenase, 379:119
dikinase, 377:525
dilazep, 380:131
dilysocardiolipin, 377:509
dimer, 381:769, 384:255
dimeric interface, 382:375
dimerization, 378:151, 383:429, 384:515
dimethylsphingosine, 382:717
dioxin response element (DRE), 377:205
diphenol, 380:643
diphosphoinositol polyphosphate, 377:265
discoidin domain, 381:547
disruptor of telomeric silencing (Dot1), 377:641
disulphide bond, 378:1079
disulphide-bond-forming (Dsb) oxidoreductase, 379:541
disulphide bridging, 378:717
disulphide exchange, 382:575
disulphide reduction, 378:497
disulphide scrambling, 377:685
2,5-di-(t-butyl)-1,4-hydroquinone (tBHQ), 380:695
divalent metal-dependent regulatory protein (DmdR), 380:497
DMBT1 (deleted in malignant brain tumours 1), 383:159
DMSO, 377:641
DnaA, 382:247
DNA-binding protein, 379:243, 381:373, 383:343
DnaB helicase, 379:553
DNA binding, 378:833, 378:939, 379:553
DnaC protein, 379:553
DNA cytosine-5-methyltransferase 3 like (Dnmt3L), 380:705
DNA damage, 378:1039
DNA-dependent protein kinase (DNA-PK), 381:165
DNA distortion, 383:371
DNA fragmentation, 377:233
DNA helicase, 381:645
DNA intercalation, 384:527
DNA methyltransferase, 378:763
DNA polymerase, 384:337
DNA polymerase ζ (pol ζ), 382:535
DNA repair, 379:71
DNA replication, 379:553, 381:645, 384:337
DNA replication-related element binding factor (DREF), 378:833
DNA–RNA polymerase interaction, 383:371
DNA strand break, 381:165

© 2005 Biochemical Society

Dnmt1, 378:763
Dnmt2, 378:763
Dnmt3a, 378:763
Dnmt3b, 378:763
docking, 378:45
docking analysis, 379:777
docking motif, 381:693
docking simulation, 377:37
docking site, 378:569
docosahexaenoic acid, 384:357
domain–domain interaction, 380:561
domain repeat, 378:705
domain-specific antibody, 380:561
domain structure, 381:841, 384:179
dominant-negative TGFβ type II receptor, 381:429
donor/acceptor pair, 381:307
dopa, 378:785
dopamine, 378:687, 378:785
dorsal root ganglion neuron, 380:329
doublecortin (DCX), 381:471
double-mutant cycle, 382:967
double-stranded RNA, 380:311
DR-4 element, 383:37
Drosophila, 383:483, 378:299, 379:283, 382:67, 382:131, 383:303
Drosophila melanogaster, 378:763, 378:779, 382:535
drug delivery, 377:69
drug interaction, 382:711
drug metabolism, 380:353
drug-resistance gene, 381:321
drug sensitivity, 384:47
drug targeting, 377:61
DT40 cell, 382:793
dual signal, 382:385
dual-specificity phosphatase, 383:447
DUK114, 383:165
Dynabead streptavidin solid-phase method, 382:239
dynein light chain, 377:597
dystrophin, 379:479
dystrophin of 427 kDa (Dp427), 379:479

E1, 379:513
E1A, 382:111
E2, 379:513
E3, 379:513
early region 1A (E1A), 381:343
earthworm, 382:231
E1B-AP5, 383:259
E-box, 383:209
ecdysone, 378:779, 382:93
Echinococcus granulosus, 382:501
ecotin, 379:107
ecto-domain, 377:775, 380:685
ecto-nucleotidase, 381:105
EDTA, 381:e3
E2F gene, 383:529
Egr-1, 380:735
egr-1, 381:437
eicosapentaenoic acid, 378:665, 384:357
eIF4E (eukaryotic initiation factor 4E), 378:73
electrogenicity, 378:949
electron microscopy, 377:653
electron paramagnetic resonance (EPR), 381:137
electron transfer, 378:45
electron-transfer flavoprotein, 378:633
electron-transfer flavoprotein-ubiquinone oxidoreductase, 378:633
electron-transport chain, 380:193, 382:511
electrophilic lipid oxidation, 378:373
electrophoretic mobility shift assay (EMSA), 378:939
electrospray ionization MS (ESI–MS), 380:907, 381:155
electrostatic switch, 382:607
elicitor, 378:461
elongation, 378:473
embryonic stem (ES) cell, 379:749
enantiomer, 379:119
endocannabinoid, 379:99, 380:265, 380:749
endocrine, 379:749
endocrine cell, 380:875
endocytosis, 377:1, 377:159, 377:379, 377:607, 381:203, 382:13, 382:841, 383:1
endo-β-(1 $\rightarrow$ 6)-galactanase, 377:749
endomannosidase, 381:867
endomembrane, 377:561
endometrium, 382:363
endonuclease, 380:929
endophilin, 383:27
endoplasmic reticulum, 377:121, 380:441, 380:881, 381:519, 383:353, 383:589, 384:9
endoplasmic reticulum-associated protein degradation (ERAD), 383:285
endoplasmic reticulum export (ER export), 380:43
endoplasmic reticulum retention, 382:811
endothelial cell, 380:533
endothelin-converting enzyme-like 1 (ECEL1), 380:881
enfuvirtide, 377:107
enhanced green fluorescent protein (EGFP), 379:441
enhancer, 382:463
enoyl-ACP (acyl-carrier protein) reductase, 381:725
enoyl-ACP reductase, 381:735
enoyl-acyl carrier protein (enoyl-ACP) reductase, 381:719
enterotoxin, 380:723
enthalpy change, 382:433
entropy change, 382:433
enzyme activation, 378:1059
enzyme activity, 382:565, 382:725
enzyme bioassay, 380:505
enzyme biosynthesis, 380:881
enzyme engineering, 377:77
enzyme kinetics, 377:317, 378:421, 380:339, 382:1003, 383:475, 383:517
enzyme mechanism, 381:813, 384:437
enzyme regulation, 377:77
enzyme replacement, 379:461
enzyme specificity, 382:279
enzymic activation, 379:757
enzymology, 384:411
eosinophil cationic protein (ECP), 382:841
ephrin, 379:39
ephrinB1, 377:499
epidermal growth factor (EGF), 378:129
epidermal growth factor domain (EGF domain), 378:1079
epidermal growth factor receptor, 381:257
epidermis, 380:757
epigenetic, 380:705
epithelial barrier, 377:69
epithelial cell, 378:307
epithelial delivery, 382:945
epithelial transport, 377:665
epitope, 381:221
epoxysuccinyl inhibitor, 381:511
Epstein–Barr virus, 379:795
equilibrative nucleoside transporter (ENT), 383:19
equilibrium denaturation, 382:433
equilibrium dialysis, 383:201
ErbB2/Neu/HER2 receptor, 381:257
ERG25, 378:889
ergosterol, 382:867
ERp29, 383:589
erythrocyte (*see* red blood cell)
erythropoiesis, 381:629
erythropoietin receptor, 377:517
Escherichia coli, 383:371, 384:577
Escherichia coli mutant, 381:823
ESI, 378:625
ESR, 378:435
ethanolaminephosphotransferase, 379:711
N-ethylmaleimide, 382:631
ethyl sulphate, 383:543
Euglena, 383:537
eukaryotic elongation factor 2 (eEF2), 379:563, 380:523
eukaryotic initiation factor 5A (eIF-5A), 384:585
evolution, 381:561, 382:565
exchange protein directly activated by cAMP (EPAC), 382:803
excitation–contraction coupling, 380:561, 377:385, 382:557
exocytosis, 380:875, 380:897, 381:13
exonuclease, 384:337
exosome, 380:161
exotoxin A, 379:563
expression pattern, 378:299
expression profiling, 381:635
expression system, 384:385
extended -10 promoter, 383:371
external guide sequence, 380:611
extra eleven nineteen (EEN), 383:27
extracellular ATP, 381:389
extracellular ATP signalling, 381:105
extracellular matrix, 377:479, 377:787, 378:383, 382:589, 384:149
extracellular-signal-regulated kinase (ERK), 377:257, 378:473, 379:627, 380:19, 382:425
extracellular-signal-regulated kinase 1 and 2 (ERK1/ERK2), 379:141, 380:533, 381:231, 381:437, 381:635
extracellular-signal-regulated kinase 5 (ERK5), 381:693
extremophile, 384:247

FabI, 381:735
F-actin, 382:353
factor inhibiting hypoxia-inducible factor (FIH), 383:429
Factor IX, 381:779
Factor Va, 377:141
Factor VIIa mutant, 379:497
Factor VIII, 381:779
Factor X, 381:779
Factor Xa, 377:141
FAD, 381:35
family 5 glycoside hydrolase, 377:749
farnesoid X receptor (FXR), 382:913
farnesol, 384:637
farnesyl glucuronide, 384:637
Fas-activating antibody, 383:219
fasting, 382:913
fat synthesis, 379:191
fatty acid, 377:509, 377:545, 378:93, 378:665, 380:749, 381:463, 381:941
fatty acid amide hydrolase (FAAH), 380:265
fatty acid-binding protein, 382:239
fatty acid biosynthesis, 381:719, 381:725, 381:735
fatty acid biosynthesis pathway, 383:401
fatty acid β-oxidation, 379:777
Fc receptor, 381:919
Fc receptor γ-chain, 378:193, 383:581,
Fe (*p*-bromoacetamidobenzyl)-EDTA, 378:735
feedback regulation of insulin signalling, 379:641
Fer kinase, 380:581

© 2005 Biochemical Society

ferrochelatase, 384:429
fertilization, 378:275, 378:827, 384:191
fetal erythroid, 384:647
fibre type, 378:269
fibrinogen, 378:1079, 379:449
fibroblast, 378:753, 379:351, 380:651, 380:919
fibroblast growth factor (FGF), 378:1007, 379:331
fibroblast growth factor 2 (FGF-2), 384:559
fibroblast growth factor receptor (FGFR), 380:767
fibronectin, 382:589
fibronectin-like type III domain, 384:495
fidelity, 382:535, 384:337
filamentous fungus, 379:375
filamin, 384:489
filopodia, 378:509
filopodium, 384:e1
flagellum, 378:63
flavanone 3-hydroxylase, 380:611
flavocetin-A, 378:399
flavonoid, 384:19, 384:527
flavoprotein, 380:121
$FLIP_L$ (FLICE-like inhibitory protein), 382:651
flotillin, 378:509
flow cytometry, 382:981
fluorescence, 378:1059, 379:527, 380:723
fluorescence assay, 377:617
fluorescence microscopy, 379:441, 380:859
fluorescence quenching, 384:515
fluorescence resonance energy transfer (FRET), 380:139, 381:307, 382:695
fluorescence spectroscopy, 378:801, 384:169, 384:411
fluorescent calcium dye, 382:687
fluorescent peptide, 380:775
fluoride elimination, 382:659
fluorogenic dendrimer, 377:617
fluorogenic substrate, 382:1031
α-fluoromethyl histidine, 381:769
fluorometric determination, 382:1031
FluoZin-3AM, 380:695
focal adhesion, 378:1067
focal adhesion kinase (FAK), 378:559
folate, 378:201
folate metabolism, 379:395
folate-binding protein, 382:215
folate interaction, 382:215
folding, 383:165
folding intermediate, 384:179
folic acid, 380:867
N-formyl-L-methionyl-L-leucyl-L-phenylalanine receptor (fMLP receptor), 377:469
Forkhead, 378:839
forkhead transcription factor, 380:297
Fourier-transform infrared (FTIR), 378:1059
FOXO1, 378:839
free enzyme isomerization, 378:699
free fatty acid, 382:619
fructosamine, 378:1047, 382:137
fructose 1,6-bisphosphate, 380:51
fructose 2,6-bisphosphate, 381:561
fructoselysine, 378:1047
Ftr1 protein, 380:487
fucose, 378:625
fucosyltransferase (FUT1 and FUT2), 380:75
α-1,2-fucosyltransferase, 383:469
fumonisin B1, 382:527
functional domain analysis, 384:59
functional dyad, 377:25
functional genomics and proteomics, 381:1
fungi, 381:547
fungicide, 380:105
furin, 379:757
Fushi Tarazu-Factor 1 (Ftz-F1), 382:337
fusion inhibitor, 377:107
futile cycle, 381:287
fuzeon, 377:107
Fyn, 384:1
Fyn/Fer kinase, 380:e7
fyn-related kinase (FRK)/RAK, 382:261

galactose oxidase, 381:547
galectin-3, 378:353, 380:31
Gal4 fusion protein, 382:337
GalNAc-4-O-sulphation, 384:567
GalNAc-6-O-sulphation, 384:567
ganglioside, 377:561, 380:75
gapA gene, 383:371
gap junction, 383:111
gas chromatography-mass spectrometry, 380:541
gastric ATPase, 382:121
gastric carcinoma, 379:141
gastric epithelium, 381:397
gastric mucin, 384:263
gastric mucosa, 379:291, 379:765
gastrointestinal system, 380:75
GATA binding protein 4 (GATA4), 379:151
GATA2, 378:549
GC–MS, 381:287
GCN5-related *N*-acetyltransferase, 384:129
geldanamycin, 382:199
gel electrophoresis, 378:269
Genapol® X-100, 377:675
gene conversion, 378:1053
gene delivery, 377:159
gene duplication, 378:1053
gene expression, 377:367, 381:357, 381:743, 383:139
gene expression pattern, 380:929
gene regulation, 377:763, 378:839, 379:325, 379:739, 380:425, 380:455, 381:503, 384:543
gene regulatory network, 381:1
gene transcription, 377:367
general acid/base, 378:141
general transcription factor, 378:317
genistein, 384:19
genome, 380:497
genomic imprinting, 380:705
germ-free mice, 380:75
G_i, 379:627
$G\alpha_{i2}$, 380:e11
Gli, 378:353
gliadin peptide, 383:311
glioma, 380:435
glomerular mesangial cell, 380:735
(1 → 3,1 → 4)-β-D-glucan, 380:e9, 380:635
glucocorticoid, 378:239, 382:491
glucocorticoid-receptor-interacting protein 1 (GRIP1), 382:111
glucocorticoid-response element (GRE), 382:463
glucocorticoid-response unit (GRU), 382:463
glucokinase regulatory protein (GKRP), 378:693
gluconeogenesis, 378:485, 382:471
D-glucose/D-galactose-binding protein, 381:97
glucose, 377:e1, 377:149, 381:905
glucose metabolism, 381:287
glucose 6-phosphate, 377:195
glucose 6-phosphatase, 382:471
glucose stable isotope tracer, 381:287
glucose transport, 378:343, 381:495
glucose uptake, 384:349, 384:629
β-glucosidase, 379:125
glucosidase, 381:867
glucosylceramidase, 378:141
glucosyltransferase, 381:861
β-glucuronidase, 379:461
glucuronidation, 384:637
GLUT1, 378:343
glutamate, 381:483
glutamate–cysteine ligase, 378:373
glutamate dehydrogenase (GDH), 379:721
glutamic acid decarboxylase (GAD), 379:721
glutaminase, 381:483
glutamine, 382:27
glutamine metabolism, 378:485
glutaredoxin, 377:395
glutathione, 379:595, 381:e1, 382:131, 383:139, 383:335
glutathione metabolism, 378:35
glutathione peroxidase (GPx), 377:241, 378:21, 381:841
glutathione S-transferase (GST), 379:541, 380:515, 381:405, 382:751, 382:885, 383:483
glutathione S-transferase A1-1, 382:703
glutathione S-transferase pull down, 381:685
glutathione synthetase, 381:489
glutathionylation, 379:595, 381:e1, 381:675
glycan, 384:307
N-glycan, 378:117, 382:67
N-glycan biosynthesis, 382:995
glycans, 381:593
glycation, 378:1047, 382:137
glyceraldheyde-3-phosphate, 380:231
glyceraldehyde-3-phosphate dehydrogenase (GAPDH), 384:327
glycerophosphocholine, 379:601
glycerophosphodiester phosphodiesterase, 379:601
glycerophosphorylcholine, 382:441
glycoform, 379:765
glycogen, 379:133
glycogenolysis, 378:1073
glycogen phosphorylase, 378:1073
glycogen resynthesis, 378:1073
glycogen synthase, 377:195, 379:133
glycogen synthase kinase 3 (GSK3), 377:249, 384:477
glycolipid, 377:561, 380:75, 382:67
glycolipid glycosyltransferase, 377:561
glycolysis, 377:77, 378:17, 381:561, 384:629
glycoprotease, 377:395
glycoprotein biosynthesis, 384:e3
β_2-glycoprotein I, 380:455
glycoprotein, 382:821, 383:327, 384:191
glycoprotein Ib-IX-V (GPIb-IX-V), 378:1023
glycoprotein VI (GPVI), 378:193, 378:1023, 383:581
glycosaminoglycan (GAG), 379:217, 381:175
β-glycosidase, 384:69
glycoside hydrolase, 384:247
glycosome, 382:759
glycosylation, 379:653, 380:571, 382:811, 384:263, 384:307
glycosphingolipid (*see also* zwitterionic glycosphingolipid), 378:281
glycosphingolipid biosynthesis, 381:861
glycosylphosphatidylinositol (GPI), 378:641
glycosylphosphatidylinositol anchor, 380:845
glycosylphosphatidylinositol-anchored protein, 378:641
glycosylphosphatidylinositol-specific phospholipase D, 378:641
glycosyltransferase, 382:67
glycosyltransferase family 36, 377:225
glycosynthase, 380:e9, 380:635
glyoxalase, 384:111
glyoxalase I, 377:309
Golgi apparatus, 377:121
Golgi complex, 377:561

© 2005 Biochemical Society

GoLoco domain, 379:627
GoLoco motif, 378:801
Gordon's syndrome, 378:257
gp-340, 383:159
gp91^{phox}/Nox2, 382:981
G-protein, 379:263, 379:673, 380:361, 380:831, 382:857
G_{16} protein, 380:361
G-protein-coupled receptor (GPCR), 380:475, 380:815, 381:43, 382:101, 382:231
G-protein-coupled receptor kinase, 379:573
G-protein regulatory motif (GPR motif), 378:801
Gram-negative bacterium, 379:107
gravin, 379:1
Grb2-associated binder 2 (Gab2), 382:545
green fluorescent protein (GFP), 377:299, 381:307, 382:793
green fluorescent protein (GFP)-like protein, 381:307
green fluorescent protein import, 382:385
growth, 378:21
growth arrest, 378:753
growth factor, 378:839, 379:89, 381:397, 383:13, 384:559
growth-factor-receptor-bound protein 4 (Grb4), 377:499
growth hormone receptor, 377:379
growth hormone-releasing peptide (GHRP), 382:417
growth phase, 383:139
GSH-binding site, 382:751
GTP, 381:313, 384:619
GTPase, 377:327, 379:627, 379:673, 383:187
GTPase-activating protein (GAP), 380:767
GTPase activity, 381:313
GTP hydrolysis, 379:673
GTS1, 383:171
guanidinium chloride, 380:409, 384:179
guanine nucleotide dissociation inhibitor (GDI), 378:801
guanine-nucleotide-exchange factor, 382:857
guanosine 5′-[γ-thio]triphosphate (GTP[S]), 377:539
guanylate-binding protein-1 (GBP-1), 379:409
guanylate cyclase, 379:385
guanylate cyclase C, 379:653

haem, 378:599
haem oxygenase, 383:209
haem oxygenase-1, 379:587
haem synthesis, 384:429
haematopoietic differentiation, 377:367
haemochromatosis, 381:629
haemoglobin, 378:529, 379:833, 380:889, 382:183, 384:367
haloacid dehalogenase (HAD) superfamily, 382:59
Halobacterium, 381:795
H^+-ATP synthase, 378:17
hazelnut (*Corylus avellana*) allergen, 383:327
heartless (Htl), 380:767
heat inducibility, 381:379
heat-modifiable, 378:851
heat shock, 383:165
heat-shock element, 380:783
heat-shock factor (HSF) 1 binding site, 381:379
heat-shock protein (HSP), 379:739, 382:641
heat-shock protein 12 (Hsp 12), 377:769
heat-shock protein 70 (HSP70), 380:203
heat-shock protein 90 (Hsp90), 384:461
heat-shock protein 90 (HSP90)-binding region, 382:199
heat-shock stress, 380:783
heavy metal, 378:1031
HeLa cell, 378:641, 380:283
HeLa cell protein import, 382:385
helicase-loader, 381:645
Helicobacter pylori, 379:291, 379:765, 381:911, 383:343, 384:263
α-helix, 380:273
helminth parasite, 382:501
hemichannel, 383:111
hemipterous (HEP; MKK7), 383:483
heparan sulphate, 377:533, 379:331, 381:593, 382:733, 384:495
heparan sulphate proteoglycan, 383:129
heparin, 382:933
heparin binding, 379:815
heparin-derived oligosaccharide, 384:93
heparin oligosaccharide, 382:733
hepatic fibrosis, 384:149
hepatic nuclear factor-1α (HNF-1α), 380:455
hepatic stellate cell, 384:149
hepatitis, 379:199
hepatitis C virus (HCV), 378:919, 384:401
hepatocyte, 377:195, 380:203
hepatocyte invasion, 379:815
hepatocyte nuclear factor (HNF), 379:151
hepatocyte nuclear factor 1α (HNF1α), 378:909
hepatocyte nuclear factor 4 (HNF-4), 381:887
hepatocyte nuclear factor 4α (HNF4α), 383:573
hepatoma, 380:515, 382:27
hepatoma-derived growth factor (HDGF), 378:169
hepatoma-derived-growth-factor-related protein-3 (HRP-3), 378:169
hepatoselective, 381:51
Hep3B cell, 379:199
HepG2 cell, 380:455
herbicide, 383:53
herbicide detoxification, 382:885
Hermansky–Pudlak syndrome, 378:519
heterodimerization, 378:779, 382:375
heterogeneous nuclear ribonucleoprotein K-homology domain (KH domain), 380:823
heterologous expression, 380:881
heteromeric amino acid transporter, 377:665
heterotrimeric G-protein, 378:801
hexarelin, 382:417
hexokinase, 377:347
hexokinase IV, 378:693
high-density lipoprotein clearance (HDL clearance), 379:343
high-density lipoprotein re-absorption (HDL re-absorption), 379:343
high osmolarity glycerol pathway (HOG pathway), 379:367
high-throughput screening, 383:551
hippocampus, 377:787
histamine, 379:253
histamine release, 383:327
histatin, 379:665, 381:447
histidine, 384:87
histidine decarboxylase (HDC), 379:253
L-histidine decarboxylase, 381:769
histidine methyl ester, 381:769
histone, 377:641
histone acetyltransferase, 381:267
histone biosynthesis, 379:617
histone H3 gene, 384:317
histone-like HU protein, 383:343
HIV, 377:107, 383:475
HKE4, 377:131
HL-60 cell, 381:495, 381:861, 381:867
HMG-CoA synthase, 383:517
[1,2,6,7-^{3}H(N)]dehydroepiandrosterone (DHEA), 379:533
Holliday junction, 381:165, 383:343
homologous recombination, 381:165
homology modelling, 380:139, 383:53
hormone receptor, 380:475
hormone response element, 383:e1
hormone-sensitive lipase, 379:11
host–pathogen interaction, 384:263
HspB8, 381:379
HtrA1, 381:895
HtrA2/Omi, 381:895
Huh7 cell, 380:455
human cartilage glycoprotein 3, 380:651
human *COQ2* gene, 382:519
human double minute-2 oncoprotein (HDM2), 380:605
human embryonic kidney-293 cell (HEK-293 cell), 379:653
human equilibrative nucleoside transporter 1, 380:131
human glucokinase, 378:693
human meprin, 378:383
human missense mutation, 377:281
human neutrophil, 377:469
human NMN adenylyltransferase, 377:317
human organic anion transporter 4 (hOAT4), 384:87
human serum albumin (HSA), 380:147
human umbilical-vein endothelial cell (HUVEC), 379:409
hyaluronan-binding protein 1 (HABP1), 380:837
hybrid receptor, 380:571
hydrogen bond network, 382:967
hydrogen peroxide, 378:1039
hydrogen peroxide activation, 377:717
hydrogen peroxide (H_2O_2), 382:511
hydrogen–deuterium exchange, 381:847
hydrogen/deuterium exchange, 382:121
hydrolytic catalytic antibody, 381:125
8-hydroxy-2′-deoxyguanosine, 380:541
hydroxyapatite, 378:1083
2-hydroxychromene-2-carboxylate (HCCA) isomerase, 379:541
hydroxyfarnesol, 384:637
D-2-hydroxyglutarate, 381:35
D-2-hydroxyglutaric aciduria, 381:35
3-hydroxy-3-methylglutaryl-CoA reductase, 381:831
20α-hydroxysteroid dehydrogenase, 382:975
hyocholic acid, 378:1053
hyperhomocysteinaemia, 382:831
hypertension, 378:257, 383:e5
hyperthermophilic archaea, 381:137
hyperthermophilic protein, 382:433
hypertonic stress, 380:783
hypertrophic differentiation, 378:53
hypertrophy, 378:73, 380:795, 381:231
hypochlorite, 381:175
hypoxanthine, 377:733
hypoxanthine–guanine phosphoribosyltransferase (HPRT), 377:733
hypoxia, 380:289, 380:419, 383:429
hypoxia-inducible factor, 381:761
hypoxia-inducible factor (HIF), 380:419
hypoxia-inducible factor 1 (HIF-1), 384:79
hypoxia-inducible factor-1α (HIF-1α), 380:289
hypoxia/re-oxygenation, 380:203
hypusine, 384:585

IκB, 378:1089
IκB kinase (IKK), 382:393
ice-binding site, 377:589
IgA, 383:159
αIIb, 379:317
Ikaros, 383:249
imino sugar, 381:861, 381:867
immune cell, 382:e4
immunity, 381:413

© 2005 Biochemical Society

immunocytochemistry, 377:769
immunodeficiency, 384:469
immunogold, 377:653
immunohistochemistry, 377:317
immunoliposome, 377:61
immunological activity, 382:269
immunoneutralization, 381:429
immunoprecipitation, 377:357, 382:923
immunoproteasome, 384:401
imperatoxin A, 377:385
implantation, 382:363
importin, 378:219
indirubin, 377:249
induced proximity, 382:e1
inducible expression, 383:111
inducible nitric oxide synthase (iNOS), 377:809
inflammation, 378:27, 378:449, 379:351, 379:409, 380:651, 380:775, 381:413, 382:589, 384:281
inherited disease, 381:537
inhibition, 378:657, 382:905
inhibition kinetics, 382:703
inhibitor κBα (IκBα), 380:173
inhibitor κBβ (IκBβ), 380:173
inhibitor of apoptosis protein (IAP), 384:201
inhibitor design, 381:511
inhibitory κB kinase γ (IKKγ), 378:867
initiation, 378:473
initiation of chromosome replication, 382:247
innate host defence, 380:385
innate immunity, 380:83, 380:617, 382:315
innate recognition, 381:527
inner-membrane component, 383:91
inosine 5′-monophosphate dehydrogenase (IMP dehydrogenase), 379:243
inositol, 381:929
inositol hexakisphosphate kinase (InsP_6 kinase), 377:265
inositol phosphate kinase, 377:265
inositol phosphate multikinase (Ipmk), 377:265
inositol phospholipid, 382:857
inositol polyphosphate, 380:465
inositol 1,2,3-trisphosphate, 380:465
inositol 1,4,5-trisphosphate [Ins(1,4,5)P_3], 381:423
inositol trisphosphate receptor, 381:519
inositol 1,4,5-trisphosphate receptor, 377:299, 382:793
insect, 382:67
insect metalloproteinase inhibitor (IMPI), 382:315
InsP_3, 382:687
Ins(1,4,5)P_3 3-kinase B, 382:353
insulin, 377:e1, 377:149, 377:709, 378:839, 380:297, 381:483, 382:471
insulin analogue, 381:51
insulin gene, 378:219
insulin receptor, 380:e5, 380:571, 380:831
insulin receptor binding, 381:51
insulin receptor substrate, 379:641
insulin receptor substrate-1 (IRS-1), 377:339, 378:105
insulin release, 381:13
insulin resistance, 378:105
insulin secretion, 378:769, 379:721
insulin sensitization, 377:339
insulin-like growth factor 1 receptor (IGF-1R), 380:e5, 380:571
insulin-degrading enzyme, 383:439
insulin-like growth factor (IGF), 379:57
insulin-like growth factor-binding protein 4 (IGFBP-4), 379:57
insulin signalling, 380:e11
integral membrane protein, 379:47
integrin, 377:449, 378:559, 379:141, 379:317
integrin activation, 378:1079, 380:401
integrin αIIbβ, 379:449
integrin αIIbβ3, 378:193, 379:449
integrin αIIβ3, 378:1079
α2β1 integrin, 383:581
β2 integrin, 380:57
interacting site, 382:111
interferon (IFN), 379:199
γ-interferon, 378:177
interferon-γ (IFNγ), 384:93
interferon regulatory factor, 377:367
interglobular domain, 382:253
interleukin-6 signalling (IL-6 signalling), 377:289
interleukin-1, 379:351, 379:409, 381:503
interleukin-1β, 381:213
interleukin-1 (IL-1), 378:27
interleukin 2 (IL-2), 382:545
interleukin-6, 378:649
interleukin-8 (IL-8), 377:533
interleukin-3 receptor, 381:495
interleukin-5 receptor, 381:495
internal fucose, 378:625
internalization, 377:607, 379:573
interstrand cross-link (ICL), 379:71
intestinal mucin, 384:307
intestinal mucosa, 380:211, 384:e3
intracellular calcium concentration ([Ca^{2+}]$_i$), 378:827
intracellular calcium release, 377:51, 378:539
intracellular signalling, 377:741, 383:219
intracellular targeting, 378:409, 380:371, 382:811
intracellular transport, 381:537
intracellular trafficking, 381:619
intramolecular interaction, 381:87
intramolecularly quenched fluorogenic substrates, 380:505
intrinsic tryptophanyl residue fluorescence, 381:97
intron–exon arrangement, 378:519
intronic regulatory element, 378:909
invertebrate, 382:565
in vitro mutagenesis, 383:517
in vivo complementation, 384:577
in vivo footprinting, 383:209
involucrin, 381:267
inwardly rectifying potassium channel Kir6.2, 379:173
ion channel, 378:717
ion transport, 382:e4
iron, 378:599, 378:617, 378:1039, 380:465, 381:629
iron box, 380:497
iron donor, 379:433
iron metabolism, 380:497
iron trafficking, 380:487
iron transport, 380:487
iron–sulphur protein, 379:47, 379:433
IscA, 379:433
ischaemia reperfusion injury, 381:365
IscU, 379:433
islet amyloid polypeptide, 377:709
islets of Langerhans, 381:483
Isochrysis, 384:357
isoform, 381:483
isoform-specific conformational change, 381:87
isoprenoid biosynthesis, 383:517
isothermal titration calorimetry, 377:309, 382:703
isothermal titration calorimetry (ITC), 380:147
ISP-1, 381:321

Janus kinase 2, 377:517
JNK activity regulation, 383:483

kaempferol, 384:19
kallikrein, 380:775
kallikrein inhibitor, 380:775
Kallmann's syndrome, 384:495
kelch repeat, 381:547
kenpaullone, 377:249
keratinocyte, 380:329, 380:757, 380:845
ketosteroid isomerase, 382:967
keyhole limpet haemocyanin (KLH), 378:625
kidney, 379:343
kidney tubule, 378:485
Kin I, 383:227
kinase inhibitor, 382:261
kinase substrate tracking and elucidation (KESTREL), 384:489
kinase, 381:e1, 382:631
kinetic characterization, 381:125, 383:551
kinetic parameter, 380:505, 382:1031
kinetic property, 381:489
kinetics, 377:309
kinetics (*see also* enzyme kinetics), 378:391
kinin, 383:501
kininase, 383:501
knockout, 382:261
knockout mice, 380:75
knockout model, 383:581
Ku, 381:165
Kv1.2 channel, 377:25

labile peptide bond, 381:379
β-lactam antibiotic, 382:659
β-lactamase induction, 377:111, 384:179
lactase–phlorizin hydrolase (LPH), 380:211
lactate, 384:287
D-lactate, 381:35
lactation, 378:21
laminin, 382:933
late endosome, 377:693
late-embryonic-abundent-like protein (LEA-like protein), 377:769
Latrodectus mactans tredecimguttatus, 378:185
latrophilin, 378:185
latrophilin/calcium-independent receptor for latrotoxin (CIRL), 378:185
latrotoxin, 378:185
latrunculin B, 380:581
lead discovery, 383:551
leakage, 377:509
lectin, 382:667, 382:769
lectin-like protein, 378:399
leech, 380:617, 382:565
legume lectin, 382:821
Leigh syndrome, 382:331
Leishmania infantum, 379:617, 381:405
Leishmania mexicana, 382:759
lens, 379:595
lens cell, 378:929
leptin, 379:229
leptomycin B, 379:587
Lesch–Nyhan syndrome, 377:733, 378:991
leucine-rich pentatricopeptide repeat cassette (LRPPRC) protein, 382:331
leucine-rich repeat, 377:589
leucyl aminopeptidase, 378:35
leucylglycine, 378:35
leukaemia, 383:27, 384:281
Lewis acid, 382:659
Lewis antigen, 379:765
lifespan, 379:191
ligand binding, 380:867, 381:97, 382:703
ligand-binding kinetics, 382:183
ligand-binding property, 380:353
ligandin, 382:885
light scattering, 384:255
limb-girdle muscular dystrophy, 381:105
limited proteolysis, 379:697

© 2005 Biochemical Society

lipid, 382:51
lipid A, 381:185
lipid bilayer, 380:161, 381:911, 384:25
lipid biosynthesis, 379:609
lipid domain, 380:161
lipid flip–flop, 380:161
lipid metabolism, 382:93
lipidosin, 377:85
lipid peroxidation, 381:365
lipid–protein interaction, 377:183, 382:987
lipid raft, 377:741, 378:281, 378:641, 380:181, 380:219, 381:911
lipid signalling, 379:301
lipoarabinomannan, 378:589, 382:905
lipodepsipeptide, 384:25
lipolysis, 379:11
lipopolysaccharide (LPS), 378:27, 380:83, 381:185, 381:503, 381:527
lipopolysaccharide-activation cluster Toll-like receptor 4 (TLR4), 381:527
liposome, 379:665
liposome leakage, 380:723
lipotoxicity, 378:769
lissencephaly, 381:471
LIV-1, 377:131
liver, 378:693, 379:199, 379:229, 381:629, 381:887, 382:471, 382:491
liver plasma membrane, 381:51
liver X receptor (LXR), 377:545, 381:357
L4-100 kDa, 383:259
LL-37, 379:665
LNCaP cell, 377:569
lock and key, 381:125
longin, 384:233
Los1p, 378:809
low-molecular-mass protein 7 (LMP7), 384:401
low oxygen tension, 384:79
L-plastin, 377:469
LSARLAF peptide, 378:193
L-selectin, 382:269
luciferase, 383:393
lung, 380:385
lung inflammation, 383:501
lyase, 384:111
Lycopersicon esculentum (tomato), 377:419
Lyn, 377:489, 380:219
Lys-gingipain, 379:833
lysine analogue, 384:129
lysine biosynthesis, 377:757
lysophosphatic acid, 378:129
lysophosphatidic acid, 382:83
lysophosphatidylcholine, 380:533
lysophospholipase D, 381:71
lysophospholipase 1 (LPL1), 384:377
lysosomal iron, 378:1039
lysosomal α-mannosidase, 381:537
lysosomal storage, 379:461
lysosome, 378:1039, 381:537
lysosome-associated membrane protein (LAMP-1), 382:481
lysozyme, 380:385
Lys^{49}-phospholipase A_2, 382:191

α_2-macroglobulin (α_2M), 381:877
macromolecular complex, 382:783
macrophage, 379:11, 379:99, 381:503
macrophage differentiation, 380:243
Mad, 378:817
MafK, 380:515
magnesium protoporphyrin IX methyltransferase, 382:1009
maize (*see Zea mays*)
malaria, 377:439, 381:593, 381:725, 381:905, 383:401
malaria sporozoite, 379:815
3-(*N*-maleimidylpropionyl)biocytin, 378:201
malic enzyme, 382:1025
malignant hyperthermia, 380:e1
malonyl-CoA decarboxylase, 378:983
mammalian Hsp22, 381:379
mammalian target of rapamycin (mTOR), 380:795
mammary epithelial cell, 381:635
mandibular organ, 381:831
Manduca sexta, 384:507
manganese (II), 380:831
manganese superoxide dismutase (MnSOD), 378:919, 384:543
ManNAc analogue, 383:83
α-mannosidosis, 381:537
mannosyltransferase, 382:905
mannuronan C-5 epimerase, 381:813
MAPK/ERK kinase (MEK), 378:569, 381:437
MAPK kinase (MKK), 378:569, 378:857
mass spectrometry (*see* MS)
mass isotopomer, 380:715
mathematical modelling, 381:779
matrix metalloprotease, 378:383
matrix metalloproteinase-7 (MMP-7), 377:617
matrix protein, 382:205
matrix-assisted laser-desorption ionization tandem MS, 378:625
matrix-assisted laser-desorption ionization–time-of-flight mass spectrometry (MALDI–TOF-MS), 382:641
matrix metalloprotease secretion, 380:651
matrix metalloproteinase-2 (MMP-2), 383:e5, 383:413
matrix metalloproteinase-9 (MMP9), 381:413
maturity-onset diabetes of the young 1 (MODY1), 383:573
McArdle-RH7777, 379:711
mechanotransduction, 380:795
melanocortin, 380:475
melanocyte-stimulating hormone (MSH), 380:475
membrane, 378:63, 378:681, 379:31, 381:447, 384:327
membrane asymmetry, 380:161
membrane curvature, 381:941
membrane fluidity, 378:579
membrane fusion, 380:907, 381:13
membrane interaction, 384:421
membrane lipid, 382:51
membrane localization, 378:1007
membrane protein, 378:1015
membrane raft, 379:527
membrane rigidity, 380:161
membrane skeleton, 378:161, 382:677
membrane topology, 378:201, 382:981
membrane translocation, 379:665
membrane transport, 377:665
membrane type 1-matrix metalloproteinase (MT1-MMP), 377:775
membrane permeability, 380:859
membrane permeabilization, 384:25
membrane perturbation, 377:183
membrane protein, 3[illegible]4:9
membrane-type metalloprotease (MT-MMP), 382:363
membrane type 1 matrix metalloproteinase (MT1-MMP), 380:735
Menkes copper ATPase (ATP7A), 378:1031
Menkes disease, 378:1031
meprin, 378:383
MEROPS database, 378:705
metabolic cleavage, 382:945
metabolic energy, 379:317
metabolic network, 381:287
metabotropic glutamate receptor, 382:101
metal, 382:33
metal-activated transcription factor 1 (MTF-1), 380:695
metal activation, 384:111
metal depletion, 377:241
metal ion, 380:273
metal ion transport, 377:95
metalloenzyme, 380:627, 384:111
metallopeptidase, 379:633, 383:439
metalloprotease, 377:131, 382:363
metallothionein, 378:617, 380:695, 382:33
metal-response-element-binding transcription factor-1 (MTF-1), 382:33
metformin, 382:877
methionine, 381:113
methotrexate, 378:201, 382:385, 383:249
N-methyl-D-aspartate receptor (NMDA receptor), 378:1, 378:785
N-methyl-D-aspartate receptor subunit 2B (NR2B), 378:391
methylation, 380:111, 382:1009
methyl farnesoate, 381:831
methylenetetrahydrofolate reductase (MTHFR), 382:831
methylesterase, 380:111
methylglyoxal, 379:273
methyltransferase, 379:283
Mgm1p, 381:19
micellar electrokinetic capillary chromatography-UV (MEKC-UV), 381:155
micellar enzymology, 378:1059
microalga, 384:357
microarray, 380:617, 381:635, 382:867
microbial proteinase, 382:315
microbicidal activity, 380:385
microcompartment, 383:1
microscopic fluorescence imaging, 381:581
microsome, 381:423
microsphere uptake, 377:159
microtubule, 378:877, 384:327
microtubule-associated protein, 382:223
microtubule-associated protein 1A (MAP1A), 382:803
microtubule depolymerization, 383:227
microtubule–membrane interaction, 384:327
migration, 377:449
mineralization, 378:1083, 382:59
mitochondria-associated membrane (MAM), 382:527
mitochondrial carrier, 379:183
mitochondrial carrier family, 381:581
mitochondrial disease, 383:561
mitochondrial DNA (mtDNA), 383:561
mitochondrial DNA mutation, 384:287
mitochondrial gene expression, 377:725
mitochondrial import, 377:281
mitochondrial membrane protein, 380:139
mitochondrial membrane potential, 377:233
mitochondrial permeability transition, 378:959
mitochondrial protein import, 382:385
mitochondrial respiratory chain, 383:537
mitochondrial-targeting signal, 378:817
mitochondrial translation, 377:725
mitochondrion, 377:347, 378:17, 378:213, 378:247, 378:599, 379:183, 379:309, 379:359, 380:393, 380:919, 381:19, 381:275, 381:743, 382:331, 382:491, 382:511, 382:527, 382:877, 382:923, 383:101, 383:121, 383:383, 383:439, 383:457, 384:19, 384:429, 384:629
mitogen-activated protein kinase (MAPK), 377:257, 377:701, 378:53, 378:569, 378:857, 381:635, 381:693, 382:545, 383:447

© 2005 Biochemical Society

mitogen-activated protein kinase p38, 377:629
mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase kinase (MEKK1), 381:e1, 381:675
mitogen- and stress-activated kinase (MSK), 382:425
mitosis, 378:753, 378:857, 380:593, 380:939, 383:227, 383:227
mitotic centromere-associated kinesin (MCAK), 383:227
mixed disulphide, 379:595
MLE-12, 382:741
MLN64, 380:153
M_3-muscarinic receptor, 381:43
Mnk1 (MAP kinase signal-integrating kinase 1), 378:73
mobility shift assay, 382:733
model membrane, 383:277
modified haemoglobin, 384:367
molecular chaperone, 379:273, 380:441, 381:59
molecular dynamics, 378:421, 382:293
molecular modelling, 378:391, 380:51, 380:889, 382:293
molecular pathogenesis, 378:569
molecular simulation, 380:677
mollusc shell, 382:205
monobromobimane, 378:497
monoclonal antibody, 380:881
monocyte, 381:503, 382:849
monolayer, 377:183
monomeric domain, 379:815
monophenol, 380:643
monosaccharide transport, 379:375
mosquito, 383:483
motif, 381:877
motif mutation, 382:169
mouse Disabled homologue 1 (mDab1), 384:1
mouse double minute protein (MDM2), 381:685
MPN (Mpr1, Pad1, N-terminal) domain, 381:275
mRNA-capping, 384:411
mRNA stability, 377:629, 379:79
MS, 378:257, 378:929, 379:595, 379:823, 381:471, 382:307, 382:995, 383:237, 383:267, 383:491, 383:573, 384:191, 384:307
Msn2p, 379:367
MST1, 381:453
MST2, 381:453
mstA, 379:375
mtf1p, 383:383
mtDNA (mitochondrial DNA) disease, 377:725
mt-mRNA polyadenylation, 377:725
MUC1, 382:363
Muc3, 378:207
MUC4, 377:701
Muc5ac, 377:797
mucin, 377:701, 377:797, 379:765, 384:e3, 384:263, 384:307
mucopolysaccharidosis, 379:461
mucosa, 380:669
mucosal protection, 384:263
mucrocetin, 378:399
mucus glycoprotein, 378:207
multidrug resistance, 382:711
multidrug-resistance-associated protein 1 (MRP1), 380:549, 383:335
multiple epiphyseal dysplasia, 377:479
multivalent signalling, 380:e11
multivalent signalling complex, 379:1
multivesicular body, 377:693
muropeptide, 377:111
muramidase, 380:385
muscle, 382:619
muscle contraction, 379:161
muscle exercise, 379:703
muscle wasting, 378:239
muscular dystrophy, 379:479
mushroom, 380:643, 382:667
muskelin, 381:547
mutagenesis, 377:309, 378:1079, 379:71, 380:283, 381:471, 382:191, 382:581, 382:631, 384:87, 384:437
mutagenesis (*see also* site-directed mutagenesis), 378:687
mutant enzyme, 381:489
mutation spectrum, 379:71
mutator, 384:337
Myb, 378:609
mycobacteria, 378:589, 382:905
Mycobacterium tuberculosis, 382:247
myeloperoxidase, 381:175
myoblast fusion, 381:599
myoblast C2C12 cell, 381:655
myocardial fibrosis, 383:e5
myocyte enhancer factor 2 (MEF2), 378:53, 381:693
myofibrillar protein, 378:269
myogenesis, 382:1015
myoglobin, 381:365
myoglobin mutant, 377:717
myo-inositol 1,4,5-trisphosphate receptor, 381:87
myosin, 382:375
myosin XVIIIA, 380:243
myotoxicity, 382:191
myotoxin, 381:25, 381:321
myriocin, 381:321
myristoylated alanine-rich C-kinase substrate (MARCKS), 382:1015
myristoylated protein kinase Cβ peptide inhibitor, 384:349

NAD^+, 382:e4, 382:849
NADH dehydrogenase, 380:193, 383:491
NAD metabolism, 377:317
$NADP^+$-dependent malic enzyme, 382:1025
NADPH oxidase, 378:539, 382:981
NAD(P)H:quinone oxidoreductase 1 (NQO1), 377:205
$NADP^+$ specificity, 382:1025
$Na^+/HCO_3^-[Si(OH)_4]$ (NBCSA)-related transporter, 381:665
Naja naja atra, 384:119
Naja sputatrix, 383:149
NALP1, 384:281
nano-liquid chromatography, 378:625
naphthoquinone, 378:633
native chemical ligation, 381:79
ΔNCE103, 379:609
Ndh complex, 382:145
NDH-F, 382:145
necrosis, 379:823, 383:101
negative-feedback loop, 378:549, 382:43
negative regulatory module, 379:151
neocuproine, 381:803
neoepitope antibody, 377:787
Nepenthes, 381:295
nepenthesin, 381:295
neprilysin, 383:45
nerve growth factor (NGF), 378:975, 383:149
neuraminidase, 380:425
neurite extension, 382:223
neurite outgrowth, 383:129, 383:149
neuroblastoma, 380:571, 382:83
neurocan, 383:129
neurodegeneration, 383:121
neurodegenerative disease, 378:435, 381:329
neuronal axonal myristoylated membrane protein of 22 kDa (NAP-22), 379:527
neuronal process, 379:489
neuronal Wiskott–Aldrich syndrome protein (N-WASP), 384:e1, 384:1
neuropathy, 381:351
neurotoxin, 381:25
neurotransmission, 378:185
neutrophil, 381:919
neutrophil elastase, 379:107
NF-E2 p45-related factor 2 (Nrf2), 380:515
nickel, 377:309, 384:111
nicotinic acetylcholine receptor (nAChR), 380:347
nicotinic acid adenine dinucleotide phosphate (NAADP), 378:275, 380:449, 381:147
nimodipine, 380:661
nischarin, 377:449
nitric oxide, 377:809, 378:785, 380:533, 384:629
nitrobenzylthioinosine, 380:131
S-nitrosoglutathione, 382:575
nitroxyl, 379:359
NMR spectra, 377:717
NMR spectroscopy, 384:93
NMR (*see also* ^{13}C NMR), 377:385, 377:597, 378:45, 378:93, 378:317, 379:235, 380:347, 380:867, 381:155, 381:847
n-myc downstream-regulated gene (NDRG), 384:477
N-myristoylation, 384:327
S-nitrosoglutathione (GSNO), 380:67
Nod1, 381:213
Nod2, 381:213
non-enzymic glycation, 379:273
non-esterified fatty acid (NEFA), 382:441
non-haem iron oxidase, 382:659
non-homologous end joining, 381:165
non-muscle myosin A, 382:375
non-secretor, 383:469
non-steroidal anti-inflammatory drug (NSAID), 377:675
non-stop translation, 377:725
non-structural protein 5A (NS5A), 378:919
non-structural protein NS3, 384:401
non-transferrin-bound iron, 378:975
non-voltage-activated Na^+ current, 377:539
noradrenaline, 382:597
NORE1, 381:453
novel protein kinase C (nPKC), 378:105
Nox4 NADPH oxidase, 381:231
N-palmitoylethanolamine, 379:99
Nramp1, 382:811
nuclear respiratory factor-1/α-palindrome-binding protein (NRF-1/α-PAL), 383:529
NS-134, 381:511
N-terminal nucleophile hydrolase (Ntn hydrolase), 378:363
nuclear factor κB (NF-κB), 377:809, 378:727, 378:867, 378:1089, 379:409, 379:421, 380:31, 380:83, 380:173, 381:213, 382:393
nuclear-factor κB-binding protein (NF-κB-binding protein), 384:543
nuclear factor erythroid 2-related factor 2 (Nrf2), 380:695
nuclear factor I (NF-I), 381:887
nuclear factor of activated T cells (NFAT), 380:735
nuclear hormone receptor, 378:779
nuclear import, 378:219
nuclear localization, 378:169
nuclear pore complex, 381:941
nuclear receptor, 382:913, 384:637, 384:79
nuclear receptor co-repressor (N-CoR), 379:731
nuclear translocation, 384:295

© 2005 Biochemical Society

nuclear tRNA aminoacylation, 378:809
nuclear tRNA export, 378:809
nuclear factor erythroid 2-related factor 2 (Nrf2), 377:205
nuclear hormone receptor, 382:337
nuclear receptor, 382:111
nucleation, 380:1, 384:159
nucleic acid, 379:243
nucleocytoplasmic shuttling, 383:27
nucleolus, 378:809
nucleophile, 378:141
nucleophosmin, 378:857
nucleoside-binding site, 379:795
nucleoside diphosphate kinase, 378:793
nucleosome, 377:641
nucleotide binding, 378:793
nucleotide binding domain, 377:95, 379:235
nucleotide pyrophosphatase/phosphodiesterase (NPP), 381:71
Nucling, 380:31
null mutation, 382:995
numerical simulation, 379:633
NusB, 383:419
N-utilization substance, 383:419
nutrient control, 379:79

obesity, 379:229
octadecane-1,2-diol, 380:715
Oct sequence, 379:739
oesophagus, 377:701
oestrogen receptor α, 377:429
oestrogen-regulated genes, 377:429
oestrone sulphate, 384:87
O-glycosylation, 382:501
Okazaki fragment, 381:795
oligoamine, 384:271
oligomerization, 377:407, 378:735, 384:255
oligonucleotide, 383:201
oligosaccharide structure, 384:e3
O-linked glycosylation, 380:845
O-linked oligosaccharide, 384:307
Omp38, 377:579
oncoprotein, 381:685
Oncorhynchus mykiss (rainbow trout), 380:475
oocyte, 381:905
open complex chemical probing, 383:371
operator-binding and repressor function, 379:325
opsin, 384:9
optical molecular imaging, 377:617
organic anion transporter (OAT), 380:283
origin of chromosomal replication (*oriC*), 382:247
origin of replication, 379:553
ornithine, 379:849
ornithine decarboxylase, 377:257
orphan protein, 383:589
osamine, 378:1047
osmolyte, 382:177, 383:277
osmoregulation, 382:177
osmotic stress, 383:447
Osp94 gene, 380:783
osteoblast, 379:57
osteoblast-like cell, 384:591
osteopontin, 378:1083
outer membrane permeability, 379:107
outer membrane protein, 378:851, 384:609
ovarian tumour (OTU), 378:727
ovary, 382:975
oxaloacetate, 380:419
oxidant stress, 384:449
oxidant/antioxidant balance, 378:919
oxidation, 382:581
oxidative DNA damage, 380:541
oxidative phosphorylation, 379:703, 383:537
oxidative stress, 378:929, 378:1039, 379:609, 380:203, 380:919, 381:e1, 381:675, 382:131, 382:641, 382:877
oxidative phosphorylation efficiency, 382:491
oxidized low-density lipoprotein (oxLDL), 382:417
oxidoreductase, 383:285
μ-oxo bishaem, 379:833
7-oxocholesterol, 380:533
oxygen affinity, 380:889
oxygenase, 383:429
oxygenation enthalpy, 380:889
oxygen consumption, 384:287
oxygen equilibrium binding, 382:183
oxygen sensing, 381:761, 383:429
oxygen sensor, 380:419
oxygen transport, 384:367
oxygen-uptake kinetics, 379:703
oxytocin, 382:231

p11, 378:307
p22, 384:327
p38, 378:53, 379:587, 383:447
p53, 378:939, 380:289, 380:605, 384:477
p97, 384:391
p100, 382:393
p105, 382:393
p270, 383:319
p300, 380:289, 381:e3
p38 MAP kinase, 378:27
PacC, 379:375
Paenibacillus sp. TS12, 378:141
palmitoylation, 377:121, 377:183, 377:407, 378:1015, 384:233
palmitoyl-CoA, 384:233
pancreas, 381:483
pancreatic acinar cell, 383:353
pancreatic and duodenal homoeobox-1 (PDX-1), 378:219
pancreatic islet, 378:769
pancreatic islet β-cell, 377:e1, 377:149
pancreatic β-cell, 381:13, 383:573
papain, 378:699
parasite, 381:405
parathyroid-hormone-related protein (PHRP), 381:635
Parkinson's disease, 378:435, 378:975
particle size, 377:159
patch-clamp, 377:569
pathogen, 382:315
pathogenic fungi, 381:131
P-ATPase transporter, 381:803
paucimannose N-glycan, 382:995
Pavlova, 384:357
Pax protein, 377:553
PC12 cell, 378:975
p300/CBP (CREB-binding protein)-associated factor, 381:267
PC12 cell, 380:875
PC12 cells, 383:149
PDZ domain, 381:895
pearl oyster, 382:205
penaeidin class 4, 381:79
Penaeus japonicus (penaeid prawn), 384:159
penetratin, 377:69, 382:945, 383:457
penicillin biosynthesis, 382:659
pentose phosphate pathway, 382:725, 382:759
peptide, 381:877
peptide-amphiphile, 378:93
peptidase inhibitor, 378:705
peptide A, 377:385
peptide array, 379:785
peptide fragment, 383:413
peptide N-glycanase (PNGase), 384:391
peptide synthesis, 381:79
peptide–membrane interaction, 380:723
peptidoglycan recycling, 377:111
Per1, 382:895
perilipin, 379:11
Period, 380:95
periplasmic nitrate reductase (Nap), 379:47
permeability, 383:111
permeability transition, 378:213, 383:101, 383:121
permeability transition pore (PTP), 377:347, 382:877
permeabilization, 380:193
peroxidase, 377:419, 381:241
peroxidase activity, 377:717, 381:365
peroxide, 377:809
peroxin, 384:37
peroxisomal farnesylated protein (PEX19), 377:607
peroxisomal protein, 377:607
peroxisome, 380:393, 381:581, 384:37
peroxisome proliferator-activated receptor (PPAR), 377:339, 382:83, 382:239
peroxisome-proliferator-activated receptor α (PPARα), 378:983, 384:295
peroxisome-proliferator-activated receptor γ (PPARγ), 384:149
peroxisome-proliferator-activated receptor α response element (PPRE), 378:983
peroxisome-proliferator-activated receptor-γ co-activator-1α (PGC-1α), 381:357, 382:913
peroxisome-proliferator-activated receptor γ2 (PPARγ2), 382:597
peroxisome-proliferator-response element, 382:239
peroxynitrite ($ONOO^-$), 378:959
PEST sequence, 383:237
Pex5p, 384:37
pH dependence, 382:1031
phage antibody library, 382:169
pharmacokinetics, 378:117
pH-dependence, 384:263
phenotyping, 383:543
phenoxyl radical, 381:241
pheromone biosynthesis-activating neuropeptide, 380:255
pH homoeostasis, 381:581
phorbol ester, 379:711, 382:957, 384:349, 384:543
phosphatase, 379:301, 382:1
phosphatase and tensin homologue deleted on chromosome 10 (PTEN), 379:301
phosphatase inhibitor, 377:171
phosphate starvation (plants), 377:419
phosphatidylcholine, 382:741
phosphatidylethanolamine, 379:711, 382:51
phosphatidylinositol 3,4-bisphosphate [PtdIns(3,4)P_2], 377:653
phosphatidylinositol 4,5-bisphosphate [PtdIns(4,5)P_2], 379:489
phosphatidylinositol mannoside, 378:589
phosphatidylinositol 3,4,5-trisphosphate [PtdIns(3,4,5)P_3], 377:653
phosphatidylinositol, 378:589
phosphatidylserine, 378:579
phosphatidylserine (PtdSer), 381:609
phosphatidylserine synthase, 381:853
phosphatidylserine synthase I (PSS I), 381:609
PHOSPHO1, 382:59
phosphocholine, 378:461, 382:59
phosphocreatine, 379:703
phosphodiesterase, 378:63, 380:371, 381:71, 381:587
phosphoethanolamine (PEA), 382:59
phosphofructokinase, 377:77

© 2005 Biochemical Society

phosphoinositide, 377:653, 378:1067, 379:301, 382:1
phosphoinositide 3-kinase (PI 3-kinase), 377:701, 378:257, 378:649, 379:641
3-phosphoinositide-dependent protein kinase-1 (PDK1), 378:257
phosphoinositide 3-kinase, 377:257
phosphoinositide phosphatase, 382:687
phospholipase, 381:929, 382:75
phospholipase A_2 (PLA_2), 377:215, 378:307, 381:25, 382:191
phospholipase B, 382:441
phospholipase B1 (PLB1), 384:377
phospholipase C (PLC), 379:641, 380:361
phospholipase Cγ2 (PLCγ2), 378:193, 378:1023
phospholipase Cε, 378:129
phospholipase D (PLD), 378:649, 380:749, 381:655
phospholipid, 378:681, 378:899, 381:853, 382:677
phospholipid bilayer, 377:183
phospholipid bilayer permeation, 383:457
phospholipid biosynthesis, 381:853
phospholipid membrane, 377:781
phosphonium compound, 384:551
phosphopeptide sequencing, 379:573
phosphoprotein, 379:e1
phosphorolytic reaction, 377:225
phosphorylase, 377:195
phosphorylase translocation, 377:195
phosphorylated tyrosine, 377:25
phosphorylation, 377:357, 377:525, 378:151, 378:177, 378:753, 378:857, 378:939, 378:1083, 379:39, 379:133, 380:19, 380:95, 380:111, 380:939, 381:59, 381:471, 381:561, 381:693, 381:831, 382:33, 382:101, 382:923, 383:267, 383:429, 383:573, 384:e1, 384:449, 384:477, 384:489
Photorhabdus luminescens, 379:633
phosphospecific antibody, 378:335
phosphotriesterase, 380:627
phosphotyrosine, 377:249
phosphotyrosyl phosphatase activator, 380:111
photoaffinity labelling, 382:417, 382:711, 382:821
photoprobe, 382:905
photosynthesis, 382:1025
phylogenetic analysis, 378:519, 381:25
phylogenetic tree, 378:745, 381:185
phylogeny tree, 377:215
phytoceramide, 379:687
phytochemical, 384:149
phytotoxin, 384:25
Pi1, 377:25
pit viper venom, 381:25
Pit1, 378:549
PITSLRE, 384:461
placenta, 378:657, 379:533
placental glutathione S-transferase gene, 380:515
plant, 381:329
plant calcium signalling, 379:841
plant hormone metabolism, 380:121
plant mitochondria, 380:193
plant proteinase, 381:295
plant–pathogen interaction, 378:461
plasma-cell differentiation antigen-1 (PC-1), 381:71
plasma kallikrein, 381:841
plasma membrane, 382:451
plasma protein, 382:481
Plasmodium, 378:529
Plasmodium falciparum, 381:593, 381:719, 381:803, 383:401, 384:429
Plasmodium-specific insert, 377:439
L-plastin
plastocyanin, 378:45
platelet, 378:193, 378:1023, 379:449, 381:779, 382:575
platelet glycoprotein Ib, 378:399
platelet-derived growth factor-BB (PDGF-BB), 381:203
platelet-derived growth factor (PDGF), 382:631
pleckstrin homology domain (PH domain), 382:857, 382:957
p-nitrophenol, 378:687
PNT1A cell, 382:157
polarized cell, 382:589
poly(ADP-ribose) polymerase-1, 382:323
polyamine, 377:257, 377:439, 379:849, 381:701, 384:47, 384:139
polyamine analogue, 384:271
polyamine transport, 384:271
poly(ethylene glycol), 378:117
poly(ethylene glycol)-modified haemoglobin, 382:183
poly(ethylene glycol) (PEG), 382:183
polyglutamine tract, 378:229
polymerase I and transcript release factor (PTRF), 383:237
polymorphism, 381:221, 383:469
polymorphonuclear cells (PMN), 380:57
polyphenol oxidase, 380:643
Polyporus squamosus, 382:667
polyprenol phosphate, 378:589
polyprenyl transferase, 382:519
polysaccharide structure, 380:e9, 380:635
polysaccharide synthesis, 380:e9, 380:635
polysomal profile, 379:617
polyunsaturated fatty acid, 384:357
pore-forming toxin, 384:421
porin, 377:579, 378:851
porin-component, 383:91
porphyrin, 382:1009
Porphyromonas, 379:833
post-hydrolytic intermediate, 380:549
postsynaptic density, 378:1
post-transcriptional regulation, 377:629, 384:591
post-translational modification, 377:459, 379:57, 379:513, 381:761, 382:323
potassium, 381:423
potassium channel, 377:25, 377:37, 377:569, 378:745
POU, 380:255
pre-hydrolytic intermediate, 380:549
P2 receptor, 381:389
pregnancy-associated plasma protein-A (PAPP-A), 379:57
PRELI/MSF1p^{+} domain, 378:817
prenylated Rab acceptor 1 (PRA1), 380:43
prenylin, 380:43
prephenate, 382:279
preputial gland, 380:31
prereplication complex, 378:673
presenilin, 381:619
p90 ribosomal S6 kinase (RSK), 382:425
prion, 380:e5, 380:571
prion protein (PrP), 380:273
prismatic layer, 382:205
procathepsin D, 383:507
processive enzyme, 381:155
processivity, 382:535
progesterone, 378:827
programmed cell death, 383:13
progress curve analysis, 379:633
prohibitin, 383:491
prolactin, 377:569
prolactin receptor, 377:569
proliferation, 382:e1
proline, 379:31
proline-rich synapse-associated protein 1 (ProSAP1A), 380:181
proline-rich tyrosine kinase-2 (PYK-2), 380:57
prolyl endopeptidase, 383:311
prolyl hydroxylase, 380:419
prolyl hydroxylation, 381:761
prolyl oligopeptidase, 382:1003
promoter, 378:609, 378:983, 380:705, 382:27, 382:975, 383:393, 384:79
promoter analysis, 383:529
promoter assay, 382:177
promoter characterization, 384:101
promoter structure, 384:317
proofreading, 384:337
β-propeller, 381:547
propofol, 380:147
proprotein convertase, 380:685
proprotein convertase 4, 380:505
pro-region, 379:757
prosaposin, 383:507
prostaglandin E_2, 378:335, 381:59, 384:469
prostaglandin E synthase, 381:59
prostaglandin H synthase, 377:675
prostaglandin receptor, 379:573
prostate, 379:533
prostate adenocarcinoma, 377:569
prostate cancer, 379:421, 382:157
prostate-specific antigen expression (PSA expression), 379:421
protease, 378:657, 379:217, 379:57, 379:833, 380:775, 382:651, 384:201
protease inhibitor, 378:383, 378:705
proteasomal degradation, 380:95
proteasome, 378:177, 380:173, 381:275, 382:725, 384:401, 384:461
proteasome inhibitor, 379:587
protein acylation, 378:509
protein aggregation, 381:249
protein arginine methyltransferase, 383:259
protein binding, 381:51
protein-binding partner, 377:51
protein biochip, 379:681
protein–carbohydrate interaction, 384:93
protein–carbohydrate recognition, 382:769
protein complex, 378:177
protein co-targeting, 380:393
protein degradation, 378:177, 380:289, 381:761, 382:695
protein denaturation, 377:685
protein disulphide isomerase, 382:169, 383:285, 383:589
protein disulphide-isomerase-related protein (PDIR), 382:169
protein–DNA and protein–protein interaction, 381:1
protein engineering, 382:885
protein expression, 377:317
protein flexibility, 378:1067
protein folding, 380:441, 382:695, 384:179
protein glycosylation, 380:e5
Protein G-related α_2-macroglobulin-binding protein (GRAB), 381:877
protein hydroperoxide, 381:241
protein import, 383:383, 384:37
protein inhibitor of activated STAT (PIAS), 379:23
protein interaction, 378:45, 384:255
protein kinase, 377:395, 379:697
protein kinase A (PKA), 377:171, 378:151, 378:335, 379:1, 382:597, 383:573
protein kinase A-anchoring protein 95 (AKAP95), 378:673
protein kinase activity, 379:841
protein kinase B (PKB), 380:297, 381:329, 384:489

© 2005 Biochemical Society

protein kinase B (PKB)/Akt, 382:1, 382:619
protein kinase C (PKC), 377:171, 378:83, 378:1007, 379:1, 380:815, 382:101, 382:957, 384:349, 384:543
protein kinase Cα (PKCα), 382:1015, 383:63
protein kinase Cδ, 383:63, 384:449
protein kinase Cε, 382:923
protein kinase C isotype (PKC isotype), 377:469
protein oligomerization, 378:117
protein phosphatase 1 (PP1), 377:171, 378:1, 378:229, 378:335, 378:1073
protein phosphatase 2A (PP2A), 380:111
protein phosphatase 2C (PP2C), 382:425
protein phosphorylation, 378:83, 381:753
protein–protein interaction, 377:379, 377:395, 377:439, 377:553, 378:177, 379:563, 380:e11
protein purification, 377:317
protein repair, 382:137
protein secondary structure, 381:685
protein stability, 380:627
protein structure, 382:769, 384:69
protein synthesis, 378:73, 380:795
protein synthesis inhibition, 377:233
protein thiolation, 382:131
protein trafficking, 380:43
protein transduction domain, 383:457
protein translation, 378:809
protein turnover, 384:139
protein tyrosine phosphatase, 378:421, 380:939
protein tyrosine phosphatase 1B (PTP1B), 377:489
protein tyrosine phosphatase 1B 'substrate-trapping' mutant (PTP1B 'substrate trapping' mutant), 377:517
protein tyrosine phosphorylation, 383:581
14-3-3 protein, 378:839, 379:e1, 379:395, 380:297, 381:329, 382:867
proteoglycan (PG), 377:533, 379:217, 379:331
proteolysis, 383:237
proteolytic beacon, 377:617
proteolytic cleavage, 378:207
proteolytic processing, 379:757
proteome, 379:291, 384:119
proteomic analysis, 379:e1
proteomic response, 381:823
proteomics, 378:373, 379:183, 379:359, 379:395
proteosome, 378:83
26 S proteasome, 378:239
prothoracic gland, 382:93
prothrombinase, 377:141
α-proton, 381:847
proton conductance, 379:309
protoporphyrinogen oxidase, 377:281
protoxin activation, 384:507
proximal tubule cell, 379:343
PrP^C, 381:221
Pseudoalteromonas haloplanktis, 384:247
pseudocathepsin D, 383:507
pseudohypoaldosteronism type II (PHAII), 378:257
Pseudomonas corrugata, 384:25
psicosamine, 378:1047, 382:137
psoralen, 379:71
psychrophile, 384:247
PTCH1 tumour suppressor gene, 378:325
PTCH2, 378:325
PtdIns(4,5)P_2, 379:527
PTEN (phosphatase and tensin homologue deleted on chromosome 10), 382:1
PTP1B, 378:421
PTPH1, 378:421
P_1-type ATPase, 377:95
P-type ATPase, 380:805, 382:293
pulmonary surfactant, 377:183
purification, 379:263, 383:111
purine, 380:131
purine biosynthesis, 379:395
P2X receptor, 382:101
P2Y receptor, 382:101
$P2Y_2$ receptor, 380:329
pyrH, 384:619
pyridine nucleotide, 382:e4
pyridoxine glucoside, 379:125
pyridoxine-β-D-glucoside hydrolase (PNGH), 380:211
pyridoxine, 379:65
2-(4-pyridyl)-5-{[4-(2-dimethylaminoethylaminocarbamoyl) methoxy]phenyl}oxazole (PDMPO), 381:665
pyrimidine, 378:991, 380:131
pyrophosphokinase, 380:867
pyrrolidine dithiocarbamate (PDTC), 379:587
pyruvate, 380:419, 384:287
pyruvate carboxylase, 378:485

quality control, 384:9
quaternary structure, 381:137, 384:69
quinol oxidation, 379:47
quinone, 380:121

Rac, 377:327
Rac1, 378:409, 378:539, 382:857
radical, 381:175
radioreceptor assay, 380:449
Raf, 377:257
raft, 378:509, 382:451
Rap, 379:627
rapamycin, 380:795
Ras, 377:257, 378:129, 380:767, 381:453, 383:187
RASSF1, 381:453
rat basophilic leukaemia (RBL)-2H3 cells, 380:219
rat islet, 379:721
RB3 (rat brain-3), 378:877
reaction velocity, 381:489
reactive nitrogen species, 378:959
reactive oxygen species (ROS), 377:233, 377:241, 378:929, 379:291, 379:587, 380:393, 381:e1, 381:231, 381:447, 382:511, 382:641
receptor, 379:39, 383:219
receptor-associated protein (RAP), 381:203
receptor binding affinity, 381:51
receptor coupling, 380:361
receptor endocytosis, 377:1
receptor-interacting protein (RIP), 378:867
receptor-like kinase (RLK), 379:841
receptor tyrosine kinase, 380:e11
recombinant expression system, 382:667
red blood cell, 377:489, 381:593
redox, 381:675
redox cell signalling, 378:373
redox regulation, 378:833
reduced folate carrier, 383:249
reduced nicotinic acid adenine dinucleotide phosphate (reduced NAADP), 378:275
refolding, 378:851, 384:609
Reg-1, 381:397
reggie, 378:509
regulation of metabolism, 379:703
regulator of G-protein signalling (RGS), 379:627
regulator of Ty (transposon of yeast) transposition 101 (Rtt101), 377:459
related to ubiquitin 1 (Rub1), 377:459
relaxation, 379:235
remethylation, 382:831
renal proximal tubular cell, 383:209
renin, 382:1031
renin–angiotensin system, 383:45
replication, 381:709
replication arrest, 381:165
reporter gene assay, 382:239
λ repressor autocleavage, 379:325
resistance, 380:131
respiration, 380:919
respiratory chain, 383:121
retinoic acid, 379:309, 383:295
retinoic acid receptor, 383:e1
retinoic acid-response element, 383:37
retinoid X receptor (RXR), 377:545, 383:e1
retinol, 383:295
retrograde transport, 383:285
retroviral infection, 384:469
REV7, 382:535
reverse cholesterol transport, 382:75
reverse-phase HPLC, 383:267
reverse transcription, 383:475
reversible denaturation, 381:137
REV1 protein-affinity column chromatography, 382:535
rexinoid, 383:e1
Rhesus monkey, 379:765
Rho, 377:327, 382:199
RhoA, 381:397
Rho-associated kinase (ROCK), 384:255
rhodamine 123, 382:711
Rho GDP-dissociation inhibitor, 378:409
Rho GTPase, 382:545, 384:591
rhomboid-like protease, 381:19
ribonuclease A, 380:311
ribonucleoprotein particle, 384:239
ribose, 382:137
ribose 5-phosphate ketol-isomerase, 379:65
ribosomal S6 kinase ($p70^{S6k}$), 380:795
ribosome, 380:823, 383:201, 384:239
ribosome-inactivating protein, 377:17
ribulosamine, 382:137
ribulose 5-phosphate, 379:65
rice, 379:125
rice cell, 378:461
ricin, 383:285
RING finger, 379:513
RKI1, 379:65
RNA, 384:585
RNA-binding domain (RBD), 381:343
RNA-binding motif 1 (RNP-1), 381:343
RNA-binding protein, 378:999, 379:243, 380:823, 384:239
RNA–DNA junction, 381:795
RNA interference (RNAi), 379:191, 380:605, 380:875, 382:933
RNA–protein interaction, 378:999, 383:419
RNase, 382:841
RNase A oligomer, 380:311
RNase H, 381:795
RNase P, 380:611
RNA sorting, 384:239
RNA splicing, 382:223
rolipram, 380:371
rosiglitazone, 377:339
rotavirus non-structural protein 4 (NSP4), 380:723
Rpn11, 381:275
RTG3, 382:867
ruminant, 381:221
ryanodine receptor (RyR), 377:357, 377:385, 380:e1, 380:561, 382:557

© 2005 Biochemical Society

ryanodine receptor probe, 379:161

S100A1, 382:375
Saccharomyces, 378:599
Saccharomyces cerevisiae, 377:769, 380:393, 382:867, 383:383
S-adenosyl-L-methionine, 383:259
salinity, 381:373
salivary agglutinin, 383:159
salt stress, 381:373
salvage pathway, 383:19
saposin, 383:507
Saprolegnia, 378:665
sarcalumenin, 379:479
α-sarcoglycan, 381:105
sarcolemmal-membrane-associated protein, 381:599
sarcoplasmic/endoplasmic-reticulum calcium-ATPase (SERCA), 379:235, 383:353, 383:361
sarcoplasmic reticulum, 379:505, 381:147, 381:599
SARS coronavirus nucleocapsid, 383:13
SB202190, 384:19
scaffold, 379:1, 383:1
scavenger receptor, 383:159
scavenger receptor class B type I, 377:741, 382:75
S2 cell, 383:303
Schistosoma mansoni, 382:337
Schneider S2 cell, 383:165
scleroderma, 378:609
scorpion toxin, 377:25, 377:37, 378:745
scramblase, 381:609
scrapie, 380:e5, 380:273, 380:571
sea urchin, 378:275
sea urchin egg, 380:449
sea urchin sperm protein, enterokinase and agrin (SEA) module, 378:207
secondary structure, 380:139, 381:221
secreted glycoprotein, 384:377
secretion, 377:121, 380:441
secretor status, 383:469
secretory Ig, 380:669
secretory vesicle, 380:897
L-selectin, 382:269
selenium, 378:21, 381:841
selenoprotein, 381:841, 383:179
selenoprotein P, 378:21
self-aggregation, 382:821
self-assembly, 379:441
self-proteolysis, 379:325
senescence, 378:753, 380:919
Sepia officinalis, 378:785
sepsis, 377:763, 382:471
Sept3, 381:753
septin, 381:753
septin group, 382:783
septin–septin interaction, 382:783
sequestration of infected red blood cells, 381:593
serglycin, 379:217
serine/arginine-rich protein (SR protein), 381:343
serine palmitoyltransferase, 380:435, 381:321, 382:619
serine phosphorylation, 377:339
serine-13 of phosphodiesterase 4D3, 381:587
serine protease, 381:895, 383:311
serine protease inhibitor (serpin), 379:107, 384:495
serine/threonine phosphorylation, 379:e1
serum- and glucocorticoid-induced kinase 1 (SGK1), 384:477
serum response element (SRE), 382:545
SF3a complex, 382:223
SH2-domain-containing tyrosine phosphatase (SHP-2), 382:545
shedding, 380:685
β-sheet, 377:709
shuttling, 380:297
sialic acid, 378:117, 382:667, 384:599
sialidase, 380:425
sialoprotein, 378:1083
siderophore, 380:497
σ^{54}, 378:735
signal peptide, 384:385
signal peptide peptidase (SPP), 384:9
signal transducer and activator of transcription factor (STAT), 377:289, 379:199
signal transducer and activator of transcription 1 (STAT1), 380:203
signal transducer and activator of transcription 3 (STAT3), 378:449
signal transduction, 379:385, 380:111
signal transduction cascade, 382:33
signalling, 377:469, 381:587
signalling complex, 380:823
signal transduction, 380:783, 381:437
silica uptake, 381:665
Sin-associated polypeptide 18, 378:353
single-chain antibody fragment, 382:169
single fibre, 378:269
single-stranded RNA, 380:311
site-directed mutagenesis, 377:111, 377:525, 378:363, 378:779, 379:253, 379:673, 379:777, 380:339, 380:353, 380:361, 381:853, 382:337, 382:967, 382:1025, 383:53
skeletal differentiation, 381:599
skeletal muscle, 377:61, 378:239, 378:1073, 379:505, 381:147, 382:511
skeletal-muscle sarcoplasmic reticulum, 382:557
S-layer fusion protein, 379:441
Slc11a1, 382:811
SLC39A7, 377:131
S-liposome, 379:441
slow-tight-binding inhibitor, 381:719
Sly syndrome, 379:461
Smad, 379:23, 381:413, 383:393
Smad4, 377:797, 379:209
Smad complex, 379:209
small interfering RNA (siRNA), 377:e1, 377:149, 380:593
small nuclear ribonucleoprotein (snRNP), 384:559
small ubiquitin-related modifier (SUMO), 379:23
snail haemolymph, 378:625
snake, 384:119
snake venom, 378:399
SNARE, 377:781, 378:681, 380:907
SNARE protein, 384:233
Snf 7, 377:693
Snf1 kinase, 383:171
S-nitrosoglutathione (GSNO), 380:67
S-nitrosylation, 380:67
sodium coupling, 378:949
sodium-coupled citrate transporter, 378:949, 379:191
sodium/hydrogen exchanger, 379:31
solid-phase extraction, 380:541
solid-phase synthesis, 382:1031
Sol 8 myoblasts, 381:429
soluble *N*-ethylmaleimide-sensitive fusion protein attachment protein receptor (*see* SNARE)
soluble *N*-ethylmaleimide-sensitive fusion protein attachment protein receptor protein (*see* SNARE protein)
solution structure, 377:385, 380:347
solvent dependence of rate-determining step, 378:699
Sonic Hedgehog, 378:325
Sophora japonica (Japanese tree) bark, 382:821
soraphen, 380:105
sorting nexin, 383:187
S100P, 382:375
Sp1, 377:797, 382:975, 383:249
Sp1/3, 381:397
Sp3, 378:473, 382:975
specificity protein 1 (Sp1), 380:67, 380:705, 380:735
specificity protein 3 (Sp3), 380:735
β-spectrin, 382:677
spectrin, 378:161
spectrin–phospholipid interaction, 382:677
sperm nuclei phospholipid hydroperoxide glutathione peroxidase (snPHGPx), 381:495, 383:179
sperm, 384:191
spermatogenesis, 379:739, 383:179
spermidine, 381:701
spermidine/spermine-N^1-acetyltransferase, 384:129, 384:139
spermine, 381:701
sphingoid base, 382:527
sphingolipid, 380:661, 382:741
sphingomyelin, 380:715
sphingosine, 380:715, 381:655
sphingosine kinase, 382:717
sphingosine kinase activity, 381:655
sphingosine 1-phosphate (S1P), 378:129, 381:655, 382:83, 382:717
spicule formation, 381:665
spinal muscular atrophy, 384:559
spin trapping, 378:435
splenocyte, 382:269
spliceosome, 378:229
splice variant, 379:489
splicing, 378:229
splitting factor that interacts with polyglutamine-tract-binding protein and protein-phosphatase-1 (SIPP1), 378:229
spoIIAB, 384:169
sponge, 381:665
spongiform encephalopathy, 380:e5
sporulation, 384:169
sputa NGF, 383:149
Src, 378:559, 382:13
Src family kinase, 384:449
Src homology domain 2-containing protein tyrosine phosphatase (SHP2), 378:449
Src homology 2 domain (SH2 domain), 380:e11
Src homology 3 (SH3), 377:741
Src kinase, 380:57, 380:243, 381:919
Src-homology-2-domain-containing protein tyrosine phosphatase (SHPTP-2), 377:489
Sso7d, 381:249
stability curve, 380:409
stabilizer, 381:351
stable isotope, 380:715
Staphylococcus aureus DNA ligase, 383:551
starch, 377:525
STAT (*see* signal transducer and activator of transcription)
stathmin, 378:877
stearate, 381:463
stereochemical analysis, 383:83
stereology, 377:653
stereospecificity, 381:847
steroid, 382:93
steroid hormone, 380:153
steroid sulphatase (STS), 380:153
steroidogenic acute regulatory protein (StAR protein), 380:153

© 2005 Biochemical Society

sterol, 378:889, 378:899
sterol carrier protein-2 (SCP-2), 382:451
sterol exchange assay, 382:451
sterol 4α-methyl oxidase, 378:889
sterol-regulatory-element-binding protein (SREBP), 378:769, 381:357
sterol-regulatory-element-binding protein 1c (SREBP1c), 378:219
sterol uptake, 381:195
S-thiolation, 381:675
stimulating protein 1 (Sp1), 380:83
stoichiometric interaction, 382:215
stomatin, 378:343
store, 378:827
store-operated calcium channel, 381:519
store-operated calcium entry, 377:299, 381:389
streptavidin, 377:61
Streptococcus pneumoniae UMP kinase, 384:619
streptococcus, 381:877
Streptomyces, 380:497
stress, 378:343, 379:133, 380:19, 380:523
stress-activated kinase, 378:919
stress-activated protein kinase (SAPK), 384:391
stress-activated protein kinase 2a (SAPK2a), 378:27
stress-activated protein kinase 2b/p38β (SAPK2b/p38β), 379:133
stress-activated protein kinase 3 (SAPK3)/p38γ, 380:19
stress response element (STRE), 379:367
stress tolerance, 383:277
structural motif, 378:717
structure–activity analysis, 384:527
structure effect, 382:751
structure–function relationship, 377:665, 382:75, 384:551
subcellular localization, 378:409, 379:471, 382:353, 382:811
subcellular membrane, 381:941
structure modelling, 378:745, 379:785
structure prediction, 377:589
Suberites domuncula, 381:665
subsite analysis, 381:155
subsite mapping, 379:125
subsite specificity, 383:311
substrate affinity, 381:489
substrate binding, 380:339
substrate-binding site, 382:191
substrate inhibition, 377:757, 383:517
subunit interaction, 379:173
substrate selectivity, 381:125
substrate specificity, 377:775, 380:505
SUC2, 383:171
succinate dehydrogenase, 379:359
succinate transport, 378:949
sucrose gradient, 379:617
SufA, 379:433
sugar-binding protein, 380:677
Sulfolobus, 381:249
Sulfolobus solfataricus, 381:645, 384:69
sulphatase, 382:581
sulphation, 379:533
sulpho-conjugation, 383:543
sulphonyurea receptor SUR2A, 379:173
su!photransferase (SULT), 379:533, 383:543
sulphur oxidation, 381:137
SULT2B1b, 379:533
SULT1D1 (sulphotransferase), 378:687
superactivity, 379:497
superoxide, 381:175, 381:241
superoxide dismutase, 377:241, 378:919
supercoiled DNA, 377:17
suppression subtractive hybridization (SSH), 379:681
suppressor of cAMP receptor (SCAR)/WASP family verprolin homologous (WAVE), 382:13
suppressor of cytokine signalling 3 (SOCS3), 378:449
Suppressor of fused (Sufu), 378:353
suppressor of the cAMP receptor (Scar), 380:1
surface localization, 379:653
surface plasmon resonance (SPR), 378:801, 379:815, 379:841
surface-enhanced laser desorption/ionization–time-of-flight (SELDI-TOF), 379:681
surface plasmon resonance, 381:725
survival factor, 378:169
survival of motoneuron protein (SMN protein), 384:559
SUT1, 381:195
swelling, 378:213
SWI/SNF, 383:319
SW480 xenograft, 377:617
Syk, 377:489
symport, 379:375
symporter, 380:231
synapse, 378:391, 380:19
synapse-associated protein 90 (SAP90)/post-synaptic density-95 (PSD-95), 380:19
synaptobrevin, 377:781
synaptojanin-1, 382:687
synaptosome, 381:753, 383:121
synaptotagmin, 378:681, 380:875
syncollin, 380:897
syndecan, 382:933
syndecan-2, 377:533
syndecan-4, 378:1007
Synechocystis, 382:279
Synechocystis PCC 6803, 378:293
synergy, 378:473
syntaxin 5, 381:619
synthetic reaction, 377:225
α-synuclein, 378:435
systematic evolution of ligands by exponential enrichment (SELEX), 384:585
systemic lupus erythematosus, 380:929

T20, 377:107
TABK (TAK1-binding protein 3), 378:27
TAK1 protein kinase, 378:27
targeting, 378:409, 383:457
target protein, 378:497
Tat, 382:945
taurine transporter, 382:177
T-cell antigen receptor, 378:335
3T3 cell, 383:63
T-cell, 384:469
T84 cell, 382:589
telomere, 378:1039
temporin L, 380:859
terminal differentiation, 381:429
termination codon, 377:725
testis, 379:385
2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD), 377:205
tetrakisphosphate, 377:265
tetraspanin, 377:407
TFIIB, 378:317
TGL1, 378:899
Th1, 382:269
theoretical model, 380:677
thermal denaturation, 383:343
thermal hysteresis, 377:589
thermal stability, 384:69
thermal unfolding, 380:627, 381:97
thermodynamic parameters, 382:433
thermodynamics, 384:411
thermolysin, 382:315
thermophilic organism, 381:645
thermophilic protein, 380:677
Theromyzon tessulatum (leech), 380:617
thialysine [*S*-(2-aminoethyl)-L-cysteine], 384:129, 384:139
thiamine diphosphate, 384:59
thimerosal, 381:87
thiol, 379:359
thiol-dependent reductase, 381:405
thiol modification, 378:373
thiol-reactive agent, 381:87
6-thiopurine, 381:709
thioredoxin, 378:497, 383:139
three-dimensional domain swapping, 380:311
three-dimensional ligand-binding domain modelling, 382:337
three-dimensional structure, 377:37, 379:777, 380:677
threonine biosynthesis, 381:823
thrombin, 378:129
thrombospondin, 377:479
thrombospondin-related anonymous protein, 379:815
Thy-1, 380:219
thylakoid, 378:293
thymidine kinase, 379:795
thyroid, 377:553
thyroid hormone, 378:549
thyroid hormone receptor, 378:549
thyroid-stimulating hormone β gene (TSHβ gene), 378:549
thyrotrophin-releasing hormone (TRH), 380:815
thyrotrophin-releasing hormone receptor (TRHR), 380:815
thyroxine, 381:351
Tiam1, 382:857
tick, 379:681
time-resolved NMR, 381:813
Tim11p, 381:19
tissue-specific regulatory element, 379:151
T-lymphocyte, 380:425
tobacco, 383:53, 384:59
Toll-like receptor (TLR), 380:83, 382:393
4-toluenesulphonate uptake, 383:91
tonicity response element, 380:783
tonicity-responsive element-binding protein (TonEBP), 382:177
topoisomerase I inhibition, 384:527
topology, 377:579, 379:47, 382:145, 382:191
total internal reflectance fluorescence (TIRF) microscopy, 379:527
total internal reflection fluorescence microscopy (TIRFM), 381:13
toxicity, 382:581
toxin, 383:285
toxin fold, 378:717
toxin oligomerization, 384:507
toxin receptor binding, 384:507
Toxoplasma, 380:523
TPS1, 383:171
trafficking, 378:1031, 380:805
transactivation, 383:267
transaldolase, 382:725
transcellular delivery, 377:69
trans-cleavage, 379:325
transcription, 377:701, 377:763, 377:797, 378:219, 378:839, 378:983, 380:523, 381:e3, 381:43, 381:267, 381:397, 381:413, 381:887, 384:79, 384:295
transcription activator, 378:735, 383:37, 383:171, 384:647
transcription factor, 377:367, 377:763, 378:609, 378:833, 378:929, 379:421, 379:749,

© 2005 Biochemical Society

380:255, 382:177, 383:179, 383:383, 384:169
transcription start site, 379:739
transcriptional activity, 379:471
transcriptional antitermination, 383:419
transcriptional co-activator, 382:913
transcriptional control, 380:515
transcriptional intermediary factor 2 (TIF2), 379:731
transcriptional profiling, 379:351
transcriptional regulation, 377:429, 377:553, 379:23, 379:151, 380:289, 382:323, 383:187, 384:317
transcriptional repression, 379:731
transcription regulation, 381:831, 383:419
transcytosis, 380:669
transfectant, 379:39
transferrin, 381:629
transferrin receptor, 377:61, 381:629
transforming growth factor β (TGF-β), 379:23, 379:89, 383:187, 383:393, 381:429, 377:797
transforming growth factor β1 (TGF-β1), 379:141
transforming growth factor β signalling (TGF-β signalling), 379:209
transgenic mice, 379:739
transgenic oil, 378:665
transglutaminase, 381:313
transglycosylation, 379:125
transient receptor potential canonical 6 (TRPC6), 378:975
transient expression, 380:837
transition state, 380:549
transketolase, 382:759
translation, 378:73, 380:523, 380:823, 384:239
translation inhibition, 383:201
translational efficiency, 379:617
translational regulation, 377:257, 378:999
translocation, 382:957
transmembrane domain, 378:201
transmembrane protein, 380:685
transmembrane segment IV, 379:31
transmissible spongiform encephalopathy, 381:221
transport, 378:21, 379:183, 381:905, 383:19
transportan, 377:69
transporter, 377:733, 378:201, 382:27, 384:47
trans-sulphuration, 381:113
transthyretin, 381:351, 382:481
transverse tubule (T-tubule), 381:599
triacylglycerol, 378:899
triacylglycerol hydrolase, 378:967
triazine dye, 382:885
Trichoderma viride, 377:749
triclosan, 381:719, 381:725, 381:735, 383:401
TRIF, 380:83
Trimeresurus mucrosquamatus, 378:399
Trimeresurus stejnegeri, 377:215
trisphosphate, 377:265
Triton X-100 insolubility, 379:331
troponin, 378:269
truncated carbonate and carboxylic ester substrate synthesis, 381:125
Trypanosoma cruzi, 378:63, 381:743
trypanosome, 383:537
trypsin, 379:697
trypsinogen, 379:697
tryptophan synthase, 381:847
T state, 384:367
tubulin, 378:877
tumorigenesis, 379:209
tumour cell, 384:281
tumour marker, 380:515
tumour necrosis factor (TNF), 378:27, 379:409
tumour necrosis factor-α (TNF-α), 377:379
tumour necrosis factor-α-converting enzyme (TACE), 37...79, 382:363
tumour necrosis factor receptor, 383:219
tumour suppressor, 379:209, 381:453, 382:1
tumour progression locus-2 (TPL-2), 382:393
tumour-suppressor function, 379:301
twin arginine targeting, 379:47
two-dimensional SDS/PAGE, 380:243
two-dimensional electrophoresis, 379:291, 379:823
two-dimensional gel electrophoresis (2-DE), 381:823
two-dimensional infrared spectroscopy, 384:69
two-hybrid system, 378:673
Type 2 diabetes, 377:709
Type I phosphatidylinositol 4-phosphate 5-kinase γ, 379:489
type II DNA-binding protein, 383:343
type-1 plasminogen activator inhibitor (PAI-1), 381:203
TyrA, 382:279
tyrosinase, 380:643
tyrosine, 382:279
tyrosine hydroperoxide, 381:241
tyrosine kinase, 377:249, 377:569, 382:199
tyrosine phosphorylation, 377:289, 377:499, 377:517, 378:105, 380:e7, 380:243, 380:581, 380:767, 381:919
tyrosyl radical, 381:241

ubiquinone (coenzyme Q), 379:309
ubiquitin, 378:727, 379:513, 381:275
ubiquitin C12, 378:1089
ubiquitin-associated domain (UBA domain), 384:391
ubiquitination, 384:e1, 384:1, 384:37
ubiquitin-like domain (UBX domain), 384:391
ubiquitin-like protein, 377:459
ubiquitin–proteasome proteolysis, 378:239
UDP-*N*-acetyl-D-galactosamine:polypeptide *N*-acetyl-galactosaminyltransferase, 382:501
UDP-*N*-acetylglucosamine 2-epimerase/*N*-acetylmannosamine kinase, 384:599
UDP-GlcA, 381:131
UDP-glucose dehydrogenase, 381:131
UGT1A1, 384:637
UGT2B7, 384:637
ultradian oscillation, 383:171
ultrafiltration binding study, 382:215
ultraviolet light, 381:609
uncompetitive inhibition, 378:699
unconjugated bilirubin, 383:335
uncoupling protein, 380:139
uncoupling protein 1 (UCP1), 379:309
UPC2, 381:195
upstream stimulatory factor (USF), 383:209, 383:249
urine, 380:541
urokinase-type plasminogen activator receptor domain family, 380:845
urokinase-type plasminogen activator (uPA), 380:845, 381:203
UTP, 384:619
Utp8p, 378:809
UV, 382:581

VacA, 381:911
vaccinia virus (VV), 381:437
vacuolating toxin, 381:911
vacuole, 380:837, 380:907, 382:821
valine, 379:119
valinomycin, 378:213
valosin-containing protein (VCP), 384:391
vanadate, 382:581
vanadate cleavage, 380:549
vascular cell adhesion molecule-1 (VCAM-1), 378:539
vasoactive peptide, 383:e5
vasoconstrictor, 383:413
vasopeptidase, 383:45
vasopressin, 382:231
venom, 377:215, 380:347, 384:119
versican V2, 377:787
very long-chain fatty acid, 377:85
very-low-density lipoprotein (VLDL), 378:967
vesicle, 382:783
vesicle-associated membrane protein (VAMP), 377:781
vesicular trafficking, 384:233
viability, 383:303
Vibrio, 377:225
vicilin-like (7 S) protein, 383:327
Vif, 383:475
virulence, 381:877, 384:377
virus-induced gene silencing (VIGS), 378:889
vitamin A, 383:295
vitamin B_6, 379:65, 380:211
vitamin C, 378:959
vitronectin, 380:685
vivapain, 378:529
voltage-dependent anion channel (VDAC), 377:347
voltage-operated calcium channel, 380:661
von Hippel–Lindau protein, 381:761
von Willebrand factor (vWF), 378:1023
Vps, 377:693
Vps10p-domain receptor family, 381:203
VV growth factor (VGF), 381:437

WASP-family verprolin homologous protein (WAVE), 380:1
water stress, 381:373
whey acidic protein-like domain (WAP domain), 384:495
Wilson's disease, 377:95, 380:805
Wilson's disease protein, 382:293
Wiskott–Aldrich syndrome protein (WASP), 380:1, 382:13
WND, 380:805
Wnt signalling, 379:471
wound healing, 380:845
WRK-1 cell, 380:465
WW domain binding protein (WBP), 377:553

Xenopus, 377:499, 381:905
Xenopus kinesin catastrophe modulator-1 (XKCM1), 383:227
xeroderma pigmentosum group F (XPF), 379:71
X-linked adrenoleukodystrophy, 377:85
X-ray crystallography, 378:421, 383:419
X-ray structure, 377:717

YAP4 (*CIN5*), 379:367
yeast, 377:395, 377:769, 378:599, 378:899, 379:309, 381:941, 383:139, 384:47, 384:411
yeast activator protein (Yap1p), 379:367
yeast genetics, 380:441
yeast iron permease, 380:487
yeast mutant complementation, 382:519
yeast two-hybrid assay, 377:51, 377:449, 378:779, 382:375, 382:783, 382:803, 384:599
yellow fluorescent protein, 377:281
Yip3, 380:43

© 2005 Biochemical Society

YjeE protein, 384:577
Ykt6, 384:233

Zea mays, 380:611
zinc, 377:241, 378:579, 378:617, 383:63, 384:111
zinc amidase, 377:111
zinc-binding domain, 381:e3
zinc deficiency, 378:579
zinc-dependent DNA binding, 381:373
zinc finger, 381:e3, 381:685
zinc-finger protein, 378:727, 384:647
zinc ribbon, 378:317
zinc transporter, 377:131
zinc transporter-1, 382:33
zoledronic acid, 384:591
zona pellucida, 384:191
Zrt-, Irt-like protein (ZIP) transporter, 377:131
zwitterionic glycosphingolipid, 378:461
zymogen, 379:757, 382:651, 384:201
zymogen activation, 379:697
zymogenicity, 379:497

© 2005 Biochemical Society

www.biochemsoctrans.org

Biochemical Society

transactions

Honorary Editor: David J Richardson, Norwich, UK

Biochemical Society Transactions

captures the cutting-edge science presented at the Biochemical Society's meetings held in the UK and Ireland, including the prestigious Medal Lectures.

The transactions are in the format of a series of mini-review articles and provide a timely snapshot of a given topic that is prized by both lecturers and students alike.

The journal also includes the proceedings of the BioScience Annual Meeting held in Glasgow. BioScience2005 – from Genes to Systems, is a 4-day meeting comprising symposia, plenary lectures and special lectures/presentations by keynote speakers including Wolfgang Baumeister, P. Leslie Dutton, Walter Kolch, Robert J. Lefkowitz and David Stuart.

Forthcoming Medal Lectures:

- The Biochemical Society Award
  Professor Sir David Lane (Dundee)
- Sir Fredrick Gowland Hopkins Memorial Lecture
  Professor Chris Somerville (Carnegie Institute, USA)
- The Novartis Medal
  Professor Jean Beggs (Edinburgh)
- GlaxoSmithKline Award
  Professor David A Lomas (Cambridge)

Forthcoming issues will include the following meetings:

- ***Kinases in Diabetes*** (University of Manchester, November 2004)
- ***Plant Signalling from Genes to Biochemistry, incorporating the 2nd Glasgow Phoenix Meeting*** (Kelvin Gallery, Glasgow, November 2004)
- ***Proteases and their Inhibitors in Neurdegenerative Disease*** (Royal Institute of British Architects, London, November 2004)
- ***RNA Structure and Function: a joint Biochemical Society/Royal Society of Chemistry Focused Meeting*** (University of Edinburgh, December 2004)

Biochemical Society Transactions Online!

Biochemical Society Transactions online has a number of benefits and value-added features for subscribers including:

- ***Access to full proceedings***
- ***Inter-journal linking***
- ***Medline links***
- ***Available online in advance of the print edition***
- ***Full text searching***
- ***Free online archive***

Join the e-mail alerting service to receive a copy of the HTML version of the table of contents before the paper copy is published.

Subscriptions 2005: volume 33 (6 issues)

	Paper/Online	*Online only*	
N. America	US$450.00	US$400.00	
Rest of World	£239.00	£211.00	
Euro Price	€407.00	€360.00	
Biochemical Society Member Price *(includes free online access)*	US$108.00	£58.00	€98.00

http://www.biochemsoctrans.org

Portland Press, Commerce Way, Colchester CO2 8HP Tel: +44 (0) 1206 796351 Fax: +44 (0) 1206 799331 Email: sales@portland-services.com

Published by Portland Press on behalf of the Biochemical Society

Composed by TechBooks, Delhi
Printed in Great Britain by the Charlesworth Group, Wakefield